

ELECTRO-SURGICAL

SINGLEUSE INSTRUMENTS

Medrose
INSTRUMENTS

HEAD OFFICE

S. I. E. Tipu Road (51310)
(Near Samico Industries)
Sialkot-Pakistan

E-mail: info@medroseinstruments.com

Whatsapp: +92-300-200-8400

Tel: +92-333-368-2200

Website: www.medroseinstruments.com

TABLE OF CONTENT

PAGE

Introduction _____	03
Why choose SingleUse instruments _____	04
Electrosurgery Forceps _____	05
Electrosurgery Cables & Connectors _____	35
Electrosurgery Single-use Forceps _____	43
Electrosurgery Laparoscopic _____	125
SU Electrosurgery Premium Elite Forceps _____	133
SU Electrosurgical Gynaecology Instruments _____	155
SU Electrosurgery Procedure Pack _____	165
Electrosurgery Active Handpiece _____	179
Electrosurgery Active Electrodes _____	189

Welcome to **Medrose Instruments**

Your Trusted Partner in Precision Medical Tools

For over two decades, Medrose Instruments has stood as a cornerstone in the medical manufacturing industry. Founded on the principle that healthcare professionals deserve nothing less than absolute reliability, we have dedicated ourselves to the art and science of creating superior electro-surgical and dental instruments.

Our journey began with a simple mission: to bridge the gap between innovative engineering and clinical excellence. From our state-of-the-art manufacturing hub, we now serve a global family of surgeons, dentists, and distributors, empowering them with tools that enhance patient care and streamline procedures. At Medrose, we don't just make instruments; we craft confidence for medical professionals worldwide.




Why Use SingleUse Instruments

Single-use instruments offer significant advantages over reusable ones, primarily due to the hidden costs and risks associated with the latter:


- 1. Time Efficiency:** Reprocessing reusable instruments involves extensive management time and calculations, often leading to delays, damaged instruments, and inefficiencies in instrument retrieval and tray management.
- 2. Operational Delays:** Complexities in reprocessing and managing reusable instruments contribute to delays in surgical lists and patient appointments, adding pressure to clinical teams and affecting patient care.
- 3. Cross Infection Risks:** Despite rigorous reprocessing, the risk of cross infection remains, which can be mitigated effectively by single-use instruments, reducing healthcare costs associated with treating infections.
- 4. Hidden Costs of Reusables:** Calculating the true cost of reusable instruments involves more than initial purchase and reprocessing costs—it includes energy consumption for sterilization, logistical challenges, and the increased likelihood of instruments being lost or damaged in transit.
- 5. Effectiveness Over Time:** Reusable instruments lose efficacy and may perform differently after multiple uses, potentially compromising patient care and necessitating costly repairs or replacements.

ELECTROSURGERY **STANDARD FORCEPS**



STANDARD FORCEPS


Our range of Electrosurgery Forceps is designed to provide precision and control during electrosurgical procedures. Featuring highly polished tips for optimal heat and electrical conductivity, these forceps ensure rapid heat dispersion, allowing for effective cutting and coagulation. Available in both standard and advanced models, our forceps are built to minimize tissue adhesion and enhance the surgeon's tactile feedback.



The middle area of non-stick forceps often features a textured or grooved surface to provide a secure and controlled grip for the user. This section is usually reinforced for added stability and balance, allowing for precise manipulation even during delicate procedures.



The tips of non-stick forceps are finely crafted for precision and coated with a non-stick material, such as Teflon, to prevent adhesion and ensure smooth handling. These tips are typically narrow and tapered, allowing for delicate manipulation of tissues or materials without sticking or tearing.



The Nonstick Forceps Plugin is an essential accessory for medical and laboratory equipment, designed to


Whether for single-use or reusable options, these instruments offer reliability and efficiency, ensuring safe and effective surgical outcomes

**SINGLE USE
ELECTROSUREGY**
STANDARD FORCEPS


**STANDARD
BIPOLAR FORCEPS**
FLAT PLUG FITTING



PAGE 37



PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE BIPOLAR FORCEPS

Available Tip Size in mm



Standard McPherson Bipolar Forceps

TIP SIZE

90mm

102mm

108mm

115mm

125mm

0.50mm		1/1
0.70mm		1/1
1.00mm		1/1
1.50mm		1/1
ON DEMAND		

D844	D820	D845	D846	D847
D844A	D820A	D845A	D846A	D847A
D844B	D820B	D845B	D846B	D847B
D844C	D820C	D845C	D846C	D847C
D844F	D820F	D845F	D846F	D847F



Standard McPherson Bipolar Forceps with angled

TIP SIZE

90mm

102mm

108mm

115mm

125mm

0.50mm		1/1
0.70mm		1/1
1.00mm		1/1
1.50mm		1/1
ON DEMAND		

D848	D836	D849	D850	D851
D848A	D836A	D849A	D850A	D851A
D848B	D836B	D849B	D850B	D851B
D848C	D836C	D849C	D850C	D851C
D848F	D836F	D849F	D850F	D851F



Standard Jeweler #4 Straight tip Bipolar Forceps

TIP SIZE

95mm

102mm

108mm

115mm


125mm

0.50mm		1/1
0.70mm		1/1
1.00mm		1/1
1.50mm		1/1
ON DEMAND		

D855	D853	D826	D817	D854
D855A	D853A	D826A	D817A	D854A
D855B	D853B	D826B	D817B	D854B
D855C	D853C	D826C	D817C	D854C
D855F	D853F	D826F	D817F	D854F

**SINGLE USE
ELECTROSUREGY**
STANDARD FORCEPS

**STANDARD
BIPOLAR FORCEPS**
FLAT PLUG FITTING



STANDARD BLUE BIPOLAR FORCEPS



Standard Jeweler #4 Bipolar Forceps with Angled

TIP SIZE

95mm

102mm

108mm

115mm

125mm

0.50mm	
0.70mm	
1.00mm	
1.50mm	
ON DEMAND	

D852	D837	D816	D833	D839
D852A	D837A	D816A	D833A	D839A
D852B	D837B	D816B	D833B	D839B
D852C	D837C	D816C	D833C	D839C
D852F	D837F	D816F	D833F	D839F

Available Tip Size in mm



Standard Jeweler #7 Bipolar Forceps

TIP SIZE

95mm

102mm

108mm

115mm

125mm

0.50mm	
0.70mm	
1.00mm	
1.50mm	
ON DEMAND	

D841	D856	D858	D835	D859
D841A	D856A	D858A	D835A	D859A
D841B	D856B	D858B	D835B	D859B
D841C	D856C	D858C	D835C	D859C
D841F	D856F	D858F	D835F	D859F



Standard Adson Bipolar Forceps

TIP SIZE

110mm

121mm


150mm

165mm

180mm

0.50mm	
0.70mm	
1.00mm	
1.50mm	
ON DEMAND	

D840	D801	D834	D842	D843
D840A	D801A	D834A	D842A	D843A
D840B	D801B	D834B	D842B	D843B
D840C	D801C	D834C	D842C	D843C
D840F	D801F	D834F	D842F	D843F



STANDARD BLUE BIPOLAR FORCEPS



Standard Bayonet Bipolar Forceps

TIP SIZE

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		

155mm	180mm	200mm	220mm	240mm
D808	D809	D824	D825	D810
D808B	D809B	D824B	D825B	D810B
D808C	D809C	D824C	D825C	D810C
D808D	D809D	D824D	D825D	D810D
D808F	D809F	D824F	D825F	D810F

Available Tip Size in mm



Standard Bayonet Bipolar Forceps with angled Up

TIP SIZE

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		

155mm	180mm	200mm	220mm	240mm
D812	D832	D831	D815	D814
D812B	D832B	D831B	D815B	D814B
D812C	D832C	D831C	D815C	D814C
D812D	D832D	D831D	D815D	D814D
D812F	D832F	D831F	D815F	D814F



Standard Bayonet Bipolar Forceps with angled Down

TIP SIZE

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		


155mm	180mm	200mm	220mm	240mm
D811	D827	D813	D828	D829
D811B	D827B	D813B	D828B	D829B
D811C	D827C	D813C	D828C	D829C
D811D	D827D	D813D	D828D	D829D
D811F	D827F	D813F	D828F	D829F

**SINGLE USE
ELECTROSUREGY**
STANDARD FORCEPS


**STANDARD
BIPOLAR FORCEPS**
FLAT PLUG FITTING



PAGE 37



PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE BIPOLAR FORCEPS

Available Tip Size in mm



Standard Straight Bipolar Forceps

TIP SIZE

155mm 180mm 200mm 220mm 240mm

0.50mm	
1.00mm	
1.50mm	
2.00mm	
ON DEMAND	

D805	D806	D807	D821	D822
D805B	D806B	D807B	D821B	D822B
D805C	D806C	D807C	D821C	D822C
D805D	D806D	D807D	D821D	D822D
D805F	D806F	D807F	D821F	D822F



Standard Straight Bipolar Forceps with angled tip

TIP SIZE


155mm 180mm 200mm 220mm 240mm

0.50mm	
1.00mm	
1.50mm	
2.00mm	
ON DEMAND	

D802	D803	D804	D818	D819
D802B	D803B	D804B	D818B	D819B
D802C	D803C	D804C	D818C	D819C
D802D	D803D	D804D	D818D	D819D
D802F	D803F	D804F	D818F	D819F

**SINGLE USE
ELECTROSUREGY**
STANDARD FORCEPS

**STANDARD
BIPOLAR FORCEPS**
FLAT & TWO PIN PLUG FITTING



STANDARD IRRIGATION BLUE BIPOLAR FORCEPS



Standard Bayonet irrigation Bipolar Forceps

TIP SIZE

155mm 180mm 200mm 220mm 240mm

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		

D1502	D1511	D1512	D1513	D1514
D1502B	D1511B	D1512B	D1513B	D1514B
D1502C	D1511C	D1512C	D1513C	D1514C
D1502D	D1511D	D1512D	D1513D	D1514D
D1502F	D1511F	D1512F	D1513F	D1514F

Available Tip Size in mm



Standard Straight Bipolar Irrigation Forceps

TIP SIZE

155mm 180mm 200mm 220mm 240mm

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		

D1501	D1506	D1507	D1508	D1509
D1501B	D1506B	D1507B	D1508B	D1509B
D1501C	D1506C	D1507C	D1508C	D1509C
D1501D	D1506D	D1507D	D1508D	D1509D
D1501F	D1506F	D1507F	D1508F	D1509F



Standard Irrigation Bayonet Bipolar Forceps

TIP SIZE

155mm 180mm 200mm 220mm 240mm

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		


D1626	D1627	D1628	D1629	D1630
D1626B	D1627B	D1628B	D1629B	D1630B
D1626C	D1627C	D1628C	D1629C	D1630C
D1626D	D1627D	D1628D	D1629D	D1630D
D1626F	D1627F	D1628F	D1629F	D1630F

**SINGLE USE
ELECTROSUREGY
STANDARD FORCEPS**


**STANDARD
BIPOLAR FORCEPS
TWO PIN PLUG FITTING**



PAGE 37



PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD IRRIGATION BLUE BIPOLAR FORCEPS

Available Tip Size in mm



Standard Irrigation Bayonet Bipolar Forceps

TIP SIZE

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		

155mm	180mm	200mm	220mm	240mm
D1631	D1632	D1633	D1634	D1635
D1631B	D1632B	D1633B	D1634B	D1635B
D1631C	D1632C	D1633C	D1634C	D1635C
D1631D	D1632D	D1633D	D1634D	D1635D
D1631F	D1632F	D1633F	D1634F	D1635F



Standard Irrigation Straight Bipolar Forceps

TIP SIZE

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		

155mm	180mm	200mm	220mm	240mm
D1605	D1610	D1611	D1612	D1613
D1605B	D1610B	D1611B	D1612B	D1613B
D1605C	D1610C	D1611C	D1612C	D1613C
D1605D	D1610D	D1611D	D1612D	D1613D
D1605F	D1610F	F1610F	F1612F	F1613F



Standard Irrigation Bayonet Bipolar Forceps

TIP SIZE

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		


155mm	180mm	200mm	220mm	240mm
D1601	D1604	D1615	D1616	D1617
D1601B	D1604B	D1615B	D1616B	D1617B
D1601C	D1604C	D1615C	D1616C	D1617C
D1601D	D1604D	D1615D	D1616D	D1617D
D1601F	D1604F	D1615F	D1616F	D1617F

**SINGLE USE
ELECTROSUREGY**
STANDARD FORCEPS


**STANDARD
BIPOLAR FORCEPS**
TWO PIN PLUG FITTING



PAGE 37



PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE BIPOLAR FORCEPS

Available Tip Size in mm



Standard McPherson Bipolar Forceps

TIP SIZE

90mm

102mm

108mm

115mm

125mm

0.50mm	
0.70mm	
1.00mm	
1.50mm	
ON DEMAND	

D1020	D1004	D1008	D1021	D1022
D1020A	D1004A	D1008A	D1021A	D1022A
D1020B	D1004B	D1008B	D1021B	D1022B
D1020C	D1004C	D1008C	D1021C	D1022C
D1020F	D1004F	D1008F	D1021F	D1022F



Standard McPherson Bipolar Forceps with Angled

TIP SIZE

90mm

102mm

108mm

115mm

125mm

0.50mm	
0.70mm	
1.00mm	
1.50mm	
ON DEMAND	

D1023	D1001	D1002	D1024	D1025
D1023A	D1001A	D1002A	D1024A	D1025A
D1023B	D1001B	D1002B	D1024B	D1025B
D1023C	D1001C	D1002C	D1024C	D1025C
D1023F	D1001F	D1002F	D1024F	D1025F



Standard jeweler #4 Bipolar Forceps

TIP SIZE

95mm

102mm

108mm

115mm


125mm

0.50mm	
0.70mm	
1.00mm	
1.50mm	
ON DEMAND	


D1011	D1012	D1013	D1026	D1014
D1011A	D1012A	D1013A	D1026A	D1014A
D1011B	D1012B	D1013B	D1026B	D1014B
D1011C	D1012C	D1013C	D1026C	D1014C
D1011F	D1012F	D1013F	D1026F	D1014F



PAGE 37



PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE BIPOLAR FORCEPS

Available Tip Size in mm



Standard Jeweler #5 Bipolar Forceps

TIP SIZE

95mm 102mm 108mm 115mm 125mm

0.50mm	
0.70mm	
1.00mm	
1.50mm	
ON DEMAND	

D1031	D1032	D1033	D1006	D1034
D1031A	D1032A	D1033A	D1006A	D1034A
D1031B	D1032B	D1033B	D1006B	D1034B
D1031C	D1032C	D1033C	D1006C	D1034C
D1031F	D1032F	D1033F	D1006F	D1034F



Standard Adson Bipolar Forceps

TIP SIZE

110mm 121mm 150mm 165mm 180mm

0.50mm	
0.70mm	
1.00mm	
1.50mm	
ON DEMAND	

D1102	D1101	D1110	D1105	D1109
D1102A	D1101A	D1110A	D1105A	D1109A
D1102B	D1101B	D1110B	D1105B	D1109B
D1102C	D1101D	D1110C	D1105C	D1109C
D1102F	D1101F	D1110F	D1105F	D1109F



Standard Semkin Bipolar Forceps

TIP SIZE


155mm 180mm 200mm 220mm 240mm

0.50mm	
1.00mm	
1.50mm	
2.00mm	
ON DEMAND	

D1111	D1112	D1113	D1116	D1117
D1111B	D1112B	D1113B	D1116B	D1117B
D1111C	D1112C	D1113C	D1116C	D1117C
D1111D	D1112D	D1113D	D1116D	D1117D
D1111F	D1112F	D1113F	D1116F	D1117F

**SINGLE USE
ELECTROSUREGY**
STANDARD FORCEPS

**STANDARD
BIPOLAR FORCEPS**
TWO PIN PLUG FITTING



STANDARD BLUE BIPOLAR FORCEPS

Available Tip Size in mm



Standard Cushing Bipolar Forceps

TIP SIZE	155mm	180mm	200mm	220mm	240mm
0.50mm	D1103	D1125	D1126	D1127	D1128
1.00mm	D1103B	D1125B	D1126B	D1127B	D1128B
1.50mm	D1103C	D1125C	D1126C	D1127C	D1128C
2.00mm	D1103D	D1125D	D1126D	D1127D	D1128D
ON DEMAND	D1103F	D1125F	D1126F	D1127F	D1128F



Standard Gerald Bipolar Forceps

TIP SIZE	155mm	180mm	200mm	220mm	240mm
0.50mm	D1131	D1106	D1107	D1132H	D1108
1.00mm	D1131B	D1106B	D1107B	D1132B	D1108B
1.50mm	D1131C	D1106C	D1107C	D1132C	D1108C
2.00mm	D1131D	D1106D	D1107D	D1132D	D1108D
ON DEMAND	D1131F	D1106F	D1107F	D1132F	D1108F




Standard Scoville Greenwood Bayonet Bipolar Forceps


TIP SIZE	155mm	180mm	200mm	220mm	240mm
0.50mm	D926	D903	D910	D927	D911
1.00mm	D926B	D903B	D910B	D927B	D911B
1.50mm	D926C	D903C	D910C	D927C	D911C
2.00mm	D926D	D903D	D910D	D927D	D911D
ON DEMAND	D926F	D903F	D910F	D927F	D911F



PAGE 37



PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE BIPOLAR FORCEPS

Available Tip Size in mm




Standard Jansen Bayonet Bipolar Forceps

TIP SIZE	155mm	180mm	200mm	220mm	240mm
0.50mm	D901	D902	D907	D925	D908
1.00mm	D901B	D902B	D907B	D925B	D908B
1.50mm	D901C	D902C	D907C	D925C	D908C
2.00mm	D901D	D902D	D907D	D925D	D908D
ON DEMAND	D901F	D902F	D907F	D925F	D908F



Hardy Bayonet Bipolar Forceps

TIP SIZE	155mm	180mm	200mm	220mm	240mm
0.50mm	D933	D934	D935	D906	D918
1.00mm	D933B	D934B	D935B	D906B	D918B
1.50mm	D933C	D934C	D935C	D906C	D918C
2.00mm	D933D	D934D	D935D	D906D	D918D
ON DEMAND	D933F	D934F	D935F	D906F	D918F



Hardy Bayonet Bipolar Forceps (Angled)


TIP SIZE	155mm	180mm	200mm	220mm	240mm
0.50mm	D930	D931	D905	D932	D916
1.00mm	D930B	D931B	D905B	D932B	D916B
1.50mm	D930C	D931C	D905C	D932C	D916C
2.00mm	D930D	D931D	D905D	D932D	D916D
ON DEMAND	D930F	D931F	D905F	D932F	D916F

**SINGLE USE
ELECTROSUREGY
FORCEPS**


**NON-STICK
BIPOLAR FORCEPS**
FLAT PLUG FITTING



PAGE 37



PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK ORANGE BIPOLAR FORCEPS

Available Tip Size in mm



Non-stick McPherson Bipolar Forceps

TIP SIZE

0.50mm		1/1
0.70mm		1/1
1.00mm		1/1
1.50mm		1/1
ON DEMAND		

90mm	102mm	108mm	115mm	125mm
DNA247	DNA248	DNA249	DNA211	DNA212
DNA247A	DNA248A	DNA249A	DNA211A	DNA212A
DNA247B	DNA248B	DNA249B	DNA211B	DNA212B
DNA247C	DNA248C	DNA249C	DNA211C	DNA212C
DNA247F	DNA248F	DNA249F	DNA211F	DNA212F



Non-stick McPherson Bipolar Forceps with angled

TIP SIZE

0.50mm		1/1
0.70mm		1/1
1.00mm		1/1
1.50mm		1/1
ON DEMAND		

90mm	102mm	108mm	115mm	125mm
DNA213	DNA251	DNA214	DNA215	DNA216
DNA213A	DNA251A	DNA214A	DNA215A	DNA216A
DNA213B	DNA251B	DNA214B	DNA215B	DNA216B
DNA213C	DNA251C	DNA214C	DNA215C	DNA216C
DNA213F	DNA251F	DNA214F	DNA215F	DNA216F



Non-stick Jeweler #5 Bipolar Forceps

TIP SIZE

0.50mm		1/1
0.70mm		1/1
1.00mm		1/1
1.50mm		1/1
ON DEMAND		


95mm	102mm	108mm	115mm	125mm
DNA217	DNA218	DNA219	DNA204	DNA220
DNA217A	DNA218A	DNA219A	DNA204A	DNA220A
DNA217B	DNA218B	DNA219B	DNA204B	DNA220B
DNA217C	DNA218C	DNA219C	DNA204C	DNA220C
DNA217F	DNA218F	DNA219F	DNA204F	DNA220F

**SINGLE USE
ELECTROSUREGY
FORCEPS**


**NON-STICK
BIPOLAR FORCEPS**
FLAT PLUG FITTING



PAGE 37



PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK ORANGE BIPOLAR FORCEPS

Available Tip Size in mm



Non-stick Jeweler #5 Bipolar Forceps with Angled

TIP SIZE

95mm 102mm 108mm 115mm 125mm

0.50mm	
0.70mm	
1.00mm	
1.50mm	
ON DEMAND	

DNA222	DNA223	DNA224	DNA252	DNA231
DNA222A	DNA223A	DNA224A	DNA252A	DNA231A
DNA222B	DNA223B	DNA224B	DNA252B	DNA231B
DNA222C	DNA223C	DNA224C	DNA252C	DNA231C
DNA222F	DNA223F	DNA224F	DNA252F	DNA231F



Non-stick Jeweler #7 Bipolar Forceps

TIP SIZE

95mm 102mm 108mm 115mm 125mm

0.50mm	
0.70mm	
1.00mm	
1.50mm	
ON DEMAND	

DNA226	DNA227	DNA228	DNA229	DNA230
DNA226A	DNA227A	DNA228A	DNA229A	DNA230A
DNA226B	DNA227B	DNA228B	DNA229B	DNA230B
DNA226C	DNA227C	DNA228C	DNA229C	DNA230C
DNA226F	DNA227F	DNA228F	DNA229F	DNA230F



Non-stick Adson Bipolar Forceps

TIP SIZE

110mm 121mm 150mm 165mm 180mm

0.50mm	
0.70mm	
1.00mm	
1.50mm	
ON DEMAND	


DNA265	DNA201	DNA269	DNA254	DNA260
DNA265A	DNA201A	DNA269A	DNA254A	DNA260A
DNA265B	DNA201B	DNA269B	DNA254B	DNA260B
DNA265C	DNA201C	DNA269C	DNA254C	DNA260C
DNA265F	DNA201F	DNA269F	DNA254F	DNA260F

**SINGLE USE
ELECTROSUREGY
FORCEPS**


**NON-STICK
BIPOLAR FORCEPS**
FLAT PLUG FITTING



PAGE 37



PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK ORANGE BIPOLAR FORCEPS

Available Tip Size in mm



Non-stick Bayonet Bipolar Forceps

TIP SIZE

155mm 180mm 200mm 220mm 240mm

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		

DNA203	DNA203A	DNA203B	DNA203C	DNA203D
DNA203V	DNA203AB	DNA203BB	DNA203CB	DNA203DB
DNA203X	DNA203AC	DNA203BC	DNA203CC	DNA203DC
DNA203Y	DNA203AD	DNA203BD	DNA203CD	DNA203DD
DNA203F	DNA203AF	DNA203BF	DNA203CF	DNA203DF



Non-stick Bayonet Bipolar Forceps with angled Up

TIP SIZE

155mm 180mm 200mm 220mm 240mm

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		

DNA209	DNA209A	DNA209B	DNA209C	DNA209D
DNA209V	DNA209AB	DNA209BB	DNA209CB	DNA209DB
DNA209X	DNA209AC	DNA209BC	DNA209CC	DNA209DC
DNA209Y	DNA209AD	DNA209BD	DNA209CD	DNA209DD
DNA209F	DNA209AF	DNA209BF	DNA209CF	DNA209DF



Non-stick Bayonet Bipolar Forceps with angled Down

TIP SIZE

155mm 180mm 200mm 220mm 240mm

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		


DNA295	DNA256	DNA266	DNA267	DNA268
DNA295B	DNA256B	DNA266B	DNA267B	DNA268B
DNA295C	DNA256C	DNA266C	DNA267C	DNA268C
DNA295D	DNA256D	DNA266D	DNA267D	DNA268D
DNA295F	DNA256F	DNA266F	DNA267F	DNA268F

**SINGLE USE
ELECTROSUREGY
FORCEPS**


**NON-STICK
BIPOLAR FORCEPS**
FLAT PLUG FITTING



PAGE 37



PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK ORANGE BIPOLAR FORCEPS

Available Tip Size in mm



Non-stick Straight Bipolar Forceps

TIP SIZE

155mm 180mm 200mm 220mm 240mm

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		

DNA202	DNA202A	DNA202B	DNA202C	DNA202D
DNA202V	DNA202AB	DNA202BB	DNA202CB	DNA202DB
DNA202X	DNA202AC	DNA202BC	DNA202CC	DNA202DC
DNA202Y	DNA202AD	DNA202BD	DNA202CD	DNA202DD
DNA202F	DNA202AF	DNA202BF	DNA202CF	DNA202DF



Non-stick Straight Bipolar Forceps with Angled tip

TIP SIZE

155mm 180mm 200mm 220mm 240mm

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		


DNA207	DNA207A	DNA207B	DNA207C	DNA207D
DNA207V	DNA207AB	DNA207BB	DNA207CB	DNA207DB
DNA207X	DNA207AC	DNA207BC	DNA207CC	DNA207DC
DNA207Y	DNA207AD	DNA207BD	DNA207CD	DNA207DD
DNA207F	DNA207AF	DNA207BF	DNA207CF	DNA207DF

**SINGLE USE
ELECTROSUREGY
FORCEPS**


**NON-STICK BIPOLAR
IRRIGATION FORCEPS**
FLAT & TWO PIN PLUG FITTING



PAGE 37



PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK IRRIGATION ORANGE BIPOLAR FORCEPS

Available Tip Size in mm



Non-Stick Irrigation Bayonet Bipolar Forceps

TIP SIZE 155mm 180mm 200mm 220mm 240mm

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		

DNA236	DNA237	DNA258	DNA258AA	DNA238
DNA236B	DNA237B	DNA258B	DNA258AAB	DNA238B
DNA236C	DNA237C	DNA258C	DNA258AAC	DNA238C
DNA236D	DNA237D	DNA258D	DNA258AAD	DNA238D
DNA236F	DNA237F	DNA258F	DNA258AAF	DNA238F



Non-Stick Irrigation Bipolar Forceps

TIP SIZE 155mm 180mm 200mm 220mm 240mm

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		

DNA285	DNA257	DNA257AA	DNA286	DNA287
DNA285B	DNA257B	DNA257AAB	DNA286B	DNA287B
DNA285C	DNA257C	DNA257AAC	DNA286C	DNA287C
DNA285D	DNA257D	DNA257AAD	DNA286D	DNA287D
DNA285F	DNA257F	DNA257AAF	DNA286F	DNA287F



Non-Stick Irrigation Bayonet Bipolar Forceps

TIP SIZE 155mm 180mm 200mm 220mm 240mm

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		


DNA304	DNA381	DNA382	DNA383	DNA384
DNA304B	DNA381B	DNA382B	DNA383B	DNA384B
DNA304C	DNA381C	DNA382C	DNA383C	DNA384C
DNA304D	DNA381D	DNA382D	DNA383D	DNA384D
DNA304F	DNA381F	DNA382F	DNA383F	DNA384F

**SINGLE USE
ELECTROSUREGY
FORCEPS**


**NON-STICK BIPOLAR
IRRIGATION FORCEPS**
TWO PIN PLUG FITTING



PAGE 37



PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK IRRIGATION ORANGE BIPOLAR FORCEPS

Available Tip Size in mm



Non-Stick Irrigation Bayonet Bipolar Forceps

TIP SIZE

155mm 180mm 200mm 220mm 240mm

0.50mm	
1.00mm	
1.50mm	
2.00mm	
ON DEMAND	

DNA336	DNA337	DNA358	DNA358AA	DNA320
DNA336B	DNA337B	DNA358B	DNA358AAB	DNA320B
DNA336C	DNA337C	DNA358C	DNA358AAC	DNA320C
DNA336D	DNA337D	DNA358D	DNA358AAD	DNA320D
DNA336F	DNA337F	DNA358F	DNA358AF	DNA320F



Non-Stick Irrigation Bipolar Forceps

TIP SIZE

155mm 180mm 200mm 220mm 240mm

0.50mm	
1.00mm	
1.50mm	
2.00mm	
ON DEMAND	

DNA335	DNA357	DNA357AA	DNA340	DNA321
DNA335B	DNA357B	DNA357AAB	DNA340B	DNA321B
DNA335C	DNA357C	DNA357AAC	DNA340C	DNA321C
DNA335D	DNA357D	DNA357AAD	DNA340D	DNA321D
DNA335F	DNA357F	DNA357AF	DNA340F	DNA321F



Non-Stick Irrigation Bayonet Bipolar Forceps

TIP SIZE

155mm 180mm 200mm 220mm 240mm

0.50mm	
1.00mm	
1.50mm	
2.00mm	
ON DEMAND	


DNA338	DNA339	DNA325	DNA326	DNA327
DNA338B	DNA339B	DNA325B	DNA326B	DNA327B
DNA338C	DNA339C	DNA325C	DNA326C	DNA327C
DNA338D	DNA339D	DNA325D	DNA326D	DNA327D
DNA338F	DNA339F	DNA325F	DNA326F	DNA327F

**SINGLE USE
ELECTROSUREGY
FORCEPS**


**NON-STICK BIPOLAR
IRRIGATION FORCEPS**
TWO PIN PLUG FITTING



PAGE 37



PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK ORANGE BIPOLAR FORCEPS

Available Tip Size in mm



Non-stick McPherson Bipolar Forceps

TIP SIZE	90mm	102mm	108mm	115mm	125mm
0.50mm	DNA347	DNA348	DNA349	DNA311	DNA312
0.70mm	DNA347A	DNA348A	DNA349A	DNA311A	DNA312A
1.00mm	DNA347B	DNA348B	DNA349B	DNA311B	DNA312B
1.50mm	DNA347C	DNA348C	DNA349C	DNA311C	DNA312C
ON DEMAND	DNA347F	DNA348	DNA349F	DNA311F	DNA312F



Non-stick McPherson Bipolar Forceps with Angled

TIP SIZE	90mm	102mm	108mm	115mm	125mm
0.50mm	DNA313	DNA351	DNA314	DNA315	DNA316
0.70mm	DNA313A	DNA351A	DNA314A	DNA315A	DNA316A
1.00mm	DNA313B	DNA351B	DNA314B	DNA315B	DNA316B
1.50mm	DNA313C	DNA351C	DNA314C	DNA315C	DNA316C
ON DEMAND	DNA313F	DNA351F	DNA314F	DNA315F	DNA316F



Non-stick jeweler #5 Bipolar Forceps


TIP SIZE	95mm	102mm	108mm	115mm	125mm
0.50mm	DNA239	DNA240	DNA241	DNA221	DNA242
0.70mm	DNA239A	DNA240A	DNA241A	DNA221A	DNA242A
1.00mm	DNA239B	DNA240B	DNA241B	DNA221B	DNA242B
1.50mm	DNA239C	DNA240C	DNA241C	DNA221C	DNA242C
ON DEMAND	DNA239F	DNA240F	DNA241F	DNA221F	DNA242F

**SINGLE USE
ELECTROSUREGY
FORCEPS**


**NON-STICK BIPOLAR
IRRIGATION FORCEPS**
TWO PIN PLUG FITTING



PAGE 37



PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK ORANGE BIPOLAR FORCEPS

Available Tip Size in mm



Non-stick Jeweler #5 Bipolar Forceps

TIP SIZE	95mm	102mm	108mm	115mm	125mm
0.50mm	DNA322	DNA323	DNA324	DNA352	DNA331
0.70mm	DNA322A	DNA323A	DNA324A	DNA352A	DNA331A
1.00mm	DNA322B	DNA323B	DNA324B	DNA352B	DNA331B
1.50mm	DNA322C	DNA323C	DNA324C	DNA352C	DNA331C
ON DEMAND	DNA322F	DNA323F	DNA324F	DNA352F	DNA331F



Non-stick Adson Bipolar Forceps

TIP SIZE	110mm	121mm	150mm	165mm	180mm
0.50mm	DNA243	DNA225	DNA244	DNA245	DNA246
0.70mm	DNA243A	DNA225A	DNA244A	DNA245A	DNA246A
1.00mm	DNA243B	DNA225B	DNA244B	DNA245B	DNA246B
1.50mm	DNA243C	DNA225D	DNA244C	DNA245C	DNA246C
ON DEMAND	DNA243F	DNA225F	DNA244F	DNA245F	DNA246F



Non-stick Semkin Bipolar Forceps


TIP SIZE	155mm	180mm	200mm	220mm	240mm
0.50mm	DNA341	DNA342	DNA343	DNA344	DNA345
1.00mm	DNA341B	DNA342B	DNA343B	DNA344B	DNA345B
1.50mm	DNA341C	DNA342C	DNA343C	DNA344C	DNA345C
2.00mm	DNA341D	DNA342D	DNA343D	DNA344D	DNA345D
ON DEMAND	DNA341F	DNA342F	DNA343F	DNA344F	DNA345F

**SINGLE USE
ELECTROSUREGY
FORCEPS**


**NON-STICK BIPOLAR
IRRIGATION FORCEPS**
TWO PIN PLUG FITTING



PAGE 37



PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK ORANGE BIPOLAR FORCEPS

Available Tip Size in mm



Non-stick Cushioning Bipolar Forceps

TIP SIZE

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		

155mm	180mm	200mm	220mm	240mm
DNA205	DNA205A	DNA205B	DNA205C	DNA205D
DNA205V	DNA205AB	DNA205BB	DNA205CB	DNA205DB
DNA205X	DNA205AC	DNA205BC	DNA205CC	DNA205DC
DNA205Y	DNA205AD	DNA205BD	DNA205CD	DNA205DD
DNA205F	DNA205AF	DNA205BF	DNA205CF	DNA205DF



Non-stick Gerald Bipolar Forceps

TIP SIZE

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		

155mm	180mm	200mm	220mm	240mm
DNA346	DNA317	DNA318	DNA319H	DNA354
DNA346B	DNA317B	DNA318B	DNA319B	DNA354B
DNA346C	DNA317C	DNA318C	DNA319C	DNA354C
DNA346D	DNA317D	DNA318D	DNA319D	DNA354D
DNA346F	DNA317F	DNA318F	DNA319F	DNA354F



Non-stick Scoville Greenwood Bayonet Bipolar Forceps

TIP SIZE

0.50mm		1/1
1.00mm		1/1
1.50mm		1/1
2.00mm		1/1
ON DEMAND		


155mm	180mm	200mm	220mm	240mm
DNA359	DNA360	DNA365	DNA369	DNA370
DNA359B	DNA360B	DNA365B	DNA369B	DNA370B
DNA359C	DNA360C	DNA365C	DNA369C	DNA370C
DNA359D	DNA360D	DNA365D	DNA369D	DNA370D
DNA359F	DNA360F	DNA365F	DNA369F	DNA370F

**SINGLE USE
ELECTROSUREGY
FORCEPS**


**NON-STICK BIPOLAR
IRRIGATION FORCEPS**
TWO PIN PLUG FITTING



PAGE 37



PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK ORANGE BIPOLAR FORCEPS

Available Tip Size in mm



Non-stick Jansen Bayonet Bipolar Forceps

TIP SIZE

155mm

180mm

200mm

220mm

240mm

0.50mm	
1.00mm	
1.50mm	
2.00mm	
ON DEMAND	

DNA303	DNA303A	DNA303B	DNA303C	DNA303D
DNA303V	DNA303AB	DNA303BB	DNA303CB	DNA303DB
DNA303X	DNA303AC	DNA303BC	DNA303CC	DNA303DC
DNA303Y	DNA303AD	DNA303BD	DNA303CD	DNA303DD
DNA303F	DNA303AF	DNA303BF	DNA303CF	DNA303DF



Non-stick Hardy Bayonet Bipolar Forceps

TIP SIZE

155mm

180mm


200mm

220mm

240mm

0.50mm	
1.00mm	
1.50mm	
2.00mm	
ON DEMAND	

DNA371	DNA372	DNA373	DNA374	DNA375
DNA371B	DNA372B	DNA373B	DNA374B	DNA375B
DNA371C	DNA372C	DNA373C	DNA374C	DNA375C
DNA371D	DNA372D	DNA373D	DNA374D	DNA375D
DNA371F	DNA372F	DNA373F	DNA374F	DNA375F



Hardy Bayonet Bipolar Forceps (Angled)

TIP SIZE

155mm

180mm

200mm

220mm


240mm

0.50mm	
1.00mm	
1.50mm	
2.00mm	
ON DEMAND	



DNA376	DNA377	DNA378	DNA379	DNA380
DNA376B	DNA377B	DNA378B	DNA379B	DNA380B
DNA376C	DNA377C	DNA378C	DNA379C	DNA380C
DNA376D	DNA377D	DNA378D	DNA379D	DNA380D
DNA376F	DNA377F	DNA378F	DNA379F	DNA380F

**SINGLE USE
ELECTROSURGERY
FORCEPS**


**STANDARD
MONOPOLAR FORCEPS**
BANANA PLUG FITTING 4.0MM



BLUE MONOPOLAR FORCEPS 4.0MM



Available Tip Size in mm



Standard Monopolar Adson Forceps

TIP SIZE	100mm	121mm	125mm	155mm	180mm
1.00mm	D1301AB-SR	D1301BB-SR	D1301CB-SR	D1301B-SR	D1301DB-SR
1.00mm	D1301AB-12	D1301BB-12	D1301CB-12	D1301B-12	D1301DB-12
2.00mm	D1301AD-SR	D1301BD-SR	D1301CD-SR	D1301D-SR	D1301DD-SR
2.00mm	D1301AD-12	D1301BD-12	D1301CD-12	D1301D-12	D1301DD-12
ON DEMAND	D1301AF	D1301BF	D1301CF	D1301F	D1301DF



Standard Monopolar McIndoe Forceps

TIP SIZE	155mm	180mm	200mm	220mm	240mm
1.00mm	D1306AB-SR	D1306B-SR	D1306BB-SR	D1306DB-SR	D1306CB-SR
1.00mm	D1306AB-12	D1306B-12	D1306BB-12	D1306DB-12	D1306CB-12
2.00mm	D1306AD-SR	D1306D-SR	D1306BD-SR	D1306DD-SR	D1306CD-SR
2.00mm	D1306AD-12	D1306D-12	D1306BD-12	D1306DD-12	D1306CD-12
ON DEMAND	D1306AF	D1306F	D1306BF	D1306DF	D1306CF




Standard Monopolar Gerald Forceps

TIP SIZE	155mm	180mm	200mm	220mm	240mm
1.00mm	D1305AB-SR	D1305B-SR	D1305BB-SR	D1305DB-SR	D1305CB-SR
1.00mm	D1305AB-12	D1305B-12	D1305BB-12	D1305DB-12	D1305CB-12
2.00mm	D1305AD-SR	D1305D-SR	D1305BD-SR	D1305DD-SR	D1305CD-SR
2.00mm	D1305AD-12	D1305D-12	D1305BD-12	D1305DD-12	D1305CD-12
ON DEMAND	D1305AF	D1305F	D1305BF	D1305DF	D1305CF


**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
MONOPOLAR FORCEPS**
BANANA PLUG FITTING 4.0MM



BLUE MONOPOLAR FORCEPS 4.0MM

Available Tip Size in mm



Standard Monopolar Gilies Forceps

TIP SIZE

1.00mm		1/1
1.00mm		1/1
2.00mm		1/1
2.00mm		1/1
ON DEMAND		

155mm	180mm	200mm	220mm	240mm
D1304BB-SR	D1304AB-SR	D1304B-SR	D1304DB-SR	D1304CB-SR
D1304BB-12	D1304AB-12	D1304B-12	D1304DB-12	D1304CB-12
D1304BD-SR	D1304AD-SR	D1304D-SR	D1304DD-SR	D1304CD-SR
D1304BD-12	D1304AD-12	D1304D-12	D1304DD-12	D1304CD-12
D1304BF	D1304AF	D1304F	D1304DF	D1304CF



Standard Monopolar Wide serration dissecting forceps

TIP SIZE

1.00mm		1/1
1.00mm		1/1
2.00mm		1/1
2.00mm		1/1
ON DEMAND		

155mm	180mm	200mm	220mm	240mm
D1312B-SR	D1312AB-SR	D1312BB-SR	D1312DB-SR	D1312CB-SR
D1312B-12	D1312AB-12	D1312BB-12	D1312DB-12	D1312CB-12
D1312D-SR	D1312AD-SR	D1312BD-SR	D1312DD-SR	D1312CD-SR
D1312D-12	D1312AD-12	D1312BD-12	D1312DD-12	D1312CD-12
D1312F	D1312AF	D1312BF	D1312DF	D1312CF



Standard Monopolar Narrow serration dissecting forceps


TIP SIZE

1.00mm		1/1
1.00mm		1/1
2.00mm		1/1
2.00mm		1/1
ON DEMAND		

150mm	180mm	200mm	230mm	255mm
D1311B-SR	D1311AB-SR	D1311BB-SR	D1311DB-SR	D1311CB-SR
D1311B-12	D1311AB-12	D1311BB-12	D1311DB-12	D1311CB-12
D1311D-SR	D1311AD-SR	D1311BD-SR	D1311DD-SR	D1311CD-SR
D1311D-12	D1311AD-12	D1311BD-12	D1311DD-12	D1311CD-12
D1311F	D1311AF	D1311BF	D1311DF	D1311CF




**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
MONOPOLAR FORCEPS**
BANANA PLUG FITTING 4.0MM



BLUE MONOPOLAR FORCEPS 4.0MM

Available Tip Size in mm



Standard Monopolar Bayonet Forceps

TIP SIZE

1.00mm		1/1
1.00mm		1/1
2.00mm		1/1
2.00mm		1/1
ON DEMAND		

155mm 180mm 200mm 220mm 240mm

D1302AB-SR	D1302B-SR	D1302BB-SR	D1302DB-SR	D1302CB-SR
D1302AB-12	D1302B-12	D1302BB-12	D1302DB-12	D1302CB-12
D1302AD-SR	D1302D-SR	D1302BD-SR	D1302DD-SR	D1302CD-SR
D1302AD-12	D1302D-12	D1302BD-12	D1302DD-12	D1302CD-12
D1302AF	D1302F	D1302BF	D1302DF	D1302CF



Standard Monopolar Bayonet Forceps Angled Tip

TIP SIZE

1.00mm		1/1
1.00mm		1/1
2.00mm		1/1
2.00mm		1/1
ON DEMAND		

155mm 180mm 200mm 220mm 240mm

D1309DB-SR	D1309AB-SR	D1309BB-SR	D1309B-SR	D1309CB-SR
D1309DB-12	D1309AB-12	D1309BB-12	D1309B-12	D1309CB-12
D1309DD-SR	D1309AD-SR	D1309BD-SR	D1309D-SR	D1309CD-SR
D1309DD-12	D1309AD-12	D1309BD-12	D1309D-12	D1309CD-12
D1309DF	D1309AF	D1309BF	D1309F	D1309CF



Waugh's Monopolar Dissecting forceps

TIP SIZE


1.00mm		1/1
1.00mm		1/1
2.00mm		1/1
2.00mm		1/1
ON DEMAND		

150mm 180mm 200mm 230mm 255mm

D1310B-SR	D1310AB-SR	D1310BB-SR	D1310DB-SR	D1310CB-SR
D1310B-12	D1310AB-12	D1310BB-12	D1310DB-12	D1310CB-12
D1310D-SR	D1310AD-SR	D1310BD-SR	D1310DD-SR	D1310CD-SR
D1310D-12	D1310AD-12	D1310BD-12	D1310DD-12	D1310CD-12
D1310F	D1310AF	D1310BF	D1310DF	D1310CF


**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
MONOPOLAR FORCEPS**
BANANA PLUG FITTING 4.0MM



**BLUE MONOPOLAR
FORCEPS 4.0MM**

Available Tip Size in mm



Standard Monopolar Regminton Forceps

TIP SIZE

1.00mm	
1.00mm	
2.00mm	
2.00mm	
ON DEMAND	

155mm 180mm 200mm 220mm 240mm

D1330CB-SR	D1330AB-SR	D1330BB-SR	D1330DB-SR	D1330B-SR
D1330CB-12	D1330AB-12	D1330BB-12	D1330DB-12	D1330B-12
D1330CD-SR	D1330AD-SR	D1330BD-SR	D1330DD-SR	D1330D-SR
D1330CD-12	D1330AD-12	D1330BD-12	D1330DD-12	D1330D-12
D1330CF	D1330AF	D1330BF	D1330DF	D1330F



Standard Monopolar Artery Forceps

TIP SIZE

Straight	
Curved	
ON DEMAND	

150mm 180mm 200mm 220mm 240mm

D522	D522A	D522B	D522C	D522D
D521	D521A	D521B	D521C	D521D
D522F	D522AF	D522BF	D522CF	D522DF



Standard Monopolar Dressing Scissors

TIP SIZE


Straight	
Curved	
ON DEMAND	

150mm 180mm 200mm 220mm 250mm

D510	D510A	D510B	D510C	D510D
D509	D509A	D509B	D509C	D509D
D510F	D510AF	D510BF	D510CF	D510DF


**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
MONOPOLAR FORCEPS**
BANANA PLUG FITTING 4.0MM



**BLUE MONOPOLAR
FORCEPS 4.8MM**

Available Tip Size in mm



Standard Monopolar Adson Forceps

TIP SIZE	100mm	121mm	125mm	150mm	180mm
1.00mm	D1201AB-SR	D1201B-SR	D1201GB-SR	D1201DB-SR	D1201EB-SR
1.00mm	D1201AB-12	D1201B-12	D1201GB-12	D1201DB-12	D1201EB-12
2.00mm	D1201AD-SR	D1201D-SR	D1201GD-SR	D1201DD-SR	D1201ED-SR
2.00mm	D1201AD-12	D1201D-12	D1201GD-12	D1201DD-12	D1201ED-12
ON DEMAND	D1201AF	D1201F	D1201GF	D1201DF	D1201EF



Standard Monopolar McIndoe Forceps

TIP SIZE	155mm	180mm	200mm	220mm	240mm
1.00mm	D1206B-SR	D1206AB-SR	D1206BB-SR	D1206DB-SR	D1206CB-SR
1.00mm	D1206B-12	D1206AB-12	D1206BB-12	D1206DB-12	D1206CB-12
2.00mm	D1206D-SR	D1206AD-SR	D1206BD-SR	D1206DD-SR	D1206CD-SR
2.00mm	D1206D-12	D1206AD-12	D1206BD-12	D1206DD-12	D1206CD-12
ON DEMAND	D1206F	D1206AF	D1206BF	D1206DF	D1206CF




Standard Monopolar Gerald Forceps

TIP SIZE	155mm	180mm	200mm	220mm	240mm
1.00mm	D1205B-SR	D1205AB-SR	D1205BB-SR	D1205DB-SR	D1205CB-SR
1.00mm	D1205B-12	D1205AB-12	D1205BB-12	D1205DB-12	D1205CB-12
2.00mm	D1205D-SR	D1205AD-SR	D1205BD-SR	D1205DD-SR	D1205CD-SR
2.00mm	D1205D-12	D1205AD-12	D1205BD-12	D1205DD-12	D1205CD-12
ON DEMAND	D1205F	D1205AF	D1205BF	D1205DF	D1205CF


**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
MONOPOLAR FORCEPS**
MALE PLUG FITTING 4.8MM



**BLUE MONOPOLAR
FORCEPS 4.8MM**

Available Tip Size in mm



Standard Monopolar Gilies Forceps

TIP SIZE	155mm	180mm	200mm	220mm	240mm
1.00mm	D1204A-SR	D1204AB-SR	D1204BB-SR	D1204DA-SR	D1204CB-SR
1.00mm	D1204A-12	D1204AB-12	D1204BB-12	D1204DA-12	D1204CB-12
2.00mm	D1204D-SR	D1204AD-SR	D1204BD-SR	D1204DD-SR	D1204CD-SR
2.00mm	D1204D-12	D1204AD-12	D1204BD-12	D1204DD-12	D1204CD-12
ON DEMAND	D1204F	D1204AF	D1204BF	D1204DF	D1204CF



Standard Monopolar Wide serration dissecting forceps

TIP SIZE	155mm	180mm	200mm	220mm	240mm
1.00mm	D1203A-SR	D1203AB-SR	D1203BA-SR	D1203DB-SR	D1203CB-SR
1.00mm	D1203A-12	D1203AB-12	D1203BA-12	D1203DB-12	D1203CB-12
2.00mm	D1203D-SR	D1203AD-SR	D1203BD-SR	D1203DD-SR	D1203CD-SR
2.00mm	D1203D-12	D1203AD-12	D1203BD-12	D1203DD-12	D1203CD-12
ON DEMAND	D1203F	D1203AF	D1203BF	D1203DF	D1203CF




Standard Monopolar Narrow serration dissecting forceps

TIP SIZE	150mm	180mm	200mm	230mm	255mm
1.00mm	D1210B-SR	D1210AB-SR	D1210BB-SR	D1210DB-SR	D1210CB-SR
1.00mm	D1210B-12	D1210AB-12	D1210BB-12	D1210DB-12	D1210CB-12
2.00mm	D1210D-SR	D1210AD-SR	D1210BD-SR	D1210DD-SR	D1210CD-SR
2.00mm	D1210D-12	D1210AD-12	D1210BD-12	D1210DD-12	D1210CD-12
ON DEMAND	D1210F	D1210AF	D1210BF	D1210DF	D1210CF


**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
MONOPOLAR FORCEPS**
MALE PLUG FITTING 4.8MM



BLUE MONOPOLAR FORCEPS 4.8MM

Available Tip Size in mm



Standard Monopolar Bayonet Forceps

TIP SIZE

155mm 180mm 200mm 220mm 240mm

1.00mm		1/1
1.00mm		1/1
2.00mm		1/1
2.00mm		1/1
ON DEMAND		

D1202B-SR	D1202AB-SR	D1202BB-SR	D1202DB-SR	D1202CB-SR
D1202B-12	D1202AB-12	D1202BB-12	D1202DB-12	D1202CB-12
D1202D-SR	D1202AD-SR	D1202BD-SR	D1202DD-SR	D1202CD-SR
D1202D-12	D1202AD-12	D1202BD-12	D1202DD-12	D1202CD-12
D1202F	D1202AF	D1202BF	D1202DF	D1202CF



Standard Monopolar Bayonet Forceps Angles Tip

TIP SIZE

155mm 180mm 200mm 220mm 240mm

1.00mm		1/1
1.00mm		1/1
2.00mm		1/1
2.00mm		1/1
ON DEMAND		

D1208AB-SR	D1208BB-SR	D1208CB-SR	D1208DB-SR	D1208B-SR
D1208AB-12	D1208BB-12	D1208CB-12	D1208DB-12	D1208B-12
D1208AD-SR	D1208BD-SR	D1208CD-SR	D1208DD-SR	D1208D-SR
D1208AD-12	D1208BD-12	D1208CD-12	D1208DD-12	D1208D-12
D1208AF	D1208BF	D1208CF	D1208DF	D1208F



Standard Monopolar Waugh's Dissecting forceps

TIP SIZE


150mm 180mm 200mm 230mm 255mm

1.00mm		1/1
1.00mm		1/1
2.00mm		1/1
2.00mm		1/1
ON DEMAND		

D1231B-SR	D1231AB-SR	D1231BB-SR	D1231JB-SR	D1231HB-SR
D1231B-12	D1231AB-12	D1231BB-12	D1231JB-12	D1231HB-12
D1231D-SR	D1231AD-SR	D1231BD-SR	D1231JD-SR	D1231HD-SR
D1231D-12	D1231AD-12	D1231BD-12	D1231JD-12	D1231HD-12
D1231F	D1231AF	D1231BF	D1231JF	D1231HF


**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
MONOPOLAR FORCEPS**
MALE PLUG FITTING 4.8MM



**BLUE MONOPOLAR
FORCEPS 4.8MM**

Available Tip Size in mm



Standard Monopolar Regminton Forceps

TIP SIZE 155mm 180mm 200mm 220mm 240mm

1.00mm	
1.00mm	
2.00mm	
2.00mm	
ON DEMAND	

D1230B-SR	D1230AB-SR	D1230BB-SR	D1230DB-SR	D1230CB-SR
D1230B-12	D1230AB-12	D1230BB-12	D1230DB-12	D1230CB-12
D1230D-SR	D1230AD-SR	D1230BD-SR	D1230DD-SR	D1230CD-SR
D1230D-12	D1230AD-12	D1230BD-12	D1230DD-12	D1230CD-12
D1230F	D1230AF	D1230BF	D1230DF	D1230CF



Standard Monopolar Artery Forceps

TIP SIZE 155mm 180mm 200mm 220mm 240mm

Straight	
Curved	
ON DEMAND	

D514	D514A	D514B	D514E	D514C
D513	D513A	D513B	D513E	D513C
D514F	D514AF	D514BF	D514EF	D514CF



Standard Monopolar Dressing Scissors

TIP SIZE 155mm 180mm 200mm 220mm 240mm

Straight	
Curved	
ON DEMAND	

D520	D520A	D520B	D520E	D520D
D519	D519A	D519B	D519E	D519D
D520F	D520AF	D520BF	D520EF	D520DF

ELECTROSURGERY **CABLES & CONNECTORS**




ELECTROSURGERY CABLES & CONNECTORS


Electrosurgery connecting cables serve as essential accessories that seamlessly link our precision instruments to diathermy machines, ensuring a stable and efficient transfer of electrical energy. Designed with high-quality materials for durability and reliability, these cables provide a secure connection that supports uninterrupted functionality and enhanced safety throughout electrosurgical procedures.



The cables are often made with high-grade insulation materials such as silicone or thermoplastic elastomers, which withstand high temperatures and reduce the risk of accidental shocks or burns to surrounding tissues.



Designed to be flexible yet durable, these cables allow smooth maneuverability without compromising signal integrity or reliability, even in demanding surgical settings.



The conductors inside the cables are usually made from high-quality copper or similar conductive materials, minimizing resistance and ensuring accurate energy transfer.

They play a critical role in maintaining safety and effectiveness during procedures by securely transmitting high-frequency electrical currents with minimal loss or interference.

**SINGLE USE
ELECTROSURGERY**
CABLES & CONNECTORS

**BIPOLAR
CONNECTING CABLES**
FLAT PLUG CLASSIC



CABLES & CONNECTORS



SIMENS: SUTTER BM50, ERBE
T-SERIES: ERBE ACC/ICC 4MM

WIRE	Round Wire	Split Wire
Length 3M	D1426	DSW1426
Length 5M	D1426A	DSW1426A
ON DEMAND	D1426F	DSW1426F



ASSCULAP: WOLF: MARTIN
BERCHTOLD: SUTTER BM780

WIRE	Round Wire	Split Wire
Length 3M	D1406	DSW1406
Length 5M	D1406A	DSW1406A
ON DEMAND	D1406F	DSW1406F



STANDARD INTERNATIONAL 4MM
BANANA PLUG FITTING

WIRE	Round Wire	Split Wire
Length 3M	D1418	DSW1418
Length 5M	D1418A	DSW1418A
ON DEMAND	D1418F	DSW1418F



VALLEYLAB: LAMIDEY: EMC
BOWA, ETHICON

WIRE	Round Wire	Split Wire
Length 3M	D1421	DSW1421
Length 5M	D1421A	DSW1421A
ON DEMAND	D1421F	DSW1421F



EMC: DOLLEY, ELLMAN

WIRE	Round Wire	Split Wire
Length 3M	D1419	DSW1419
Length 5M	D1419A	DSW1419A
ON DEMAND	D1419F	DSW1419F



VALLEYLAB
(AUTOBIPOLAR MODELS ONLY)

WIRE	Round Wire	Split Wire
Length 3M	D1414	DSW1414
Length 5M	D1414A	DSW1414A
ON DEMAND	D1414F	DSW1414F



CONMED (HANDSWITCHING
BIPOLAR FORCEPS)

WIRE	Round Wire	Split Wire
Length 3M	D1415	DSW1415
Length 5M	D1415A	DSW1415A
ON DEMAND	D1415F	DSW1415F




CONMED (HANDSWITCHING
BIPOLAR FORCEPS)

WIRE	Round Wire	Split Wire
Length 3M	D1410	DSW1410
Length 5M	D1410A	DSW1410A
ON DEMAND	D1410F	DSW1410F

**SINGLE USE
ELECTROSURGERY
CABLES & CONNECTORS**

**BIPOLAR
CONNECTING CABLES
TWO PIN PLUG**



CABLES & CONNECTORS



SIMENS: SUTTER BM50, ERBE
T-SERIES: ERBE ACC/ICC 4MM

WIRE	Round Wire	Split Wire
Length 3M	D1428	DSW1428
Length 5M	D1428A	DSW1428A
ON DEMAND	D1428F	DSW1428F



ASSCULAP: WOLF: MARTIN
BERCHTOLD: SUTTER BM780

WIRE	Round Wire	Split Wire
Length 3M	D1407	DSW1407
Length 5M	D1407A	DSW1407A
ON DEMAND	D1407F	DSW1407F



STANDARD INTERNATIONAL 4MM
BANANA PLUG FITTING

WIRE	Round Wire	Split Wire
Length 3M	D1420	DSW1420
Length 5M	D1420A	DSW1420A
ON DEMAND	D1420F	DSW1420F



VALLEYLAB: LAMIDEY: EMC
BOWA, ETHICON

WIRE	Round Wire	Split Wire
Length 3M	D1445	DSW1445
Length 5M	D1445A	DSW1445A
ON DEMAND	D1445F	DSW1445F



EMC: DOLLEY, ELLMAN

WIRE	Round Wire	Split Wire
Length 3M	D1424	DSW1424
Length 5M	D1424A	DSW1424A
ON DEMAND	D1424F	DSW1424F



VALLEYLAB
(AUTOBIPOLAR MODELS ONLY)

WIRE	Round Wire	Split Wire
Length 3M	D1427	DSW1427
Length 5M	D1427A	DSW1427A
ON DEMAND	D1427F	DSW1427F



CONMED (HANDSWITCHING
BIPOLAR FORCEPS)

WIRE	Round Wire	Split Wire
Length 3M	D1437	DSW1437
Length 5M	D1437A	DSW1437A
ON DEMAND	D1437F	DSW1437F



CONMED (HANDSWITCHING
BIPOLAR FORCEPS)

WIRE	Round Wire	Split Wire
Length 3M	D1439	DSW1439
Length 5M	D1439A	DSW1439A
ON DEMAND	D1439F	DSW1439F

**SINGLE USE
ELECTROSURGERY**
CABLES & CONNECTOR

**BIPOLAR
CONNECTING CABLES**
FLAT PLUG ANGLED PLUG



PAGE 07



PAGE 17



PAGE 07

CABLES COMPATIBILITY GUIDANCE

CABLES & CONNECTORS



SIMENS: SUTTER BM50, ERBE
T-SERIES: ERBE ACC/ICC 4MM

WIRE	Round Wire	Split Wire
Length 3M	D1488	DSW1488
Length 5M	D1488A	DSW1488A
ON DEMAND	D1488F	DSW1488F



ASSCULAP: WOLF: MARTIN
BERCHTOLD: SUTTER BM780

WIRE	Round Wire	Split Wire
Length 3M	D1456	DSW1456
Length 5M	D1456A	DSW1456A
ON DEMAND	D1456F	DSW1456F



STANDARD INTERNATIONAL 4MM
BANANA PLUG FITTING

WIRE	Round Wire	Split Wire
Length 3M	D1458	DSW1458
Length 5M	D1458A	DSW1458A
ON DEMAND	D1458F	DSW1458F



VALLEYLAB: LAMIDEY: EMC
BOWA, ETHICON

WIRE	Round Wire	Split Wire
Length 3M	D1461	DSW1461
Length 5M	D1461A	DSW1461A
ON DEMAND	D1461F	DSW1461F



EMC: DOLLEY, ELLMAN

WIRE	Round Wire	Split Wire
Length 3M	D1462	DSW1462
Length 5M	D1462A	DSW1462A
ON DEMAND	D1462F	DSW1462F



VALLEYLAB
(AUTOBIPOLAR MODELS ONLY)

WIRE	Round Wire	Split Wire
Length 3M	D1463	DSW1463
Length 5M	D1463A	DSW1463A
ON DEMAND	D1463F	DSW1463F



CONMED (HANDSWITCHING
BIPOLAR FORCEPS)

WIRE	Round Wire	Split Wire
Length 3M	D1460	DSW1460
Length 5M	D1460A	DSW1460A
ON DEMAND	D1460F	DSW1460F




CONMED (HANDSWITCHING
BIPOLAR FORCEPS)

WIRE	Round Wire	Split Wire
Length 3M	D1464	DSW1464
Length 5M	D1464A	DSW1464A
ON DEMAND	D1464F	DSW1464F

**SINGLE USE
ELECTROSURGERY
CABLES & CONNECTOR**

**MONOPOLAR & BIPOLAR
CONNECTING CABLES**
4.8 MALE PLUG & UNIVERSEL PLUG



CABLES COMPATIBILITY GUIDANCE

CABLES & CONNECTORS



MARTIN: BERCHTOLD: ERBE
T-SERIES, AESCULAP, SUTTER

WIRE	Round Wire	Split Wire
Length 3M	D1411	DSW1411
Length 5M	D1411A	DSW1411A
ON DEMAND	D1411F	DSW1411F



ERBE ACC/ICC

WIRE	Round Wire	Split Wire
Length 3M	D1499	DSW1499
Length 5M	D1499A	DSW1499A
ON DEMAND	D1499F	DSW1499F



VALLEYLAB: CONMED: BOVIE
8MM PLUG, BOWA, BARD

WIRE	Round Wire	Split Wire
Length 3M	D1405	DSW1405
Length 5M	D1405A	DSW1405A
ON DEMAND	D1405F	DSW1405F



VALLEYLAB: CONMED: BOVIE
8MM PLUG, BOWA, BARD

WIRE	Round Wire	Split Wire
Length 3M	D1430	DSW1430
Length 5M	D1430A	DSW1430A
ON DEMAND	D1430F	DSW1430F



INTERNATIONAL 3 PIN PLUG
DIATHERMY

WIRE	Round Wire	Split Wire
Length 3M	D1459	DSW1459
Length 5M	D1459A	DSW1459A
ON DEMAND	D1459F	DSW1459F



SIMENS: SUTTER BM50, ERBE
T-SERIES: ERBE ACC/ICC 4MM

WIRE	Round Wire	Split Wire
Length 3M	D1484	DSW1484
Length 5M	D1484A	DSW1484A
ON DEMAND	D1484F	DSW1484F



STANDARD INTERNATIONAL 4MM
BANANA PLUG FITTING

WIRE	Round Wire	Split Wire
Length 3M	D1481	DSW1481
Length 5M	D1481A	DSW1481A
ON DEMAND	D1481F	DSW1481F



ROTATING
ESCHMANN 18MM, ELLMAN 22MM,
VALLYLAB 28MM, CONMED 30MM

WIRE	Round Wire	Split Wire
Length 3M	D1453	DSW1453
Length 5M	D1453A	DSW1453A
ON DEMAND	D1453F	DSW1453F

**SINGLE USE
ELECTROSURGERY**
CABLES & CONNECTOR

**MONOPOLAR & BIPOLAR
CONNECTING CABLES**
4.8 MALE PLUG & UNIVERSEL PLUG



CABLES & CONNECTORS



MARTIN: BERCHTOLD: ERBE
T-SERIES, AESCULAP, SUTTER

WIRE	Round Wire	Split Wire
Length 3M	D1429	DSW1429
Length 5M	D1429A	DSW1429A
ON DEMAND	D1429F	DSW1429F



ERBE ACC/ICC

WIRE	Round Wire	Split Wire
Length 3M	D1489	DSW1489
Length 5M	D1489A	DSW1489A
ON DEMAND	D1489F	DSW1489F



VALLEYLAB: CONMED: BOVIE
8MM PLUG, BOWA, BARD

WIRE	Round Wire	Split Wire
Length 3M	D1404	DSW1404
Length 5M	D1404A	DSW1404A
ON DEMAND	D1404F	DSW1404F



SIMENS: SUTTER BM50, ERBE
T-SERIES: ERBE ACC/ICC 4MM

WIRE	Round Wire	Split Wire
Length 3M	D1490	DSW1490
Length 5M	D1490A	DSW1490A
ON DEMAND	D1490F	DSW1490F



INTERNATIONAL 3 PIN PLUG
DIATHERMY

WIRE	Round Wire	Split Wire
Length 3M	D1457	DSW1457
Length 5M	D1457A	DSW1457A
ON DEMAND	D1457F	DSW1457F



SIMENS: SUTTER BM50, ERBE
T-SERIES: ERBE ACC/ICC 4MM

WIRE	Round Wire	Split Wire
Length 3M	D1465	DSW1465
Length 5M	D1465A	DSW1465A
ON DEMAND	D1465F	DSW1465F



STANDARD INTERNATIONAL 4MM
BANANA PLUG FITTING

WIRE	Round Wire	Split Wire
Length 3M	D1466	DSW1466
Length 5M	D1466A	DSW1466A
ON DEMAND	D1466F	DSW1466F




ROTATING
ESCHMANN 18MM, ELLMAN 22MM,
VALL YLAB 28MM, CONMED 30MM

WIRE	Round Wire	Split Wire
Length 3M	D1472	DSW1472
Length 5M	D1472A	DSW1472A
ON DEMAND	D1472F	DSW1472F

**SINGLE USE
ELECTROSURGERY
CABLES & CONNECTOR**

**STANDARD
CONNECTING CABLES
FOR PADS & 4.0 PLUG ANGLED**



CABLES & CONNECTORS



BOWA, CONMED, VALLEYLAB

WIRE	Round Wire	Split Wire
Length 3M	PC305	PC306
Length 5M	PC305B	PC306B
ON DEMAND	PC305F	PC306F



GU ESCHMANN 300 SERIES

WIRE	Round Wire	Split Wire
Length 3M	PC307	PC308A
Length 5M	PC307B	PC308B
ON DEMAND	PC307F	PC308F



VALLEYLAB: CONMED: BOVIE
8MM PLUG, BOWA, BARD

WIRE	Round Wire	Split Wire
Length 3M	PC301	PC303
Length 5M	PC301B	PC303B
ON DEMAND	PC301F	PC303F



BARD; BERCHTOLD; BOVIE-AARON
ESCHMANN TD400/TD800
MARTIN; MEDITON

WIRE	Round Wire	Split Wire
Length 3M	PC302	PC304
Length 5M	PC302B	PC304B
ON DEMAND	PC302F	PC304F



ERBE ACC/ICC;
ERBE T SERIES; ERBE VIO

WIRE	Round Wire	Split Wire
Length 3M	PC311	PC312
Length 5M	PC311B	PC312B
ON DEMAND	PC311F	PC312F



VALLEYLAB: CONMED: BOVIE
8MM PLUG, BOWA, BARD

WIRE	Round Wire	Split Wire
Length 3M	D1441AA	DSW1441AA
Length 5M	D1441AB	DSW1441AB
ON DEMAND	D1441AF	DSW1441AF



ERBE ACC/ICC


WIRE	Round Wire	Split Wire
Length 3M	D1442AA	DSW1442AA
Length 5M	D1442AB	DSW1442AB
ON DEMAND	D1442AF	DSW1442AF



SIMENS: SUTTER BM50, ERBE
T-SERIES: ERBE ACC/ICC 4MM

WIRE	Round Wire	Split Wire
Length 3M	D1443AA	DSW1443AA
Length 5M	D1443AB	DSW1443AB
ON DEMAND	D11443AF	DSW1443AF


ELECTROSURGERY **SINGLE-USE FORCEPS**




ELECTROSURGERY

SINGLE-USE FORCEPS

Electrosurgical forceps with an integrated cable are precise surgical tools that combine tissue manipulation with electrical energy for cutting and coagulation. Their ergonomic design, durable materials, and seamless integration enhance safety, efficiency, and ease of use across various medical procedures.



The middle area of non-stick forceps often features a textured or grooved surface to provide a secure and controlled grip for the user. This section is usually reinforced for added stability and balance, allowing for precise manipulation even during delicate procedures.



forceps tips are precision-engineered for targeted energy delivery, featuring durable, conductive materials and insulation to ensure accuracy and minimize thermal damage.



Forceps Plugin is an essential accessory for medical and laboratory equipment, designed to enhance the functionality of standard forceps by adding capabilities.


Electrosurgical forceps with an integrated cable design combine precision and functionality, eliminating the need for detachable cables. This streamlined design enhances safety, reduces clutter, and ensures reliable energy transmission for cutting and coagulation during surgical procedures.

**SINGLE USE
ELECTROSURGERY
FORCEPS**


**STANDARD
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Standard Single Use Mcpherson
Bipolar Forceps with Cable-3m**


	90mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	NA132-05	NA131-05	NA133-05	NA138-05	NA135-05	0.50mm
	NA132-10	NA131-10	NA133-10	NA138-10	NA135-10	1.00mm
	NA132-20	NA131-20	NA133-20	NA138-20	NA135-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NA132A-05	NA131A-05	NA133A-05	NA138A-05	NA135A-05	0.50mm
	NA132A-10	NA131A-10	NA133A-10	NA138A-10	NA135A-10	1.00mm
	NA132A-20	NA131A-20	NA133A-20	NA138A-20	NA135A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NA132B-05	NA131B-05	NA133B-05	NA138B-05	NA135B-05	0.50mm
	NA132B-10	NA131B-10	NA133B-10	NA138B-10	NA135B-10	1.00mm
	NA132B-20	NA131B-20	NA133B-20	NA138B-20	NA135B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NA132C-05	NA131C-05	NA133C-05	NA138C-05	NA135C-05	0.50mm
	NA132C-10	NA131C-10	NA133C-10	NA138C-10	NA135C-10	1.00mm
	NA132C-20	NA131C-20	NA133C-20	NA138C-20	NA135C-20	2.00mm
Valleylab, Autobipolar models only	NA132D-05	NA131D-05	NA133D-05	NA138D-05	NA135D-05	0.50mm
	NA132D-10	NA131D-10	NA133D-10	NA138D-10	NA135D-10	1.00mm
	NA132D-20	NA131D-20	NA133D-20	NA138D-20	NA135D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NA132R-05	NA131R-05	NA133R-05	NA138R-05	NA135R-05	0.50mm
	NA132R-10	NA131R-10	NA133R-10	NA138R-10	NA135R-10	1.00mm
	NA132R-20	NA131R-20	NA133R-20	NA138R-20	NA135R-20	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Standard Single Use Mcpherson
Bipolar Forceps Angled with Cable-3m**


	90mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	NA136-05	NA137-05	NA134-05	NA139-05	NA140-05	0.50mm
	NA136-10	NA137-10	NA134-10	NA139-10	NA140-10	1.00mm
	NA136-20	NA137-20	NA134-20	NA139-20	NA140-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NA136A-05	NA137A-05	NA134A-05	NA139A-05	NA140A-05	0.50mm
	NA136A-10	NA137A-10	NA134A-10	NA139A-10	NA140A-10	1.00mm
	NA136A-20	NA137A-20	NA134A-20	NA139A-20	NA140A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NA136B-05	NA137B-05	NA134B-05	NA139B-05	NA140B-05	0.50mm
	NA136B-10	NA137B-10	NA134B-10	NA139B-10	NA140B-10	1.00mm
	NA136B-20	NA137B-20	NA134B-20	NA139B-20	NA140B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NA136C-05	NA137C-05	NA134C-05	NA139C-05	NA140C-05	0.50mm
	NA136C-10	NA137C-10	NA134C-10	NA139C-10	NA140C-10	1.00mm
	NA136C-20	NA137C-20	NA134C-20	NA139C-20	NA140C-20	2.00mm
Valleylab, Autobipolar models only	NA136D-05	NA137D-05	NA134D-05	NA139D-05	NA140D-05	0.50mm
	NA136D-10	NA137D-10	NA134D-10	NA139D-10	NA140D-10	1.00mm
	NA136D-20	NA137D-20	NA134D-20	NA139D-20	NA140D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NA136R-05	NA137R-05	NA134R-05	NA139R-05	NA140R-05	0.50mm
	NA136R-10	NA137R-10	NA134R-10	NA139R-10	NA140R-10	1.00mm
	NA136R-20	NA137R-20	NA134R-20	NA139R-20	NA140R-20	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Standard Single Use Jeweller
Bipolar Forceps with Cable-3m**


	95mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	NA125-05	NA126-05	NA127-05	NA101-05	NA128-05	0.50mm
	NA125-10	NA126-10	NA127-10	NA101-10	NA128-10	1.00mm
	NA125-20	NA126-20	NA127-20	NA101-20	NA128-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NA125A-05	NA126A-05	NA127A-05	NA101A-05	NA128A-05	0.50mm
	NA125A-10	NA126A-10	NA127A-10	NA101A-10	NA128A-10	1.00mm
	NA125A-20	NA126A-20	NA127A-20	NA101A-20	NA128A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NA125B-05	NA126B-05	NA127B-05	NA101B-05	NA128B-05	0.50mm
	NA125B-10	NA126B-10	NA127B-10	NA101B-10	NA128B-10	1.00mm
	NA125B-20	NA126B-20	NA127B-20	NA101B-20	NA128B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NA125C-05	NA126C-05	NA127C-05	NA101C-05	NA128C-05	0.50mm
	NA125C-10	NA126C-10	NA127C-10	NA101C-10	NA128C-10	1.00mm
	NA125C-20	NA126C-20	NA127C-20	NA101C-20	NA128C-20	2.00mm
Valleylab, Autobipolar models only	NA125D-05	NA126D-05	NA127D-05	NA101D-05	NA128D-05	0.50mm
	NA125D-10	NA126D-10	NA127D-10	NA101D-10	NA128D-10	1.00mm
	NA125D-20	NA126D-20	NA127D-20	NA101D-20	NA128D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NA125R-05	NA126R-05	NA127R-05	NA101R-05	NA128R-05	0.50mm
	NA125R-10	NA126R-10	NA127R-10	NA101R-10	NA128R-10	1.00mm
	NA125R-20	NA126R-20	NA127R-20	NA101R-20	NA128R-20	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**


**STANDARD
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Standard Single Use Jeweller
Bipolar Forceps Angled with Cable-3m**


	95mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	NA129-05	NA130-05	NA141-05	NA109-05	NA142-05	0.50mm
	NA129-10	NA130-10	NA141-10	NA109-10	NA142-10	1.00mm
	NA129-20	NA130-20	NA141-20	NA109-20	NA142-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NA129A-05	NA130A-05	NA141A-05	NA109A-05	NA142A-05	0.50mm
	NA129A-10	NA130A-10	NA141A-10	NA109A-10	NA142A-10	1.00mm
	NA129A-20	NA130A-20	NA141A-20	NA109A-20	NA142A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NA129B-05	NA130B-05	NA141B-05	NA109B-05	NA142B-05	0.50mm
	NA129B-10	NA130B-10	NA141B-10	NA109B-10	NA142B-10	1.00mm
	NA129B-20	NA130B-20	NA141B-20	NA109B-20	NA142B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NA129C-05	NA130C-05	NA141C-05	NA109C-05	NA142C-05	0.50mm
	NA129C-10	NA130C-10	NA141C-10	NA109C-10	NA142C-10	1.00mm
	NA129C-20	NA130C-20	NA141C-20	NA109C-20	NA142C-20	2.00mm
Valleylab, Autobipolar models only	NA129D-05	NA130D-05	NA141D-05	NA109D-05	NA142D-05	0.50mm
	NA129D-10	NA130D-10	NA141D-10	NA109D-10	NA142D-10	1.00mm
	NA129D-20	NA130D-20	NA141D-20	NA109D-20	NA142D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NA129R-05	NA130R-05	NA141R-05	NA109R-05	NA142R-05	0.50mm
	NA129R-10	NA130R-10	NA141R-10	NA109R-10	NA142R-10	1.00mm
	NA129R-20	NA130R-20	NA141R-20	NA109R-20	NA142R-20	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Standard Single Use Straight
Bipolar Forceps with Cable-3m**


	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	NA104-05	NA106-05	NA103-05	NA111-05	NA112-05	0.50mm
	NA104-10	NA106-10	NA103-10	NA111-10	NA112-10	1.00mm
	NA104-20	NA106-20	NA103-20	NA111-20	NA112-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NA104A-05	NA106A-05	NA103A-05	NA111A-05	NA112A-05	0.50mm
	NA104A-10	NA106A-10	NA103A-10	NA111A-10	NA112A-10	1.00mm
	NA104A-20	NA106A-20	NA103A-20	NA111A-20	NA112A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NA104B-05	NA106B-05	NA103B-05	NA111B-05	NA112B-05	0.50mm
	NA104B-10	NA106B-10	NA103B-10	NA111B-10	NA112B-10	1.00mm
	NA104B-20	NA106B-20	NA103B-20	NA111B-20	NA112B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NA104C-05	NA106C-05	NA103C-05	NA111C-05	NA112C-05	0.50mm
	NA104C-10	NA106C-10	NA103C-10	NA111C-10	NA112C-10	1.00mm
	NA104C-20	NA106C-20	NA103C-20	NA111C-20	NA112C-20	2.00mm
Valleylab, Autobipolar models only	NA104D-05	NA106D-05	NA103D-05	NA111D-05	NA112D-05	0.50mm
	NA104D-10	NA106D-10	NA103D-10	NA111D-10	NA112D-10	1.00mm
	NA104D-20	NA106D-20	NA103D-20	NA111D-20	NA112D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NA104R-05	NA106R-05	NA103R-05	NA111R-05	NA112R-05	0.50mm
	NA104R-10	NA106R-10	NA103R-10	NA111R-10	NA112R-10	1.00mm
	NA104R-20	NA106R-20	NA103R-20	NA111R-20	NA112R-20	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Standard Single Use Bayonet
Bipolar Forceps Straight Tip with Cable-3m**


	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	NA107-05	NA105-05	NA108-05	NA118-05	NA119-05	0.50mm
	NA107-10	NA105-10	NA108-10	NA118-10	NA119-10	1.00mm
	NA107-20	NA105-20	NA108-20	NA118-20	NA119-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NA107A-05	NA105A-05	NA108A-05	NA118A-05	NA119A-05	0.50mm
	NA107A-10	NA105A-10	NA108A-10	NA118A-10	NA119A-10	1.00mm
	NA107A-20	NA105A-20	NA108A-20	NA118A-20	NA119A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NA107B-05	NA105B-05	NA108B-05	NA118B-05	NA119B-05	0.50mm
	NA107B-10	NA105B-10	NA108B-10	NA118B-10	NA119B-10	1.00mm
	NA107B-20	NA105B-20	NA108B-20	NA118B-20	NA119B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NA107C-05	NA105C-05	NA108C-05	NA118C-05	NA119C-05	0.50mm
	NA107C-10	NA105C-10	NA108C-10	NA118C-10	NA119C-10	1.00mm
	NA107C-20	NA105C-20	NA108C-20	NA118C-20	NA119C-20	2.00mm
Valleylab, Autobipolar models only	NA107D-05	NA105D-05	NA108D-05	NA118D-05	NA119D-05	0.50mm
	NA107D-10	NA105D-10	NA108D-10	NA118D-10	NA119D-10	1.00mm
	NA107D-20	NA105D-20	NA108D-20	NA118D-20	NA119D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NA107R-05	NA105R-05	NA108R-05	NA118R-05	NA119R-05	0.50mm
	NA107R-10	NA105R-10	NA108R-10	NA118R-10	NA119R-10	1.00mm
	NA107R-20	NA105R-20	NA108R-20	NA118R-20	NA119R-20	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Standard Single Use Straight
Bipolar Forceps Angled with Cable-3m**


	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	NA113-05	NA114-05	NA115-05	NA116-05	NA117-05	0.50mm
	NA113-10	NA114-10	NA115-10	NA116-10	NA117-10	1.00mm
	NA113-20	NA114-20	NA115-20	NA116-20	NA117-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NA113A-05	NA114A-05	NA115A-05	NA116A-05	NA117A-05	0.50mm
	NA113A-10	NA114A-10	NA115A-10	NA116A-10	NA117A-10	1.00mm
	NA113A-20	NA114A-20	NA115A-20	NA116A-20	NA117A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NA113B-05	NA114B-05	NA115B-05	NA116B-05	NA117B-05	0.50mm
	NA113B-10	NA114B-10	NA115B-10	NA116B-10	NA117B-10	1.00mm
	NA113B-20	NA114B-20	NA115B-20	NA116B-20	NA117B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NA113C-05	NA114C-05	NA115C-05	NA116C-05	NA117C-05	0.50mm
	NA113C-10	NA114C-10	NA115C-10	NA116C-10	NA117C-10	1.00mm
	NA113C-20	NA114C-20	NA115C-20	NA116C-20	NA117C-20	2.00mm
Valleylab, Autobipolar models only	NA113D-05	NA114D-05	NA115D-05	NA116D-05	NA117D-05	0.50mm
	NA113D-10	NA114D-10	NA115D-10	NA116D-10	NA117D-10	1.00mm
	NA113D-20	NA114D-20	NA115D-20	NA116D-20	NA117D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NA113R-05	NA114R-05	NA115R-05	NA116R-05	NA117R-05	0.50mm
	NA113R-10	NA114R-10	NA115R-10	NA116R-10	NA117R-10	1.00mm
	NA113R-20	NA114R-20	NA115R-20	NA116R-20	NA117R-20	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Standard Single Use Bayonet
Bipolar Forceps Angled with Cable-3m**


	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	NA120-05	NA121-05	NA122-05	NA123-05	NA124-05	0.50mm
	NA120-10	NA121-10	NA122-10	NA123-10	NA124-10	1.00mm
	NA120-20	NA121-20	NA122-20	NA123-20	NA124-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NA120A-05	NA121A-05	NA122A-05	NA123A-05	NA124A-05	0.50mm
	NA120A-10	NA121A-10	NA122A-10	NA123A-10	NA124A-10	1.00mm
	NA120A-20	NA121A-20	NA122A-20	NA123A-20	NA124A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NA120B-05	NA121B-05	NA122B-05	NA123B-05	NA124B-05	0.50mm
	NA120B-10	NA121B-10	NA122B-10	NA123B-10	NA124B-10	1.00mm
	NA120B-20	NA121B-20	NA122B-20	NA123B-20	NA124B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NA120C-05	NA121C-05	NA122C-05	NA123C-05	NA124C-05	0.50mm
	NA120C-10	NA121C-10	NA122C-10	NA123C-10	NA124C-10	1.00mm
	NA120C-20	NA121C-20	NA122C-20	NA123C-20	NA124C-20	2.00mm
Valleylab, Autobipolar models only	NA120D-05	NA121D-05	NA122D-05	NA123D-05	NA124D-05	0.50mm
	NA120D-10	NA121D-10	NA122D-10	NA123D-10	NA124D-10	1.00mm
	NA120D-20	NA121D-20	NA122D-20	NA123D-20	NA124D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NA120R-05	NA121R-05	NA122R-05	NA123R-05	NA124R-05	0.50mm
	NA120R-10	NA121R-10	NA122R-10	NA123R-10	NA124R-10	1.00mm
	NA120R-20	NA121R-20	NA122R-20	NA123R-20	NA124R-20	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**


**STANDARD
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Standard Single Use Adson
Bipolar Forceps with Cable-3m**


	110mm	121mm	150mm	165mm	180mm	TIP SIZE
International 4mm Banana Plug Fitting	NA143-05	NA102-05	NA144-05	NA145-05	NA146-05	0.50mm
	NA143-10	NA102-10	NA144-10	NA145-10	NA146-10	1.00mm
	NA143-20	NA102-20	NA144-20	NA145-20	NA146-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NA143A-05	NA102A-05	NA144A-05	NA145A-05	NA146A-05	0.50mm
	NA143A-10	NA102A-10	NA144A-10	NA145A-10	NA146A-10	1.00mm
	NA143A-20	NA102A-20	NA144A-20	NA145A-20	NA146A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NA143B-05	NA102B-05	NA144B-05	NA145B-05	NA146B-05	0.50mm
	NA143B-10	NA102B-10	NA144B-10	NA145B-10	NA146B-10	1.00mm
	NA143B-20	NA102B-20	NA144B-20	NA145B-20	NA146B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NA143C-05	NA102C-05	NA144C-05	NA145C-05	NA146C-05	0.50mm
	NA143C-10	NA102C-10	NA144C-10	NA145C-10	NA146C-10	1.00mm
	NA143C-20	NA102C-20	NA144C-20	NA145C-20	NA146C-20	2.00mm
Valleylab, Autobipolar models only	NA143D-05	NA102D-05	NA144D-05	NA145D-05	NA146D-05	0.50mm
	NA143D-10	NA102D-10	NA144D-10	NA145D-10	NA146D-10	1.00mm
	NA143D-20	NA102D-20	NA144D-20	NA145D-20	NA146D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NA143R-05	NA102R-05	NA144R-05	NA145R-05	NA146R-05	0.50mm
	NA143R-10	NA102R-10	NA144R-10	NA145R-10	NA146R-10	1.00mm
	NA143R-20	NA102R-20	NA144R-20	NA145R-20	NA146R-20	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Standard Single Use Straight
Bipolar Forceps with Cable-3m**


	140mm	165mm	195mm	210mm	-----	TIP SIZE
International 4mm Banana Plug Fitting	NA110-05	NA147-05	NA148-05	NA149-05	-----	0.50mm
	NA110-10	NA147-10	NA148-10	NA149-10	-----	1.00mm
	NA110-20	NA147-20	NA148-20	NA149-20	-----	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NA110A-05	NA147A-05	NA148A-05	NA149A-05	-----	0.50mm
	NA110A-10	NA147A-10	NA148A-10	NA149A-10	-----	1.00mm
	NA110A-20	NA147A-20	NA148A-20	NA149A-20	-----	2.00mm
ERBE 4mm, Siemens Shutter BM50	NA110B-05	NA147B-05	NA148B-05	NA149B-05	-----	0.50mm
	NA110B-10	NA147B-10	NA148B-10	NA149B-10	-----	1.00mm
	NA110B-20	NA147B-20	NA148B-20	NA149B-20	-----	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NA110C-05	NA147C-05	NA148C-05	NA149C-05	-----	0.50mm
	NA110C-10	NA147C-10	NA148C-10	NA149C-10	-----	1.00mm
	NA110C-20	NA147C-20	NA148C-20	NA149C-20	-----	2.00mm
Valleylab, Autobipolar models only	NA110D-05	NA147D-05	NA148D-05	NA149D-05	-----	0.50mm
	NA110D-10	NA147D-10	NA148D-10	NA149D-10	-----	1.00mm
	NA110D-20	NA147D-20	NA148D-20	NA149D-20	-----	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NA110R-05	NA147R-05	NA148R-05	NA149R-05	-----	0.50mm
	NA110R-10	NA147R-10	NA148R-10	NA149R-10	-----	1.00mm
	NA110R-20	NA147R-20	NA148R-20	NA149R-20	-----	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**


**STANDARD
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Standard Single Use Straight
Bipolar Forceps Angled with Cable-3m**


	140mm	165mm	195mm	210mm	-----	TIP SIZE
International 4mm Banana Plug Fitting	NA150-05	NA151-05	NA152-05	NA153-05	-----	0.50mm
	NA150-10	NA151-10	NA152-10	NA153-10	-----	1.00mm
	NA150-20	NA151-20	NA152-20	NA153-20	-----	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NA150A-05	NA151A-05	NA152A-05	NA153A-05	-----	0.50mm
	NA150A-10	NA151A-10	NA152A-10	NA153A-10	-----	1.00mm
	NA150A-20	NA151A-20	NA152A-20	NA153A-20	-----	2.00mm
ERBE 4mm, Siemens Shutter BM50	NA150B-05	NA151B-05	NA152B-05	NA153B-05	-----	0.50mm
	NA150B-10	NA151B-10	NA152B-10	NA153B-10	-----	1.00mm
	NA150B-20	NA151B-20	NA152B-20	NA153B-20	-----	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NA150C-05	NA151C-05	NA152C-05	NA153C-05	-----	0.50mm
	NA150C-10	NA151C-10	NA152C-10	NA153C-10	-----	1.00mm
	NA150C-20	NA151C-20	NA152C-20	NA153C-20	-----	2.00mm
Valleylab, Autobipolar models only	NA150D-05	NA151D-05	NA152D-05	NA153D-05	-----	0.50mm
	NA150D-10	NA151D-10	NA152D-10	NA153D-10	-----	1.00mm
	NA150D-20	NA151D-20	NA152D-20	NA153D-20	-----	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NA150R-05	NA151R-05	NA152R-05	NA153R-05	-----	0.50mm
	NA150R-10	NA151R-10	NA152R-10	NA153R-10	-----	1.00mm
	NA150R-20	NA151R-20	NA152R-20	NA153R-20	-----	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Non-Stick Single Use Irrigation Bayonet
Bipolar Forceps Angled with Cable-3m**


	140mm	165mm	195mm	210mm	-----	TIP SIZE
International 4mm Banana Plug Fitting	NA154A-05	NA155A-05	NA156A-05	NA157A-05	-----	0.50mm
	NA154A-10	NA155A-10	NA156A-10	NA157A-10	-----	1.00mm
	NA154A-20	NA155A-20	NA156A-20	NA157A-20	-----	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NA154A-05	NA155A-05	NA156A-05	NA157A-05	-----	0.50mm
	NA154A-10	NA155A-10	NA156A-10	NA157A-10	-----	1.00mm
	NA154A-20	NA155A-20	NA156A-20	NA157A-20	-----	2.00mm
ERBE 4mm, Siemens Shutter BM50	NA154B-05	NA155B-05	NA156B-05	NA157B-05	-----	0.50mm
	NA154B-10	NA155B-10	NA156B-10	NA157B-10	-----	1.00mm
	NA154B-20	NA155B-20	NA156B-20	NA157B-20	-----	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NA154C-05	NA155C-05	NA156C-05	NA157C-05	-----	0.50mm
	NA154C-10	NA155C-10	NA156C-10	NA157C-10	-----	1.00mm
	NA154C-20	NA155C-20	NA156C-20	NA157C-20	-----	2.00mm
Valleylab, Autobipolar models only	NA154D-05	NA155D-05	NA156D-05	NA157D-05	-----	0.50mm
	NA154D-10	NA155D-10	NA156D-10	NA157D-10	-----	1.00mm
	NA154D-20	NA155D-20	NA156D-20	NA157D-20	-----	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NA154R-05	NA155R-05	NA156R-05	NA157R-05	-----	0.50mm
	NA154R-10	NA155R-10	NA156R-10	NA157R-10	-----	1.00mm
	NA154R-20	NA155R-20	NA156R-20	NA157R-20	-----	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**


**NON-STICK
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK ORANGE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Non-Stick Single Use Mcpherson
Bipolar Forceps with Cable-3m**


	90mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	NS132-05	NS131-05	NS133-05	NS138-05	NS135-05	0.50mm
	NS132-10	NS131-10	NS133-10	NS138-10	NS135-10	1.00mm
	NS132-20	NS131-20	NS133-20	NS138-20	NS135-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NS132A-05	NS131A-05	NS133A-05	NS138A-05	NS135A-05	0.50mm
	NS132A-10	NS131A-10	NS133A-10	NS138A-10	NS135A-10	1.00mm
	NS132A-20	NS131A-20	NS133A-20	NS138A-20	NS135A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NS132B-05	NS131B-05	NS133B-05	NS138B-05	NS135B-05	0.50mm
	NS132B-10	NS131B-10	NS133B-10	NS138B-10	NS135B-10	1.00mm
	NS132B-20	NS131B-20	NS133B-20	NS138B-20	NS135B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NS132C-05	NS131C-05	NS133C-05	NS138C-05	NS135C-05	0.50mm
	NS132C-10	NS131C-10	NS133C-10	NS138C-10	NS135C-10	1.00mm
	NS132C-20	NS131C-20	NS133C-20	NS138C-20	NS135C-20	2.00mm
Valleylab, Autobipolar models only	NS132D-05	NS131D-05	NS133D-05	NS138D-05	NS135D-05	0.50mm
	NS132D-10	NS131D-10	NS133D-10	NS138D-10	NS135D-10	1.00mm
	NS132D-20	NS131D-20	NS133D-20	NS138D-20	NS135D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NS132R-05	NS131R-05	NS133R-05	NS138R-05	NS135R-05	0.50mm
	NS132R-10	NS131R-10	NS133R-10	NS138R-10	NS135R-10	1.00mm
	NS132R-20	NS131R-20	NS133R-20	NS138R-20	NS135R-20	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**NON-STICK
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK ORANGE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Non-Stick Single Use Mcpherson
Bipolar Forceps Angled with Cable-3m**


	90mm	90mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	NS136-05	NS137-05	NS134-05	NS139-05	NS140-05	0.50mm
	NS136-10	NS137-10	NS134-10	NS139-10	NS140-10	1.00mm
	NS136-20	NS137-20	NS134-20	NS139-20	NS140-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NS136A-05	NS137A-05	NS134A-05	NS139A-05	NS140A-05	0.50mm
	NS136A-10	NS137A-10	NS134A-10	NS139A-10	NS140A-10	1.00mm
	NS136A-20	NS137A-20	NS134A-20	NS139A-20	NS140A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NS136B-05	NS137B-05	NS134B-05	NS139B-05	NS140B-05	0.50mm
	NS136B-10	NS137B-10	NS134B-10	NS139B-10	NS140B-10	1.00mm
	NS136B-20	NS137B-20	NS134B-20	NS139B-20	NS140B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NS136C-05	NS137C-05	NS134C-05	NS139C-05	NS140C-05	0.50mm
	NS136C-10	NS137C-10	NS134C-10	NS139C-10	NS140C-10	1.00mm
	NS136C-20	NS137C-20	NS134C-20	NS139C-20	NS140C-20	2.00mm
Valleylab, Autobipolar models only	NS136D-05	NS137D-05	NS134D-05	NS139D-05	NS140D-05	0.50mm
	NS136D-10	NS137D-10	NS134D-10	NS139D-10	NS140D-10	1.00mm
	NS136D-20	NS137D-20	NS134D-20	NS139D-20	NS140D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NS136R-05	NS137R-05	NS134R-05	NS139R-05	NS140R-05	0.50mm
	NS136R-10	NS137R-10	NS134R-10	NS139R-10	NS140R-10	1.00mm
	NS136R-20	NS137R-20	NS134R-20	NS139R-20	NS140R-20	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**


**NON-STICK
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK ORANGE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Non-Stick Single Use Jeweller
Bipolar Forceps with Cable-3m**


	95mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	NS125-05	NS126-05	NS127-05	NS101-05	NS128-05	0.50mm
	NS125-10	NS126-10	NS127-10	NS101-10	NS128-10	1.00mm
	NS125-20	NS126-20	NS127-20	NS101-20	NS128-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NS125A-05	NS126A-05	NS127A-05	NS101A-05	NS128A-05	0.50mm
	NS125A-10	NS126A-10	NS127A-10	NS101A-10	NS128A-10	1.00mm
	NS125A-20	NS126A-20	NS127A-20	NS101A-20	NS128A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NS125B-05	NS126B-05	NS127B-05	NS101B-05	NS128B-05	0.50mm
	NS125B-10	NS126B-10	NS127B-10	NS101B-10	NS128B-10	1.00mm
	NS125B-20	NS126B-20	NS127B-20	NS101B-20	NS128B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NS125C-05	NS126C-05	NS127C-05	NS101C-05	NS128C-05	0.50mm
	NS125C-10	NS126C-10	NS127C-10	NS101C-10	NS128C-10	1.00mm
	NS125C-20	NS126C-20	NS127C-20	NS101C-20	NS128C-20	2.00mm
Valleylab, Autobipolar models only	NS125D-05	NS126D-05	NS127D-05	NS101D-05	NS128D-05	0.50mm
	NS125D-10	NS126D-10	NS127D-10	NS101D-10	NS128D-10	1.00mm
	NS125D-20	NS126D-20	NS127D-20	NS101D-20	NS128D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NS125R-05	NS126R-05	NS127R-05	NS101R-05	NS128R-05	0.50mm
	NS125R-10	NS126R-10	NS127R-10	NS101R-10	NS128R-10	1.00mm
	NS125R-20	NS126R-20	NS127R-20	NS101R-20	NS128R-20	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**NON-STICK
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK ORANGE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Non-Stick Single Use Jeweller
Bipolar Forceps Angled with Cable-3m**


	95mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	NS129-05	NS130-05	NS141-05	NS109-05	NS142-05	0.50mm
	NS129-10	NS130-10	NS141-10	NS109-10	NS142-10	1.00mm
	NS129-20	NS130-20	NS141-20	NS109-20	NS142-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NS129A-05	NS130A-05	NS141A-05	NS109A-05	NS142A-05	0.50mm
	NS129A-10	NS130A-10	NS141A-10	NS109A-10	NS142A-10	1.00mm
	NS129A-20	NS130A-20	NS141A-20	NS109A-20	NS142A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NS129B-05	NS130B-05	NS141B-05	NS109B-05	NS142B-05	0.50mm
	NS129B-10	NS130B-10	NS141B-10	NS109B-10	NS142B-10	1.00mm
	NS129B-20	NS130B-20	NS141B-20	NS109B-20	NS142B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NS129C-05	NS130C-05	NS141C-05	NS109C-05	NS142C-05	0.50mm
	NS129C-10	NS130C-10	NS141C-10	NS109C-10	NS142C-10	1.00mm
	NS129C-20	NS130C-20	NS141C-20	NS109C-20	NS142C-20	2.00mm
Valleylab, Autobipolar models only	NS129D-05	NS130D-05	NS141D-05	NS109D-05	NS142D-05	0.50mm
	NS129D-10	NS130D-10	NS141D-10	NS109D-10	NS142D-10	1.00mm
	NS129D-20	NS130D-20	NS141D-20	NS109D-20	NS142D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NS129R-05	NS130R-05	NS141R-05	NS109R-05	NS142R-05	0.50mm
	NS129R-10	NS130R-10	NS141R-10	NS109R-10	NS142R-10	1.00mm
	NS129R-20	NS130R-20	NS141R-20	NS109R-20	NS142R-20	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**


**NON-STICK
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK ORANGE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Non-Stick Single Use Adson
Bipolar Forceps with Cable-3m**


	110mm	121mm	150mm	165mm	180mm	TIP SIZE
International 4mm Banana Plug Fitting	NS143-05	NS102-05	NS144-05	NS145-05	NS146-05	0.50mm
	NS143-10	NS102-10	NS144-10	NS145-10	NS146-10	1.00mm
	NS143-20	NS102-20	NS144-20	NS145-20	NS146-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NS143A-05	NS102A-05	NS144A-05	NS145A-05	NS146A-05	0.50mm
	NS143A-10	NS102A-10	NS144A-10	NS145A-10	NS146A-10	1.00mm
	NS143A-20	NS102A-20	NS144A-20	NS145A-20	NS146A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NS143B-05	NS102B-05	NS144B-05	NS145B-05	NS146B-05	0.50mm
	NS143B-10	NS102B-10	NS144B-10	NS145B-10	NS146B-10	1.00mm
	NS143B-20	NS102B-20	NS144B-20	NS145B-20	NS146B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NS143C-05	NS102C-05	NS144C-05	NS145C-05	NS146C-05	0.50mm
	NS143C-10	NS102C-10	NS144C-10	NS145C-10	NS146C-10	1.00mm
	NS143C-20	NS102C-20	NS144C-20	NS145C-20	NS146C-20	2.00mm
Valleylab, Autobipolar models only	NS143D-05	NS102D-05	NS144D-05	NS145D-05	NS146D-05	0.50mm
	NS143D-10	NS102D-10	NS144D-10	NS145D-10	NS146D-10	1.00mm
	NS143D-20	NS102D-20	NS144D-20	NS145D-20	NS146D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NS143R-05	NS102R-05	NS144R-05	NS145R-05	NS146R-05	0.50mm
	NS143R-10	NS102R-10	NS144R-10	NS145R-10	NS146R-10	1.00mm
	NS143R-20	NS102R-20	NS144R-20	NS145R-20	NS146R-20	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**NON-STICK
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK ORANGE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Non-Stick Single Use Bayonet
Bipolar Forceps with Cable-3m**


	140mm	165mm	195mm	210mm	-----	TIP SIZE
International 4mm Banana Plug Fitting	NS154-05	NS155-05	NS156-05	NS157-05	-----	0.50mm
	NS154-10	NS155-10	NS156-10	NS157-10	-----	1.00mm
	NS154-20	NS155-20	NS156-20	NS157-20	-----	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NS154A-05	NS155A-05	NS156A-05	NS157A-05	-----	0.50mm
	NS154A-10	NS155A-10	NS156A-10	NS157A-10	-----	1.00mm
	NS154A-20	NS155A-20	NS156A-20	NS157A-20	-----	2.00mm
ERBE 4mm, Siemens Shutter BM50	NS154B-05	NS155B-05	NS156B-05	NS157B-05	-----	0.50mm
	NS154B-10	NS155B-10	NS156B-10	NS157B-10	-----	1.00mm
	NS154B-20	NS155B-20	NS156B-20	NS157B-20	-----	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NS154C-05	NS155C-05	NS156C-05	NS157C-05	-----	0.50mm
	NS154C-10	NS155C-10	NS156C-10	NS157C-10	-----	1.00mm
	NS154C-20	NS155C-20	NS156C-20	NS157C-20	-----	2.00mm
Valleylab, Autobipolar models only	NS154D-05	NS155D-05	NS156D-05	NS157D-05	-----	0.50mm
	NS154D-10	NS155D-10	NS156D-10	NS157D-10	-----	1.00mm
	NS154D-20	NS155D-20	NS156D-20	NS157D-20	-----	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NS154R-05	NS155R-05	NS156R-05	NS157R-05	-----	0.50mm
	NS154R-10	NS155R-10	NS156R-10	NS157R-10	-----	1.00mm
	NS154R-20	NS155R-20	NS156R-20	NS157R-20	-----	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**


**NON-STICK
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK ORANGE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




**Non-Stick Single Use Straight
Bipolar Forceps with Cable-3m**

	140mm	165mm	195mm	210mm	-----	TIP SIZE
International 4mm Banana Plug Fitting	NS110-05	NS147-05	NS148-05	NS149-05	-----	0.50mm
	NS110-10	NS147-10	NS148-10	NS149-10	-----	1.00mm
	NS110-20	NS147-20	NS148-20	NS149-20	-----	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NS110A-05	NS147A-05	NS148A-05	NS149A-05	-----	0.50mm
	NS110A-10	NS147A-10	NS148A-10	NS149A-10	-----	1.00mm
	NS110A-20	NS147A-20	NS148A-20	NS149A-20	-----	2.00mm
ERBE 4mm, Siemens Shutter BM50	NS110B-05	NS147B-05	NS148B-05	NS149B-05	-----	0.50mm
	NS110B-10	NS147B-10	NS148B-10	NS149B-10	-----	1.00mm
	NS110B-20	NS147B-20	NS148B-20	NS149B-20	-----	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NS110C-05	NS147C-05	NS148C-05	NS149C-05	-----	0.50mm
	NS110C-10	NS147C-10	NS148C-10	NS149C-10	-----	1.00mm
	NS110C-20	NS147C-20	NS148C-20	NS149C-20	-----	2.00mm
Valleylab, Autobipolar models only	NS110D-05	NS147D-05	NS148D-05	NS149D-05	-----	0.50mm
	NS110D-10	NS147D-10	NS148D-10	NS149D-10	-----	1.00mm
	NS110D-20	NS147D-20	NS148D-20	NS149D-20	-----	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NS110R-05	NS147R-05	NS148R-05	NS149R-05	-----	0.50mm
	NS110R-10	NS147R-10	NS148R-10	NS149R-10	-----	1.00mm
	NS110R-20	NS147R-20	NS148R-20	NS149R-20	-----	2.00mm



NON-STICK ORANGE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Non-Stick Single Use Straight
Bipolar Forceps with Cable-3m

	140mm	165mm	195mm	210mm	-----	TIP SIZE
 International 4mm Banana Plug Fitting	NS110-05	NS147-05	NS148-05	NS149-05	-----	0.50mm
	NS110-10	NS147-10	NS148-10	NS149-10	-----	1.00mm
	NS110-20	NS147-20	NS148-20	NS149-20	-----	2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NS110A-05	NS147A-05	NS148A-05	NS149A-05	-----	0.50mm
	NS110A-10	NS147A-10	NS148A-10	NS149A-10	-----	1.00mm
	NS110A-20	NS147A-20	NS148A-20	NS149A-20	-----	2.00mm
 ERBE 4mm, Siemens Shutter BM50	NS110B-05	NS147B-05	NS148B-05	NS149B-05	-----	0.50mm
	NS110B-10	NS147B-10	NS148B-10	NS149B-10	-----	1.00mm
	NS110B-20	NS147B-20	NS148B-20	NS149B-20	-----	2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NS110C-05	NS147C-05	NS148C-05	NS149C-05	-----	0.50mm
	NS110C-10	NS147C-10	NS148C-10	NS149C-10	-----	1.00mm
	NS110C-20	NS147C-20	NS148C-20	NS149C-20	-----	2.00mm
 Valleylab, Autobipolar models only	NS110D-05	NS147D-05	NS148D-05	NS149D-05	-----	0.50mm
	NS110D-10	NS147D-10	NS148D-10	NS149D-10	-----	1.00mm
	NS110D-20	NS147D-20	NS148D-20	NS149D-20	-----	2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NS110R-05	NS147R-05	NS148R-05	NS149R-05	-----	0.50mm
	NS110R-10	NS147R-10	NS148R-10	NS149R-10	-----	1.00mm
	NS110R-20	NS147R-20	NS148R-20	NS149R-20	-----	2.00mm



NON-STICK ORANGE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Non-Stick Single Use Straight Bipolar Forceps Angled with Cable-3m

	140mm	165mm	195mm	210mm	-----	TIP SIZE
 International 4mm Banana Plug Fitting	NS150-05	NS151-05	NS152-05	NS153-05	-----	0.50mm
	NS150-10	NS151-10	NS152-10	NS153-10	-----	1.00mm
	NS150-20	NS151-20	NS152-20	NS153-20	-----	2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NS150A-05	NS151A-05	NS152A-05	NS153A-05	-----	0.50mm
	NS150A-10	NS151A-10	NS152A-10	NS153A-10	-----	1.00mm
	NS150A-20	NS151A-20	NS152A-20	NS153A-20	-----	2.00mm
 ERBE 4mm, Siemens Shutter BM50	NS150B-05	NS151B-05	NS152B-05	NS153B-05	-----	0.50mm
	NS150B-10	NS151B-10	NS152B-10	NS153B-10	-----	1.00mm
	NS150B-20	NS151B-20	NS152B-20	NS153B-20	-----	2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NS150C-05	NS151C-05	NS152C-05	NS153C-05	-----	0.50mm
	NS150C-10	NS151C-10	NS152C-10	NS153C-10	-----	1.00mm
	NS150C-20	NS151C-20	NS152C-20	NS153C-20	-----	2.00mm
 Valleylab, Autobipolar models only	NS150D-05	NS151D-05	NS152D-05	NS153D-05	-----	0.50mm
	NS150D-10	NS151D-10	NS152D-10	NS153D-10	-----	1.00mm
	NS150D-20	NS151D-20	NS152D-20	NS153D-20	-----	2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NS150R-05	NS151R-05	NS152R-05	NS153R-05	-----	0.50mm
	NS150R-10	NS151R-10	NS152R-10	NS153R-10	-----	1.00mm
	NS150R-20	NS151R-20	NS152R-20	NS153R-20	-----	2.00mm



NON-STICK ORANGE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm





Non-Stick Single Use Straight Bipolar Forceps with Cable-3m

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	NS104-05 NS104-10 NS104-20	NS106-05 NS106-10 NS106-20	NS103-05 NS103-10 NS103-20	NS111-05 NS111-10 NS111-20	NS112-05 NS112-10 NS112-20	 0.50mm  1.00mm  2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NS104A-05 NS104A-10 NS104A-20	NS106A-05 NS106A-10 NS106A-20	NS103A-05 NS103A-10 NS103A-20	NS111A-05 NS111A-10 NS111A-20	NS112A-05 NS112A-10 NS112A-20	 0.50mm  1.00mm  2.00mm
 ERBE 4mm, Siemens Shutter BM50	NS104B-05 NS104B-10 NS104B-20	NS106B-05 NS106B-10 NS106B-20	NS103B-05 NS103B-10 NS103B-20	NS111B-05 NS111B-10 NS111B-20	NS112B-05 NS112B-10 NS112B-20	 0.50mm  1.00mm  2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NS104C-05 NS104C-10 NS104C-20	NS106C-05 NS106C-10 NS106C-20	NS103C-05 NS103C-10 NS103C-20	NS111C-05 NS111C-10 NS111C-20	NS112C-05 NS112C-10 NS112C-20	 0.50mm  1.00mm  2.00mm
 Valleylab, Autobipolar models only	NS104D-05 NS104D-10 NS104D-20	NS106D-05 NS106D-10 NS106D-20	NS103D-05 NS103D-10 NS103D-20	NS111D-05 NS111D-10 NS111D-20	NS112D-05 NS112D-10 NS112D-20	 0.50mm  1.00mm  2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NS104R-05 NS104R-10 NS104R-20	NS106R-05 NS106R-10 NS106R-20	NS103R-05 NS103R-10 NS103R-20	NS111R-05 NS111R-10 NS111R-20	NS112R-05 NS112R-10 NS112R-20	 0.50mm  1.00mm  2.00mm




NON-STICK ORANGE FORCEPS WITH INTEGRATED CABLE




**Non-Stick Single Use Straight
Bipolar Forceps Angled with Cable-3m**

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	NS113-05 NS113-10 NS113-20	NS114-05 NS114-10 NS114-20	NS115-05 NS115-10 NS115-20	NS116-05 NS116-10 NS116-20	NS117-05 NS117-10 NS117-20	0.50mm 1.00mm 2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NS113A-05 NS113A-10 NS113A-20	NS114A-05 NS114A-10 NS114A-20	NS115A-05 NS115A-10 NS115A-20	NS116A-05 NS116A-10 NS116A-20	NS117A-05 NS117A-10 NS117A-20	0.50mm 1.00mm 2.00mm
 ERBE 4mm, Siemens Shutter BM50	NS113B-05 NS113B-10 NS113B-20	NS114B-05 NS114B-10 NS114B-20	NS115B-05 NS115B-10 NS115B-20	NS116B-05 NS116B-10 NS116B-20	NS117B-05 NS117B-10 NS117B-20	0.50mm 1.00mm 2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NS113C-05 NS113C-10 NS113C-20	NS114C-05 NS114C-10 NS114C-20	NS115C-05 NS115C-10 NS115C-20	NS116C-05 NS116C-10 NS116C-20	NS117C-05 NS117C-10 NS117C-20	0.50mm 1.00mm 2.00mm
 Valleylab, Autobipolar models only	NS113D-05 NS113D-10 NS113D-20	NS114D-05 NS114D-10 NS114D-20	NS115D-05 NS115D-10 NS115D-20	NS116D-05 NS116D-10 NS116D-20	NS117D-05 NS117D-10 NS117D-20	0.50mm 1.00mm 2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NS113R-05 NS113R-10 NS113R-20	NS114R-05 NS114R-10 NS114R-20	NS115R-05 NS115R-10 NS115R-20	NS116R-05 NS116R-10 NS116R-20	NS117R-05 NS117R-10 NS117R-20	0.50mm 1.00mm 2.00mm



NON-STICK ORANGE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Non-Stick Single Use Bayonet
Bipolar Forceps with Cable-3m

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	NS107-05	NS105-05	NS108-05	NS118-05	NS119-05	0.50mm
	NS107-10	NS105-10	NS108-10	NS118-10	NS119-10	1.00mm
	NS107-20	NS105-20	NS108-20	NS118-20	NS119-20	2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NS107A-05	NS105A-05	NS108A-05	NS118A-05	NS119A-05	0.50mm
	NS107A-10	NS105A-10	NS108A-10	NS118A-10	NS119A-10	1.00mm
	NS107A-20	NS105A-20	NS108A-20	NS118A-20	NS119A-20	2.00mm
 ERBE 4mm, Siemens Shutter BM50	NS107B-05	NS105B-05	NS108B-05	NS118B-05	NS119B-05	0.50mm
	NS107B-10	NS105B-10	NS108B-10	NS118B-10	NS119B-10	1.00mm
	NS107B-20	NS105B-20	NS108B-20	NS118B-20	NS119B-20	2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NS107C-05	NS105C-05	NS108C-05	NS118C-05	NS119C-05	0.50mm
	NS107C-10	NS105C-10	NS108C-10	NS118C-10	NS119C-10	1.00mm
	NS107C-20	NS105C-20	NS108C-20	NS118C-20	NS119C-20	2.00mm
 Valleylab, Autobipolar models only	NS107D-05	NS105D-05	NS108D-05	NS118D-05	NS119D-05	0.50mm
	NS107D-10	NS105D-10	NS108D-10	NS118D-10	NS119D-10	1.00mm
	NS107D-20	NS105D-20	NS108D-20	NS118D-20	NS119D-20	2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NS107R-05	NS105R-05	NS108R-05	NS118R-05	NS119R-05	0.50mm
	NS107R-10	NS105R-10	NS108R-10	NS118R-10	NS119R-10	1.00mm
	NS107R-20	NS105R-20	NS108R-20	NS118R-20	NS119R-20	2.00mm




NON-STICK ORANGE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




**Non-Stick Single Use Bayonet
Bipolar Forceps Angled with Cable-3m**

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	NS120-05 NS120-10 NS120-20	NS121-05 NS121-10 NS121-20	NS122-05 NS122-10 NS122-20	NS123-05 NS123-10 NS123-20	NS124-05 NS124-10 NS124-20	 0.50mm  1.00mm  2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NS120A-05 NS120A-10 NS120A-20	NS121A-05 NS121A-10 NS121A-20	NS122A-05 NS122A-10 NS122A-20	NS123A-05 NS123A-10 NS123A-20	NS124A-05 NS124A-10 NS124A-20	 0.50mm  1.00mm  2.00mm
 ERBE 4mm, Siemens Shutter BM50	NS120B-05 NS120B-10 NS120B-20	NS121B-05 NS121B-10 NS121B-20	NS122B-05 NS122B-10 NS122B-20	NS123B-05 NS123B-10 NS123B-20	NS124B-05 NS124B-10 NS124B-20	 0.50mm  1.00mm  2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NS120C-05 NS120C-10 NS120C-20	NS121C-05 NS121C-10 NS121C-20	NS122C-05 NS122C-10 NS122C-20	NS123C-05 NS123C-10 NS123C-20	NS124C-05 NS124C-10 NS124C-20	 0.50mm  1.00mm  2.00mm
 Valleylab, Autobipolar models only	NS120D-05 NS120D-10 NS120D-20	NS121D-05 NS121D-10 NS121D-20	NS122D-05 NS122D-10 NS122D-20	NS123D-05 NS123D-10 NS123D-20	NS124D-05 NS124D-10 NS124D-20	 0.50mm  1.00mm  2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NS120R-05 NS120R-10 NS120R-20	NS121R-05 NS121R-10 NS121R-20	NS122R-05 NS122R-10 NS122R-20	NS123R-05 NS123R-10 NS123R-20	NS124R-05 NS124R-10 NS124R-20	 0.50mm  1.00mm  2.00mm



IRRIGATION PURPLE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Non-stick Single Use Irrigation Mcpherson
Bipolar Forceps with Cable-3m

	90mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	IR132-05	IR131-05	IR133-05	IR138-05	IR135-05	0.50mm
	IR132-10	IR131-10	IR133-10	IR138-10	IR135-10	1.00mm
	IR132-20	IR131-20	IR133-20	IR138-20	IR135-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	IR132A-05	IR131A-05	IR133A-05	IR138A-05	IR135A-05	0.50mm
	IR132A-10	IR131A-10	IR133A-10	IR138A-10	IR135A-10	1.00mm
	IR132A-20	IR131A-20	IR133A-20	IR138A-20	IR135A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	IR132B-05	IR131B-05	IR133B-05	IR138B-05	IR135B-05	0.50mm
	IR132B-10	IR131B-10	IR133B-10	IR138B-10	IR135B-10	1.00mm
	IR132B-20	IR131B-20	IR133B-20	IR138B-20	IR135B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	IR132C-05	IR131C-05	IR133C-05	IR138C-05	IR135C-05	0.50mm
	IR132C-10	IR131C-10	IR133C-10	IR138C-10	IR135C-10	1.00mm
	IR132C-20	IR131C-20	IR133C-20	IR138C-20	IR135C-20	2.00mm
Valleylab, Autobipolar models only	IR132D-05	IR131D-05	IR133D-05	IR138D-05	IR135D-05	0.50mm
	IR132D-10	IR131D-10	IR133D-10	IR138D-10	IR135D-10	1.00mm
	IR132D-20	IR131D-20	IR133D-20	IR138D-20	IR135D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	IR132R-05	IR131R-05	IR133R-05	IR138R-05	IR135R-05	0.50mm
	IR132R-10	IR131R-10	IR133R-10	IR138R-10	IR135R-10	1.00mm
	IR132R-20	IR131R-20	IR133R-20	IR138R-20	IR135R-20	2.00mm



IRRIGATION PURPLE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Non-Stick Single Use Irrigation Mcpherson
Bipolar Forceps Angled with Cable-3m

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	IR136-05 IR136-10 IR136-20	IR137-05 IR137-10 IR137-20	IR134-05 IR134-10 IR134-20	IR139-05 IR139-10 IR139-20	IR140-05 IR140-10 IR140-20	0.50mm 1.00mm 2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	IR136A-05 IR136A-10 IR136A-20	IR137A-05 IR137A-10 IR137A-20	IR134A-05 IR134A-10 IR134A-20	IR139A-05 IR139A-10 IR139A-20	IR140A-05 IR140A-10 IR140A-20	0.50mm 1.00mm 2.00mm
ERBE 4mm, Siemens Shutter BM50	IR136B-05 IR136B-10 IR136B-20	IR137B-05 IR137B-10 IR137B-20	IR134B-05 IR134B-10 IR134B-20	IR139B-05 IR139B-10 IR139B-20	IR140B-05 IR140B-10 IR140B-20	0.50mm 1.00mm 2.00mm
Aesculap, Berchtold, Wolf, Mvartin	IR136C-05 IR136C-10 IR136C-20	IR137C-05 IR137C-10 IR137C-20	IR134C-05 IR134C-10 IR134C-20	IR139C-05 IR139C-10 IR139C-20	IR140C-05 IR140C-10 IR140C-20	0.50mm 1.00mm 2.00mm
Valleylab, Autobipolar models only	IR136D-05 IR136D-10 IR136D-20	IR137D-05 IR137D-10 IR137D-20	IR134D-05 IR134D-10 IR134D-20	IR139D-05 IR139D-10 IR139D-20	IR140D-05 IR140D-10 IR140D-20	0.50mm 1.00mm 2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	IR136R-05 IR136R-10 IR136R-20	IR137R-05 IR137R-10 IR137R-20	IR134R-05 IR134R-10 IR134R-20	IR139R-05 IR139R-10 IR139R-20	IR140R-05 IR140R-10 IR140R-20	0.50mm 1.00mm 2.00mm



IRRIGATION PURPLE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm





Regular Single Use Irrigation Jeweller
Bipolar Forceps with Cable-3m

	95mm	102mm	108mm	115mm	125mm	TIP SIZE
 International 4mm Banana Plug Fitting	IR125-05 IR125-10 IR125-20	IR126-05 IR126-10 IR126-20	IR127-05 IR127-10 IR127-20	IR101-05 IR101-10 IR101-20	IR128-05 IR128-10 IR128-20	 0.50mm  1.00mm  2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	IR125A-05 IR125A-10 IR125A-20	IR126A-05 IR126A-10 IR126A-20	IR127A-05 IR127A-10 IR127A-20	IR101A-05 IR101A-10 IR101A-20	IR128A-05 IR128A-10 IR128A-20	 0.50mm  1.00mm  2.00mm
 ERBE 4mm, Siemens Shutter BMS0	IR125B-05 IR125B-10 IR125B-20	IR126B-05 IR126B-10 IR126B-20	IR127B-05 IR127B-10 IR127B-20	IR101B-05 IR101B-10 IR101B-20	IR128B-05 IR128B-10 IR128B-20	 0.50mm  1.00mm  2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	IR125C-05 IR125C-10 IR125C-20	IR126C-05 IR126C-10 IR126C-20	IR127C-05 IR127C-10 IR127C-20	IR101C-05 IR101C-10 IR101C-20	IR128C-05 IR128C-10 IR128C-20	 0.50mm  1.00mm  2.00mm
 Valleylab, Autobipolar models only	IR125D-05 IR125D-10 IR125D-20	IR126D-05 IR126D-10 IR126D-20	IR127D-05 IR127D-10 IR127D-20	IR101D-05 IR101D-10 IR101D-20	IR128D-05 IR128D-10 IR128D-20	 0.50mm  1.00mm  2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	IR125R-05 IR125R-10 IR125R-20	IR126R-05 IR126R-10 IR126R-20	IR127R-05 IR127R-10 IR127R-20	IR101R-05 IR101R-10 IR101R-20	IR128R-05 IR128R-10 IR128R-20	 0.50mm  1.00mm  2.00mm




IRRIGATION PURPLE FORCEPS WITH INTEGRATED CABLE





Non-Stick Single Use Irrigation Jeweller Bipolar Forceps Angled with Cable-3m

	95mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	IR129-05 IR129-10 IR129-20	IR130-05 IR130-10 IR130-20	IR141-05 IR141-10 IR141-20	IR109-05 IR109-10 IR109-20	IR142-05 IR142-10 IR142-20	0.50mm 1.00mm 2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	IR129A-05 IR129A-10 IR129A-20	IR130A-05 IR130A-10 IR130A-20	IR141A-05 IR141A-10 IR141A-20	IR109A-05 IR109A-10 IR109A-20	IR142A-05 IR142A-10 IR142A-20	0.50mm 1.00mm 2.00mm
ERBE 4mm, Siemens Shutter BMSO	IR129B-05 IR129B-10 IR129B-20	IR130B-05 IR130B-10 IR130B-20	IR141B-05 IR141B-10 IR141B-20	IR109B-05 IR109B-10 IR109B-20	IR142B-05 IR142B-10 IR142B-20	0.50mm 1.00mm 2.00mm
Aesculap, Berchtold, Wolf, Mvartin	IR129C-05 IR129C-10 IR129C-20	IR130C-05 IR130C-10 IR130C-20	IR141C-05 IR141C-10 IR141C-20	IR109C-05 IR109C-10 IR109C-20	IR142C-05 IR142C-10 IR142C-20	0.50mm 1.00mm 2.00mm
Valleylab, Autobipolar models only	IR129D-05 IR129D-10 IR129D-20	IR130D-05 IR130D-10 IR130D-20	IR141D-05 IR141D-10 IR141D-20	IR109D-05 IR109D-10 IR109D-20	IR142D-05 IR142D-10 IR142D-20	0.50mm 1.00mm 2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	IR129R-05 IR129R-10 IR129R-20	IR130R-05 IR130R-10 IR130R-20	IR141R-05 IR141R-10 IR141R-20	IR109R-05 IR109R-10 IR109R-20	IR142R-05 IR142R-10 IR142R-20	0.50mm 1.00mm 2.00mm



IRRIGATION PURPLE FORCEPS WITH INTEGRATED CABLE





Non-Stick Single Use Irrigation Adson
Bipolar Forceps with Cable-3m

	110mm	121mm	150mm	165mm	180mm	TIP SIZE
International 4mm Banana Plug Fitting	IR143-05 IR143-10 IR143-20	IR102-05 IR102-10 IR102-20	IR144-05 IR144-10 IR144-20	IR145-05 IR145-10 IR145-20	IR146-05 IR146-10 IR146-20	0.50mm 1.00mm 2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	IR143A-05 IR143A-10 IR143A-20	IR102A-05 IR102A-10 IR102A-20	IR144A-05 IR144A-10 IR144A-20	IR145A-05 IR145A-10 IR145A-20	IR146A-05 IR146A-10 IR146A-20	0.50mm 1.00mm 2.00mm
ERBE 4mm, Siemens Shutter BM50	IR143B-05 IR143B-10 IR143B-20	IR102B-05 IR102B-10 IR102B-20	IR144B-05 IR144B-10 IR144B-20	IR145B-05 IR145B-10 IR145B-20	IR146B-05 IR146B-10 IR146B-20	0.50mm 1.00mm 2.00mm
Aesculap, Berchtold, Wolf, Mvartin	IR143C-05 IR143C-10 IR143C-20	IR102C-05 IR102C-10 IR102C-20	IR144C-05 IR144C-10 IR144C-20	IR145C-05 IR145C-10 IR145C-20	IR146C-05 IR146C-10 IR146C-20	0.50mm 1.00mm 2.00mm
Valleylab, Autobipolar models only	IR143D-05 IR143D-10 IR143D-20	IR102D-05 IR102D-10 IR102D-20	IR144D-05 IR144D-10 IR144D-20	IR145D-05 IR145D-10 IR145D-20	IR146D-05 IR146D-10 IR146D-20	0.50mm 1.00mm 2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	IR143R-05 IR143R-10 IR143R-20	IR102R-05 IR102R-10 IR102R-20	IR144R-05 IR144R-10 IR144R-20	IR145R-05 IR145R-10 IR145R-20	IR146R-05 IR146R-10 IR146R-20	0.50mm 1.00mm 2.00mm




IRRIGATION PURPLE FORCEPS WITH INTEGRATED CABLE




Non-Stick Single Use Irrigation Bayonet Bipolar Forceps with Cable-3m

	140mm	165mm	195mm	210mm	-----	TIP SIZE
International 4mm Banana Plug Fitting	IR154-05 IR154-10 IR154-20	IR155-05 IR155-10 IR155-20	IR156-05 IR156-10 IR156-20	IR157-05 IR157-10 IR157-20	-----	0.50mm 1.00mm 2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	IR154A-05 IR154A-10 IR154A-20	IR155A-05 IR155A-10 IR155A-20	IR156A-05 IR156A-10 IR156A-20	IR157A-05 IR157A-10 IR157A-20	-----	0.50mm 1.00mm 2.00mm
ERBE 4mm, Siemens Shutter BM50	IR154B-05 IR154B-10 IR154B-20	IR155B-05 IR155B-10 IR155B-20	IR156B-05 IR156B-10 IR156B-20	IR157B-05 IR157B-10 IR157B-20	-----	0.50mm 1.00mm 2.00mm
Aesculap, Berchtold, Wolf, Mvartin	IR154C-05 IR154C-10 IR154C-20	IR155C-05 IR155C-10 IR155C-20	IR156C-05 IR156C-10 IR156C-20	IR157C-05 IR157C-10 IR157C-20	-----	0.50mm 1.00mm 2.00mm
Valleylab, Autobipolar models only	IR154D-05 IR154D-10 IR154D-20	IR155D-05 IR155D-10 IR155D-20	IR156D-05 IR156D-10 IR156D-20	IR157D-05 IR157D-10 IR157D-20	-----	0.50mm 1.00mm 2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	IR154R-05 IR154R-10 IR154R-20	IR155R-05 IR155R-10 IR155R-20	IR156R-05 IR156R-10 IR156R-20	IR157R-05 IR157R-10 IR157R-20	-----	0.50mm 1.00mm 2.00mm



IRRIGATION PURPLE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Non-Stick Single Use Irrigation Straight
Bipolar Forceps with Cable-3m

	140mm	165mm	195mm	210mm	-----	TIP SIZE
 International 4mm Banana Plug Fitting	IR110-05	IR147-05	IR148-05	IR149-05	-----	0.50mm
	IR110-10	IR147-10	IR148-10	IR149-10	-----	1.00mm
	IR110-20	IR147-20	IR148-20	IR149-20	-----	2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	IR110A-05	IR147A-05	IR148A-05	IR149A-05	-----	0.50mm
	IR110A-10	IR147A-10	IR148A-10	IR149A-10	-----	1.00mm
	IR110A-20	IR147A-20	IR148A-20	IR149A-20	-----	2.00mm
 ERBE 4mm, Siemens Shutter BM50	IR110B-05	IR147B-05	IR148B-05	IR149B-05	-----	0.50mm
	IR110B-10	IR147B-10	IR148B-10	IR149B-10	-----	1.00mm
	IR110B-20	IR147B-20	IR148B-20	IR149B-20	-----	2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	IR110C-05	IR147C-05	IR148C-05	IR149C-05	-----	0.50mm
	IR110C-10	IR147C-10	IR148C-10	IR149C-10	-----	1.00mm
	IR110C-20	IR147C-20	IR148C-20	IR149C-20	-----	2.00mm
 Valleylab, Autobipolar models only	IR110D-05	IR147D-05	IR148D-05	IR149D-05	-----	0.50mm
	IR110D-10	IR147D-10	IR148D-10	IR149D-10	-----	1.00mm
	IR110D-20	IR147D-20	IR148D-20	IR149D-20	-----	2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	IR110R-05	IR147R-05	IR148R-05	IR149R-05	-----	0.50mm
	IR110R-10	IR147R-10	IR148R-10	IR149R-10	-----	1.00mm
	IR110R-20	IR147R-20	IR148R-20	IR149R-20	-----	2.00mm



IRRIGATION PURPLE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Non-Stick Single Use Irrigation Straight
Bipolar Forceps Angled with Cable-3m

	140mm	165mm	195mm	210mm	-----	TIP SIZE
 International 4mm Banana Plug Fitting	IR150-05 IR150-10 IR150-20	IR151-05 IR151-10 IR151-20	IR152-05 IR152-10 IR152-20	IR153-05 IR153-10 IR153-20	----- ----- -----	 0.50mm  1.00mm  2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	IR150A-05 IR150A-10 IR150A-20	IR151A-05 IR151A-10 IR151A-20	IR152A-05 IR152A-10 IR152A-20	IR153A-05 IR153A-10 IR153A-20	----- ----- -----	 0.50mm  1.00mm  2.00mm
 ERBE 4mm, Siemens Shutter BM50	IR150B-05 IR150B-10 IR150B-20	IR151B-05 IR151B-10 IR151B-20	IR152B-05 IR152B-10 IR152B-20	IR153B-05 IR153B-10 IR153B-20	----- ----- -----	 0.50mm  1.00mm  2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	IR150C-05 IR150C-10 IR150C-20	IR151C-05 IR151C-10 IR151C-20	IR152C-05 IR152C-10 IR152C-20	IR153C-05 IR153C-10 IR153C-20	----- ----- -----	 0.50mm  1.00mm  2.00mm
 Valleylab, Autobipolar models only	IR150D-05 IR150D-10 IR150D-20	IR151D-05 IR151D-10 IR151D-20	IR152D-05 IR152D-10 IR152D-20	IR153D-05 IR153D-10 IR153D-20	----- ----- -----	 0.50mm  1.00mm  2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	IR150R-05 IR150R-10 IR150R-20	IR151R-05 IR151R-10 IR151R-20	IR152R-05 IR152R-10 IR152R-20	IR153R-05 IR153R-10 IR153R-20	----- ----- -----	 0.50mm  1.00mm  2.00mm



IRRIGATION PURPLE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Non-Stick Single Use Irrigation Straight
Bipolar Forceps with Cable-3m


	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	IR104-05 IR104-10 IR104-20	IR106-05 IR106-10 IR106-20	IR103-05 IR103-10 IR103-20	IR111-05 IR111-10 IR111-20	IR112-05 IR112-10 IR112-20	  
 BOWA, Limidey, EMC, Valleylab, Evthicon	IR104A-05 IR104A-10 IR104A-20	IR106A-05 IR106A-10 IR106A-20	IR103A-05 IR103A-10 IR103A-20	IR111A-05 IR111A-10 IR111A-20	IR112A-05 IR112A-10 IR112A-20	  
 ERBE 4mm, Siemens Shutter BM50	IR104B-05 IR104B-10 IR104B-20	IR106B-05 IR106B-10 IR106B-20	IR103B-05 IR103B-10 IR103B-20	IR111B-05 IR111B-10 IR111B-20	IR112B-05 IR112B-10 IR112B-20	  
 Aesculap, Berchtold, Wolf, Mvartin	IR104C-05 IR104C-10 IR104C-20	IR106C-05 IR106C-10 IR106C-20	IR103C-05 IR103C-10 IR103C-20	IR111C-05 IR111C-10 IR111C-20	IR112C-05 IR112C-10 IR112C-20	  
 Valleylab, Autobipolar models only	IR104D-05 IR104D-10 IR104D-20	IR106D-05 IR106D-10 IR106D-20	IR103D-05 IR103D-10 IR103D-20	IR111D-05 IR111D-10 IR111D-20	IR112D-05 IR112D-10 IR112D-20	  
 Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	IR104R-05 IR104R-10 IR104R-20	IR106R-05 IR106R-10 IR106R-20	IR103R-05 IR103R-10 IR103R-20	IR111R-05 IR111R-10 IR111R-20	IR112R-05 IR112R-10 IR112R-20	  



IRRIGATION PURPLE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Non-Stick Single Use Irrigation Straight
Bipolar Forceps Angled with Cable-3m

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	IR113-05 IR113-10 IR113-20	IR114-05 IR114-10 IR114-20	IR115-05 IR115-10 IR115-20	IR116-05 IR116-10 IR116-20	IR117-05 IR117-10 IR117-20	 0.50mm  1.00mm  2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	IR113A-05 IR113A-10 IR113A-20	IR114A-05 IR114A-10 IR114A-20	IR115A-05 IR115A-10 IR115A-20	IR116A-05 IR116A-10 IR116A-20	IR117A-05 IR117A-10 IR117A-20	 0.50mm  1.00mm  2.00mm
 ERBE 4mm, Siemens Shutter BM50	IR113B-05 IR113B-10 IR113B-20	IR114B-05 IR114B-10 IR114B-20	IR115B-05 IR115B-10 IR115B-20	IR116B-05 IR116B-10 IR116B-20	IR117B-05 IR117B-10 IR117B-20	 0.50mm  1.00mm  2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	IR113C-05 IR113C-10 IR113C-20	IR114C-05 IR114C-10 IR114C-20	IR115C-05 IR115C-10 IR115C-20	IR116C-05 IR116C-10 IR116C-20	IR117C-05 IR117C-10 IR117C-20	 0.50mm  1.00mm  2.00mm
 Valleylab, Autobipolar models only	IR113D-05 IR113D-10 IR113D-20	IR114D-05 IR114D-10 IR114D-20	IR115D-05 IR115D-10 IR115D-20	IR116D-05 IR116D-10 IR116D-20	IR117D-05 IR117D-10 IR117D-20	 0.50mm  1.00mm  2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	IR113R-05 IR113R-10 IR113R-20	IR114R-05 IR114R-10 IR114R-20	IR115R-05 IR115R-10 IR115R-20	IR116R-05 IR116R-10 IR116R-20	IR117R-05 IR117R-10 IR117R-20	 0.50mm  1.00mm  2.00mm



IRRIGATION PURPLE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Non-Stick Single Use Irrigation Bayonet Bipolar Forceps Angled with Cable-3m

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	IR107-05 IR107-10 IR107-20	IR105-05 IR105-10 IR105-20	IR108-05 IR108-10 IR108-20	IR118-05 IR118-10 IR118-20	IR119-05 IR119-10 IR119-20	0.50mm 1.00mm 2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	IR107A-05 IR107A-10 IR107A-20	IR105A-05 IR105A-10 IR105A-20	IR108A-05 IR108A-10 IR108A-20	IR118A-05 IR118A-10 IR118A-20	IR119A-05 IR119A-10 IR119A-20	0.50mm 1.00mm 2.00mm
 ERBE 4mm, Siemens Shutter BM50	IR107B-05 IR107B-10 IR107B-20	IR105B-05 IR105B-10 IR105B-20	IR108B-05 IR108B-10 IR108B-20	IR118B-05 IR118B-10 IR118B-20	IR119B-05 IR119B-10 IR119B-20	0.50mm 1.00mm 2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	IR107C-05 IR107C-10 IR107C-20	IR105C-05 IR105C-10 IR105C-20	IR108C-05 IR108C-10 IR108C-20	IR118C-05 IR118C-10 IR118C-20	IR119C-05 IR119C-10 IR119C-20	0.50mm 1.00mm 2.00mm
 Valleylab, Autobipolar models only	IR107D-05 IR107D-10 IR107D-20	IR105D-05 IR105D-10 IR105D-20	IR108D-05 IR108D-10 IR108D-20	IR118D-05 IR118D-10 IR118D-20	IR119D-05 IR119D-10 IR119D-20	0.50mm 1.00mm 2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	IR107R-05 IR107R-10 IR107R-20	IR105R-05 IR105R-10 IR105R-20	IR108R-05 IR108R-10 IR108R-20	IR118R-05 IR118R-10 IR118R-20	IR119R-05 IR119R-10 IR119R-20	0.50mm 1.00mm 2.00mm



IRRIGATION PURPLE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Non-Stick Single Use Irrigation Bayonet Bipolar Forceps Angled with Cable-3m

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	IR120-05 IR120-10 IR120-20	IR121-05 IR121-10 IR121-20	IR122-05 IR122-10 IR122-20	IR123-05 IR123-10 IR123-20	IR124-05 IR124-10 IR124-20	0.50mm 1.00mm 2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	IR120A-05 IR120A-10 IR120A-20	IR121A-05 IR121A-10 IR121A-20	IR122A-05 IR122A-10 IR122A-20	IR123A-05 IR123A-10 IR123A-20	IR124A-05 IR124A-10 IR124A-20	0.50mm 1.00mm 2.00mm
ERBE 4mm, Siemens Shutter BM50	IR120B-05 IR120B-10 IR120B-20	IR121B-05 IR121B-10 IR121B-20	IR122B-05 IR122B-10 IR122B-20	IR123B-05 IR123B-10 IR123B-20	IR124B-05 IR124B-10 IR124B-20	0.50mm 1.00mm 2.00mm
Aesculap, Berchtold, Wolf, Mvartin	IR120C-05 IR120C-10 IR120C-20	IR121C-05 IR121C-10 IR121C-20	IR122C-05 IR122C-10 IR122C-20	IR123C-05 IR123C-10 IR123C-20	IR124C-05 IR124C-10 IR124C-20	0.50mm 1.00mm 2.00mm
Valleylab, Autobipolar models only	IR120D-05 IR120D-10 IR120D-20	IR121D-05 IR121D-10 IR121D-20	IR122D-05 IR122D-10 IR122D-20	IR123D-05 IR123D-10 IR123D-20	IR124D-05 IR124D-10 IR124D-20	0.50mm 1.00mm 2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	IR120R-05 IR120R-10 IR120R-20	IR121R-05 IR121R-10 IR121R-20	IR122R-05 IR122R-10 IR122R-20	IR123R-05 IR123R-10 IR123R-20	IR124R-05 IR124R-10 IR124R-20	0.50mm 1.00mm 2.00mm



SUCTION TUBE RED FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Standard Single use Suction Tube Mcpherson
Bipolar Forceps with Cable-3m


	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	WS132-05 WS132-10 WS132-20	WS131-05 WS131-10 WS131-20	WS133-05 WS133-10 WS133-20	WS138-05 WS138-10 WS138-20	WS135-05 WS135-10 WS135-20	 0.50mm  1.00mm  2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	WS132A-05 WS132A-10 WS132A-20	WS131A-05 WS131A-10 WS131A-20	WS133A-05 WS133A-10 WS133A-20	WS138A-05 WS138A-10 WS138A-20	WS135A-05 WS135A-10 WS135A-20	 0.50mm  1.00mm  2.00mm
 ERBE 4mm, Siemens Shutter BM50	WS132B-05 WS132B-10 WS132B-20	WS131B-05 WS131B-10 WS131B-20	WS133B-05 WS133B-10 WS133B-20	WS138B-05 WS138B-10 WS138B-20	WS135B-05 WS135B-10 WS135B-20	 0.50mm  1.00mm  2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	WS132C-05 WS132C-10 WS132C-20	WS131C-05 WS131C-10 WS131C-20	WS133C-05 WS133C-10 WS133C-20	WS138C-05 WS138C-10 WS138C-20	WS135C-05 WS135C-10 WS135C-20	 0.50mm  1.00mm  2.00mm
 Valleylab, Autobipolar models only	WS132D-05 WS132D-10 WS132D-20	WS131D-05 WS131D-10 WS131D-20	WS133D-05 WS133D-10 WS133D-20	WS138D-05 WS138D-10 WS138D-20	WS135D-05 WS135D-10 WS135D-20	 0.50mm  1.00mm  2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	WS132R-05 WS132R-10 WS132R-20	WS131R-05 WS131R-10 WS131R-20	WS133R-05 WS133R-10 WS133R-20	WS138R-05 WS138R-10 WS138R-20	WS135R-05 WS135R-10 WS135R-20	 0.50mm  1.00mm  2.00mm






SUCTION TUBE RED FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




**Standard Single use Suction Tube Mcpherson
Bipolar Forceps Angled with Cable-3m**

	90mm	102mm	108mm	115mm	125mm	TIP SIZE
 International 4mm Banana Plug Fitting	WS136-05 WS136-10 WS136-20	WS137-05 WS137-10 WS137-20	WS134-05 WS134-10 WS134-20	WS139-05 WS139-10 WS139-20	WS140-05 WS140-10 WS140-20	 0.50mm  1.00mm  2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	WS136A-05 WS136A-10 WS136A-20	WS137A-05 WS137A-10 WS137A-20	WS134A-05 WS134A-10 WS134A-20	WS139A-05 WS139A-10 WS139A-20	WS140A-05 WS140A-10 WS140A-20	 0.50mm  1.00mm  2.00mm
 ERBE 4mm, Siemens Shutter BM50	WS136B-05 WS136B-10 WS136B-20	WS137B-05 WS137B-10 WS137B-20	WS134B-05 WS134B-10 WS134B-20	WS139B-05 WS139B-10 WS139B-20	WS140B-05 WS140B-10 WS140B-20	 0.50mm  1.00mm  2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	WS136C-05 WS136C-10 WS136C-20	WS137C-05 WS137C-10 WS137C-20	WS134C-05 WS134C-10 WS134C-20	WS139C-05 WS139C-10 WS139C-20	WS140C-05 WS140C-10 WS140C-20	 0.50mm  1.00mm  2.00mm
 Valleylab, Autobipolar models only	WS136D-05 WS136D-10 WS136D-20	WS137D-05 WS137D-10 WS137D-20	WS134D-05 WS134D-10 WS134D-20	WS139D-05 WS139D-10 WS139D-20	WS140D-05 WS140D-10 WS140D-20	 0.50mm  1.00mm  2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	WS136R-05 WS136R-10 WS136R-20	WS137R-05 WS137R-10 WS137R-20	WS134R-05 WS134R-10 WS134R-20	WS139R-05 WS139R-10 WS139R-20	WS140R-05 WS140R-10 WS140R-20	 0.50mm  1.00mm  2.00mm








SUCTION TUBE RED FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




**Standard Single use Suction Tube Jeweller
Bipolar Forceps with Cable-3m**


	95mm	102mm	108mm	115mm	125mm	TIP SIZE
 International 4mm Banana Plug Fitting	WS125-05 WS125-10 WS125-20	WS126-05 WS126-10 WS126-20	WS127-05 WS127-10 WS127-20	WS101-05 WS101-10 WS101-20	WS128-05 WS128-10 WS128-20	 0.50mm  1.00mm  2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	WS125A-05 WS125A-10 WS125A-20	WS126A-05 WS126A-10 WS126A-20	WS127A-05 WS127A-10 WS127A-20	WS101A-05 WS101A-10 WS101A-20	WS128A-05 WS128A-10 WS128A-20	 0.50mm  1.00mm  2.00mm
 ERBE 4mm, Siemens Shutter BM50	WS125B-05 WS125B-10 WS125B-20	WS126B-05 WS126B-10 WS126B-20	WS127B-05 WS127B-10 WS127B-20	WS101B-05 WS101B-10 WS101B-20	WS128B-05 WS128B-10 WS128B-20	 0.50mm  1.00mm  2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	WS125C-05 WS125C-10 WS125C-20	WS126C-05 WS126C-10 WS126C-20	WS127C-05 WS127C-10 WS127C-20	WS101C-05 WS101C-10 WS101C-20	WS128C-05 WS128C-10 WS128C-20	 0.50mm  1.00mm  2.00mm
 Valleylab, Autobipolar models only	WS125D-05 WS125D-10 WS125D-20	WS126D-05 WS126D-10 WS126D-20	WS127D-05 WS127D-10 WS127D-20	WS101D-05 WS101D-10 WS101D-20	WS128D-05 WS128D-10 WS128D-20	 0.50mm  1.00mm  2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	WS125R-05 WS125R-10 WS125R-20	WS126R-05 WS126R-10 WS126R-20	WS127R-05 WS127R-10 WS127R-20	WS101R-05 WS101R-10 WS101R-20	WS128R-05 WS128R-10 WS128R-20	 0.50mm  1.00mm  2.00mm





SUCTION TUBE RED FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm




**Standard Single use Suction Tube Jeweller
Bipolar Forceps Angled with Cable-3m**


	95mm	102mm	108mm	115mm	125mm	TIP SIZE
 International 4mm Banana Plug Fitting	WS129-05 WS129-10 WS129-20	WS130-05 WS130-10 WS130-20	WS141-05 WS141-10 WS141-20	WS109-05 WS109-10 WS109-20	WS142-05 WS142-10 WS142-20	  
 BOWA, Limidey, EMC, Valleylab, Evthicon	WS129A-05 WS129A-10 WS129A-20	WS130A-05 WS130A-10 WS130A-20	WS141A-05 WS141A-10 WS141A-20	WS109A-05 WS109A-10 WS109A-20	WS142A-05 WS142A-10 WS142A-20	  
 ERBE 4mm, Siemens Shutter BM50	WS129B-05 WS129B-10 WS129B-20	WS130B-05 WS130B-10 WS130B-20	WS141B-05 WS141B-10 WS141B-20	WS109B-05 WS109B-10 WS109B-20	WS142B-05 WS142B-10 WS142B-20	  
 Aesculap, Berchtold, Wolf, Mvartin	WS129C-05 WS129C-10 WS129C-20	WS130C-05 WS130C-10 WS130C-20	WS141C-05 WS141C-10 WS141C-20	WS109C-05 WS109C-10 WS109C-20	WS142C-05 WS142C-10 WS142C-20	  
 Valleylab, Autobipolar models only	WS129D-05 WS129D-10 WS129D-20	WS130D-05 WS130D-10 WS130D-20	WS141D-05 WS141D-10 WS141D-20	WS109D-05 WS109D-10 WS109D-20	WS142D-05 WS142D-10 WS142D-20	  
 Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	WS129R-05 WS129R-10 WS129R-20	WS130R-05 WS130R-10 WS130R-20	WS141R-05 WS141R-10 WS141R-20	WS109R-05 WS109R-10 WS109R-20	WS142R-05 WS142R-10 WS142R-20	  

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**SUCTION TUBE
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



SUCTION TUBE RED FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




**Non-Stick Single Use Straight
Bipolar Forceps with Cable-3m**

	110mm	121mm	150mm	165mm	180mm	TIP SIZE
International 4mm Banana Plug Fitting	WS143-05 WS143-10 WS143-20	WS102-05 WS102-10 WS102-20	WS144-05 WS144-10 WS144-20	WS145-05 WS145-10 WS145-20	WS146-05 WS146-10 WS146-20	0.50mm 1.00mm 2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	WS143A-05 WS143A-10 WS143A-20	WS102A-05 WS102A-10 WS102A-20	WS144A-05 WS144A-10 WS144A-20	WS145A-05 WS145A-10 WS145A-20	WS146A-05 WS146A-10 WS146A-20	0.50mm 1.00mm 2.00mm
ERBE 4mm, Siemens Shutter BM50	WS143B-05 WS143B-10 WS143B-20	WS102B-05 WS102B-10 WS102B-20	WS144B-05 WS144B-10 WS144B-20	WS145B-05 WS145B-10 WS145B-20	WS146B-05 WS146B-10 WS146B-20	0.50mm 1.00mm 2.00mm
Aesculap, Berchtold, Wolf, Mvartin	WS143C-05 WS143C-10 WS143C-20	WS102C-05 WS102C-10 WS102C-20	WS144C-05 WS144C-10 WS144C-20	WS145C-05 WS145C-10 WS145C-20	WS146C-05 WS146C-10 WS146C-20	0.50mm 1.00mm 2.00mm
Valleylab, Autobipolar models only	WS143D-05 WS143D-10 WS143D-20	WS102D-05 WS102D-10 WS102D-20	WS144D-05 WS144D-10 WS144D-20	WS145D-05 WS145D-10 WS145D-20	WS146D-05 WS146D-10 WS146D-20	0.50mm 1.00mm 2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	WS143R-05 WS143R-10 WS143R-20	WS102R-05 WS102R-10 WS102R-20	WS144R-05 WS144R-10 WS144R-20	WS145R-05 WS145R-10 WS145R-20	WS146R-05 WS146R-10 WS146R-20	0.50mm 1.00mm 2.00mm



SUCTION TUBE RED FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Standard Single use Suction Tube Bayonet Bipolar Forceps Straight Tip with Cable-3m


	140mm	165mm	195mm	210mm	-----	TIP SIZE
International 4mm Banana Plug Fitting	WS154-05	WS155-05	WS156-05	WS157-05	-----	0.50mm
	WS154-10	WS155-10	WS156-10	WS157-10	-----	1.00mm
	WS154-20	WS155-20	WS156-20	WS157-20	-----	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	WS154A-05	WS155A-05	WS156A-05	WS157A-05	-----	0.50mm
	WS154A-10	WS155A-10	WS156A-10	WS157A-10	-----	1.00mm
	WS154A-20	WS155A-20	WS156A-20	WS157A-20	-----	2.00mm
ERBE 4mm, Siemens Shutter BM50	WS154B-05	WS155B-05	WS156B-05	WS157B-05	-----	0.50mm
	WS154B-10	WS155B-10	WS156B-10	WS157B-10	-----	1.00mm
	WS154B-20	WS155B-20	WS156B-20	WS157B-20	-----	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	WS154C-05	WS155C-05	WS156C-05	WS157C-05	-----	0.50mm
	WS154C-10	WS155C-10	WS156C-10	WS157C-10	-----	1.00mm
	WS154C-20	WS155C-20	WS156C-20	WS157C-20	-----	2.00mm
Valleylab, Autobipolar models only	WS154D-05	WS155D-05	WS156D-05	WS157D-05	-----	0.50mm
	WS154D-10	WS155D-10	WS156D-10	WS157D-10	-----	1.00mm
	WS154D-20	WS155D-20	WS156D-20	WS157D-20	-----	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	WS154R-05	WS155R-05	WS156R-05	WS157R-05	-----	0.50mm
	WS154R-10	WS155R-10	WS156R-10	WS157R-10	-----	1.00mm
	WS154R-20	WS155R-20	WS156R-20	WS157R-20	-----	2.00mm




SUCTION TUBE RED FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Standard Single use Suction Tube Straight
tBipolar Forceps with Cable-3m

	140mm	165mm	195mm	210mm	-----	TIP SIZE
 International 4mm Banana Plug Fitting	WS110-05	WS147-05	WS148-05	WS149-05	-----	0.50mm
	WS110-10	WS147-10	WS148-10	WS149-10	-----	1.00mm
	WS110-20	WS147-20	WS148-20	WS149-20	-----	2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	WS110A-05	WS147A-05	WS148A-05	WS149A-05	-----	0.50mm
	WS110A-10	WS147A-10	WS148A-10	WS149A-10	-----	1.00mm
	WS110A-20	WS147A-20	WS148A-20	WS149A-20	-----	2.00mm
 ERBE 4mm, Siemens Shutter BM50	WS110B-05	WS147B-05	WS148B-05	WS149B-05	-----	0.50mm
	WS110B-10	WS147B-10	WS148B-10	WS149B-10	-----	1.00mm
	WS110B-20	WS147B-20	WS148B-20	WS149B-20	-----	2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	WS110C-05	WS147C-05	WS148C-05	WS149C-05	-----	0.50mm
	WS110C-10	WS147C-10	WS148C-10	WS149C-10	-----	1.00mm
	WS110C-20	WS147C-20	WS148C-20	WS149C-20	-----	2.00mm
 Valleylab, Autobipolar models only	WS110D-05	WS147D-05	WS148D-05	WS149D-05	-----	0.50mm
	WS110D-10	WS147D-10	WS148D-10	WS149D-10	-----	1.00mm
	WS110D-20	WS147D-20	WS148D-20	WS149D-20	-----	2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	WS110R-05	WS147R-05	WS148R-05	WS149R-05	-----	0.50mm
	WS110R-10	WS147R-10	WS148R-10	WS149R-10	-----	1.00mm
	WS110R-20	WS147R-20	WS148R-20	WS149R-20	-----	2.00mm



SUCTION TUBE RED FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Standard Single use Suction Tube Straight
Bipolar Forceps Angled with Cable-3m

	140mm	165mm	195mm	210mm	-----	TIP SIZE
International 4mm Banana Plug Fitting	WS150-05 WS150-10 WS150-20	WS151-05 WS151-10 WS151-20	WS152-05 WS152-10 WS152-20	WS153-05 WS153-10 WS153-20	----- ----- -----	0.50mm 1.00mm 2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	WS150A-05 WS150A-10 WS150A-20	WS151A-05 WS151A-10 WS151A-20	WS152A-05 WS152A-10 WS152A-20	WS153A-05 WS153A-10 WS153A-20	----- ----- -----	0.50mm 1.00mm 2.00mm
ERBE 4mm, Siemens Shutter BM50	WS150B-05 WS150B-10 WS150B-20	WS151B-05 WS151B-10 WS151B-20	WS152B-05 WS152B-10 WS152B-20	WS153B-05 WS153B-10 WS153B-20	----- ----- -----	0.50mm 1.00mm 2.00mm
Aesculap, Berchtold, Wolf, Mvartin	WS150C-05 WS150C-10 WS150C-20	WS151C-05 WS151C-10 WS151C-20	WS152C-05 WS152C-10 WS152C-20	WS153C-05 WS153C-10 WS153C-20	----- ----- -----	0.50mm 1.00mm 2.00mm
Valleylab, Autobipolar models only	WS150D-05 WS150D-10 WS150D-20	WS151D-05 WS151D-10 WS151D-20	WS152D-05 WS152D-10 WS152D-20	WS153D-05 WS153D-10 WS153D-20	----- ----- -----	0.50mm 1.00mm 2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	WS150R-05 WS150R-10 WS150R-20	WS151R-05 WS151R-10 WS151R-20	WS152R-05 WS152R-10 WS152R-20	WS153R-05 WS153R-10 WS153R-20	----- ----- -----	0.50mm 1.00mm 2.00mm










SUCTION TUBE RED FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




**Standard Single use Suction Tube Straight
Bipolar Forceps with Cable-3m**

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	WS104-05 WS104-10 WS104-20	WS106-05 WS106-10 WS106-20	WS103-05 WS103-10 WS103-20	WS111-05 WS111-10 WS111-20	WS112-05 WS112-10 WS112-20	 0.50mm  1.00mm  2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	WS104A-05 WS104A-10 WS104A-20	WS106A-05 WS106A-10 WS106A-20	WS103A-05 WS103A-10 WS103A-20	WS111A-05 WS111A-10 WS111A-20	WS112A-05 WS112A-10 WS112A-20	 0.50mm  1.00mm  2.00mm
 ERBE 4mm, Siemens Shutter BM50	WS104B-05 WS104B-10 WS104B-20	WS106B-05 WS106B-10 WS106B-20	WS103B-05 WS103B-10 WS103B-20	WS111B-05 WS111B-10 WS111B-20	WS112B-05 WS112B-10 WS112B-20	 0.50mm  1.00mm  2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	WS104C-05 WS104C-10 WS104C-20	WS106C-05 WS106C-10 WS106C-20	WS103C-05 WS103C-10 WS103C-20	WS111C-05 WS111C-10 WS111C-20	WS112C-05 WS112C-10 WS112C-20	 0.50mm  1.00mm  2.00mm
 Valleylab, Autobipolar models only	WS104D-05 WS104D-10 WS104D-20	WS106D-05 WS106D-10 WS106D-20	WS103D-05 WS103D-10 WS103D-20	WS111D-05 WS111D-10 WS111D-20	WS112D-05 WS112D-10 WS112D-20	 0.50mm  1.00mm  2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	WS104R-05 WS104R-10 WS104R-20	WS106R-05 WS106R-10 WS106R-20	WS103R-05 WS103R-10 WS103R-20	WS111R-05 WS111R-10 WS111R-20	WS112R-05 WS112R-10 WS112R-20	 0.50mm  1.00mm  2.00mm



SUCTION TUBE RED FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




Standard Single use Suction Tube Straight
Bipolar Forceps Angled with Cable-3m

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	WS113-05 WS113-10 WS113-20	WS114-05 WS114-10 WS114-20	WS115-05 WS115-10 WS115-20	WS116-05 WS116-10 WS116-20	WS117-05 WS117-10 WS117-20	0.50mm 1.00mm 2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	WS113A-05 WS113A-10 WS113A-20	WS114A-05 WS114A-10 WS114A-20	WS115A-05 WS115A-10 WS115A-20	WS116A-05 WS116A-10 WS116A-20	WS117A-05 WS117A-10 WS117A-20	0.50mm 1.00mm 2.00mm
ERBE 4mm, Siemens Shutter BM50	WS113B-05 WS113B-10 WS113B-20	WS114B-05 WS114B-10 WS114B-20	WS115B-05 WS115B-10 WS115B-20	WS116B-05 WS116B-10 WS116B-20	WS117B-05 WS117B-10 WS117B-20	0.50mm 1.00mm 2.00mm
Aesculap, Berchtold, Wolf, Mvartin	WS113C-05 WS113C-10 WS113C-20	WS114C-05 WS114C-10 WS114C-20	WS115C-05 WS115C-10 WS115C-20	WS116C-05 WS116C-10 WS116C-20	WS117C-05 WS117C-10 WS117C-20	0.50mm 1.00mm 2.00mm
Valleylab, Autobipolar models only	WS113D-05 WS113D-10 WS113D-20	WS114D-05 WS114D-10 WS114D-20	WS115D-05 WS115D-10 WS115D-20	WS116D-05 WS116D-10 WS116D-20	WS117D-05 WS117D-10 WS117D-20	0.50mm 1.00mm 2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	WS113R-05 WS113R-10 WS113R-20	WS114R-05 WS114R-10 WS114R-20	WS115R-05 WS115R-10 WS115R-20	WS116R-05 WS116R-10 WS116R-20	WS117R-05 WS117R-10 WS117R-20	0.50mm 1.00mm 2.00mm



SUCTION TUBE RED FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm




Standard Single use Suction Tube Bayonet
Bipolar Forceps with Cable-3m


	155MM	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	WS107-05 WS107-10 WS107-20	WS105-05 WS105-10 WS105-20	WS108-05 WS108-10 WS108-20	WS118-05 WS118-10 WS118-20	WS119-05 WS119-10 WS119-20	 0.50mm  1.00mm  2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	WS107A-05 WS107A-10 WS107A-20	WS105A-05 WS105A-10 WS105A-20	WS108A-05 WS108A-10 WS108A-20	WS118A-05 WS118A-10 WS118A-20	WS119A-05 WS119A-10 WS119A-20	 0.50mm  1.00mm  2.00mm
 ERBE 4mm, Siemens Shutter BM50	WS107B-05 WS107B-10 WS107B-20	WS105B-05 WS105B-10 WS105B-20	WS108B-05 WS108B-10 WS108B-20	WS118B-05 WS118B-10 WS118B-20	WS119B-05 WS119B-10 WS119B-20	 0.50mm  1.00mm  2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	WS107C-05 WS107C-10 WS107C-20	WS105C-05 WS105C-10 WS105C-20	WS108C-05 WS108C-10 WS108C-20	WS118C-05 WS118C-10 WS118C-20	WS119C-05 WS119C-10 WS119C-20	 0.50mm  1.00mm  2.00mm
 Valleylab, Autobipolar models only	WS107D-05 WS107D-10 WS107D-20	WS105D-05 WS105D-10 WS105D-20	WS108D-05 WS108D-10 WS108D-20	WS118D-05 WS118D-10 WS118D-20	WS119D-05 WS119D-10 WS119D-20	 0.50mm  1.00mm  2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	WS107R-05 WS107R-10 WS107R-20	WS105R-05 WS105R-10 WS105R-20	WS108R-05 WS108R-10 WS108R-20	WS118R-05 WS118R-10 WS118R-20	WS119R-05 WS119R-10 WS119R-20	 0.50mm  1.00mm  2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**SUCTION TUBE
BIPOLAR FORCEPS
WITH INTEGRATED CABLE**



SUCTION TUBE RED FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm




**Standard Single use Suction Tube Bayonet
Bipolar Forceps Angled with Cable-3m**

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	WS120-05 WS120-10 WS120-20	WS121-05 WS121-10 WS121-20	WS122-05 WS122-10 WS122-20	WS123-05 WS123-10 WS123-20	WS124-05 WS124-10 WS124-20	
BOWA, Limidey, EMC, Valleylab, Evthicon	WS120A-05 WS120A-10 WS120A-20	WS121A-05 WS121A-10 WS121A-20	WS122A-05 WS122A-10 WS122A-20	WS123A-05 WS123A-10 WS123A-20	WS124A-05 WS124A-10 WS124A-20	
ERBE 4mm, Siemens Shutter BM50	WS120B-05 WS120B-10 WS120B-20	WS121B-05 WS121B-10 WS121B-20	WS122B-05 WS122B-10 WS122B-20	WS123B-05 WS123B-10 WS123B-20	WS124B-05 WS124B-10 WS124B-20	
Aesculap, Berchtold, Wolf, Mvartin	WS120C-05 WS120C-10 WS120C-20	WS121C-05 WS121C-10 WS121C-20	WS122C-05 WS122C-10 WS122C-20	WS123C-05 WS123C-10 WS123C-20	WS124C-05 WS124C-10 WS124C-20	
Valleylab, Autobipolar models only	WS120D-05 WS120D-10 WS120D-20	WS121D-05 WS121D-10 WS121D-20	WS122D-05 WS122D-10 WS122D-20	WS123D-05 WS123D-10 WS123D-20	WS124D-05 WS124D-10 WS124D-20	
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	WS120R-05 WS120R-10 WS120R-20	WS121R-05 WS121R-10 WS121R-20	WS122R-05 WS122R-10 WS122R-20	WS123R-05 WS123R-10 WS123R-20	WS124R-05 WS124R-10 WS124R-20	



STANDARD BLUE FORCEPS WITH DETACHABLE CABLE




Available Tip Size in mm




Single Use Standard
McPherson (Iris) Bipolar Forceps Straight Tips


	90mm	102mm	108mm	115mm	125mm	TIP SIZE
 International 4mm Banana Plug Fitting	NA901-05	NA902-05	NA903-05	NA904-05	NA905-05	0.50mm
	NA901-10	NA902-10	NA903-10	NA904-10	NA905-10	1.00mm
	NA901-20	NA902-20	NA903-20	NA904-20	NA905-20	2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NA901A-05	NA902A-05	NA903A-05	NA904A-05	NA905A-05	0.50mm
	NA901A-10	NA902A-10	NA903A-10	NA904A-10	NA905A-10	1.00mm
	NA901A-20	NA902A-20	NA903A-20	NA904A-20	NA905A-20	2.00mm
 ERBE 4mm, Siemens Shutter BM50	NA901B-05	NA902B-05	NA903B-05	NA904B-05	NA905B-05	0.50mm
	NA901B-10	NA902B-10	NA903B-10	NA904B-10	NA905B-10	1.00mm
	NA901B-20	NA902B-20	NA903B-20	NA904B-20	NA905B-20	2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NA901C-05	NA902C-05	NA903C-05	NA904C-05	NA905C-05	0.50mm
	NA901C-10	NA902C-10	NA903C-10	NA904C-10	NA905C-10	1.00mm
	NA901C-20	NA902C-20	NA903C-20	NA904C-20	NA905C-20	2.00mm
 Valleylab, Autobipolar models only	NA901D-05	NA902D-05	NA903D-05	NA904D-05	NA905D-05	0.50mm
	NA901D-10	NA902D-10	NA903D-10	NA904D-10	NA905D-10	1.00mm
	NA901D-20	NA902D-20	NA903D-20	NA904D-20	NA905D-20	2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NA901R-05	NA902R-05	NA903R-05	NA904R-05	NA905R-05	0.50mm
	NA901R-10	NA902R-10	NA903R-10	NA904R-10	NA905R-10	1.00mm
	NA901R-20	NA902R-20	NA903R-20	NA904R-20	NA905R-20	2.00mm



STANDARD BLUE FORCEPS WITH DETACHABLE CABLE




Available Tip Size in mm




Single Use Standard
McPherson (Iris) Bipolar Forceps Angled Tips

	90mm	102mm	108mm	115mm	125mm	TIP SIZE
 International 4mm Banana Plug Fitting	NA906-05	NA907-05	NA908-05	NA909-05	NA910-05	0.50mm
	NA906-10	NA907-10	NA908-10	NA909-10	NA910-10	1.00mm
	NA906-20	NA907-20	NA908-20	NA909-20	NA910-20	2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NA906A-05	NA907A-05	NA908A-05	NA909A-05	NA910A-05	0.50mm
	NA906A-10	NA907A-10	NA908A-10	NA909A-10	NA910A-10	1.00mm
	NA906A-20	NA907A-20	NA908A-20	NA909A-20	NA910A-20	2.00mm
 ERBE 4mm, Siemens Shutter BM50	NA906B-05	NA907B-05	NA908B-05	NA909B-05	NA910B-05	0.50mm
	NA906B-10	NA907B-10	NA908B-10	NA909B-10	NA910B-10	1.00mm
	NA906B-20	NA907B-20	NA908B-20	NA909B-20	NA910B-20	2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NA906C-05	NA907C-05	NA908C-05	NA909C-05	NA910C-05	0.50mm
	NA906C-10	NA907C-10	NA908C-10	NA909C-10	NA910C-10	1.00mm
	NA906C-20	NA907C-20	NA908C-20	NA909C-20	NA910C-20	2.00mm
 Valleylab, Autobipolar models only	NA906D-05	NA907D-05	NA908D-05	NA909D-05	NA910D-05	0.50mm
	NA906D-10	NA907D-10	NA908D-10	NA909D-10	NA910D-10	1.00mm
	NA906D-20	NA907D-20	NA908D-20	NA909D-20	NA910D-20	2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NA906R-05	NA907R-05	NA908R-05	NA909R-05	NA910R-05	0.50mm
	NA906R-10	NA907R-10	NA908R-10	NA909R-10	NA910R-10	1.00mm
	NA906R-20	NA907R-20	NA908R-20	NA909R-20	NA910R-20	2.00mm




STANDARD BLUE FORCEPS WITH DETACHABLE CABLE




Available Tip Size in mm




**Single Use Standard
Jeweller Bipolar Forceps Straight Tips**

	95mm	102mm	108mm	115mm	125mm	TIP SIZE
 International 4mm Banana Plug Fitting	NA911-05 NA911-10 NA911-20	NA912-05 NA912-10 NA912-20	NA913-05 NA913-10 NA913-20	NA914-05 NA914-10 NA914-20	NA915-05 NA915-10 NA915-20	 0.50mm  1.00mm  2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NA911A-05 NA911A-10 NA911A-20	NA912A-05 NA912A-10 NA912A-20	NA913A-05 NA913A-10 NA913A-20	NA914A-05 NA914A-10 NA914A-20	NA915A-05 NA915A-10 NA915A-20	 0.50mm  1.00mm  2.00mm
 ERBE 4mm, Siemens Shutter BM50	NA911B-05 NA911B-10 NA911B-20	NA912B-05 NA912B-10 NA912B-20	NA913B-05 NA913B-10 NA913B-20	NA914B-05 NA914B-10 NA914B-20	NA915B-05 NA915B-10 NA915B-20	 0.50mm  1.00mm  2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NA911C-05 NA911C-10 NA911C-20	NA912C-05 NA912C-10 NA912C-20	NA913C-05 NA913C-10 NA913C-20	NA914C-05 NA914C-10 NA914C-20	NA915C-05 NA915C-10 NA915C-20	 0.50mm  1.00mm  2.00mm
 Valleylab, Autobipolar models only	NA911D-05 NA911D-10 NA911D-20	NA912D-05 NA912D-10 NA912D-20	NA913D-05 NA913D-10 NA913D-20	NA914D-05 NA914D-10 NA914D-20	NA915D-05 NA915D-10 NA915D-20	 0.50mm  1.00mm  2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NA911R-05 NA911R-10 NA911R-20	NA912R-05 NA912R-10 NA912R-20	NA913R-05 NA913R-10 NA913R-20	NA914R-05 NA914R-10 NA914R-20	NA915R-05 NA915R-10 NA915R-20	 0.50mm  1.00mm  2.00mm



STANDARD BLUE FORCEPS WITH DETACHABLE CABLE




Available Tip Size in mm




Single Use Standard
Jeweller Bipolar Forceps Angled Tips

	95mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	NA916-05 NA916-10 NA916-20	NA917-05 NA917-10 NA917-20	NA918-05 NA918-10 NA918-20	NA919-05 NA919-10 NA919-20	NA920-05 NA920-10 NA920-20	0.50mm 1.00mm 2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NA916A-05 NA916A-10 NA916A-20	NA917A-05 NA917A-10 NA917A-20	NA918A-05 NA918A-10 NA918A-20	NA919A-05 NA919A-10 NA919A-20	NA920A-05 NA920A-10 NA920A-20	0.50mm 1.00mm 2.00mm
ERBE 4mm, Siemens Shutter BM50	NA916B-05 NA916B-10 NA916B-20	NA917B-05 NA917B-10 NA917B-20	NA918B-05 NA918B-10 NA918B-20	NA919B-05 NA919B-10 NA919B-20	NA920B-05 NA920B-10 NA920B-20	0.50mm 1.00mm 2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NA916C-05 NA916C-10 NA916C-20	NA917C-05 NA917C-10 NA917C-20	NA918C-05 NA918C-10 NA918C-20	NA919C-05 NA919C-10 NA919C-20	NA920C-05 NA920C-10 NA920C-20	0.50mm 1.00mm 2.00mm
Valleylab, Autobipolar models only	NA916D-05 NA916D-10 NA916D-20	NA917D-05 NA917D-10 NA917D-20	NA918D-05 NA918D-10 NA918D-20	NA919D-05 NA919D-10 NA919D-20	NA920D-05 NA920D-10 NA920D-20	0.50mm 1.00mm 2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NA916R-05 NA916R-10 NA916R-20	NA917R-05 NA917R-10 NA917R-20	NA918R-05 NA918R-10 NA918R-20	NA919R-05 NA919R-10 NA919R-20	NA920R-05 NA920R-10 NA920R-20	0.50mm 1.00mm 2.00mm







STANDARD BLUE FORCEPS WITH DETACHABLE CABLE




Available Tip Size in mm





**Single Use Standard
Adson Bipolar Forceps**



	110mm	121mm	150mm	165mm	180mm	TIP SIZE
	NA921-05 NA921-10 NA921-20	NA922-05 NA922-10 NA922-20	NA923-05 NA923-10 NA923-20	NA924-05 NA924-10 NA924-20	NA925-05 NA925-10 NA925-20	 0.50mm  1.00mm  2.00mm
	NA921A-05 NA921A-10 NA921A-20	NA922A-05 NA922A-10 NA922A-20	NA923A-05 NA923A-10 NA923A-20	NA924A-05 NA924A-10 NA924A-20	NA925A-05 NA925A-10 NA925A-20	 0.50mm  1.00mm  2.00mm
	NA921B-05 NA921B-10 NA921B-20	NA922B-05 NA922B-10 NA922B-20	NA923B-05 NA923B-10 NA923B-20	NA924B-05 NA924B-10 NA924B-20	NA925B-05 NA925B-10 NA925B-20	 0.50mm  1.00mm  2.00mm
	NA921C-05 NA921C-10 NA921C-20	NA922C-05 NA922C-10 NA922C-20	NA923C-05 NA923C-10 NA923C-20	NA924C-05 NA924C-10 NA924C-20	NA925C-05 NA925C-10 NA925C-20	 0.50mm  1.00mm  2.00mm
	NA921D-05 NA921D-10 NA921D-20	NA922D-05 NA922D-10 NA922D-20	NA923D-05 NA923D-10 NA923D-20	NA924D-05 NA924D-10 NA924D-20	NA925D-05 NA925D-10 NA925D-20	 0.50mm  1.00mm  2.00mm
	NA921R-05 NA921R-10 NA921R-20	NA922R-05 NA922R-10 NA922R-20	NA923R-05 NA923R-10 NA923R-20	NA924R-05 NA924R-10 NA924R-20	NA925R-05 NA925R-10 NA925R-20	 0.50mm  1.00mm  2.00mm




STANDARD BLUE FORCEPS WITH DETACHABLE CABLE




Single Use Standard Bayonet Jensen Bipolar Forceps Straight Tips

	140mm	165mm	195mm	210mm	-----	TIP SIZE
 International 4mm Banana Plug Fitting	NA926-05	NA927-05	NA928-05	NA929-05	-----	0.50mm
	NA926-10	NA927-10	NA928-10	NA929-10	-----	1.00mm
	NA926-20	NA927-20	NA928-20	NA929-20	-----	2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NA926A-05	NA927A-05	NA928A-05	NA929A-05	-----	0.50mm
	NA926A-10	NA927A-10	NA928A-10	NA929A-10	-----	1.00mm
	NA926A-20	NA927A-20	NA928A-20	NA929A-20	-----	2.00mm
 ERBE 4mm, Siemens Shutter BM50	NA926B-05	NA927B-05	NA928B-05	NA929B-05	-----	0.50mm
	NA926B-10	NA927B-10	NA928B-10	NA929B-10	-----	1.00mm
	NA926B-20	NA927B-20	NA928B-20	NA929B-20	-----	2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NA926C-05	NA927C-05	NA928C-05	NA929C-05	-----	0.50mm
	NA926C-10	NA927C-10	NA928C-10	NA929C-10	-----	1.00mm
	NA926C-20	NA927C-20	NA928C-20	NA929C-20	-----	2.00mm
 Valleylab, Autobipolar models only	NA926D-05	NA927D-05	NA928D-05	NA929D-05	-----	0.50mm
	NA926D-10	NA927D-10	NA928D-10	NA929D-10	-----	1.00mm
	NA926D-20	NA927D-20	NA928D-20	NA929D-20	-----	2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NA926R-05	NA927R-05	NA927R-05	NA929R-05	-----	0.50mm
	NA926R-10	NA927R-10	NA927R-10	NA929R-10	-----	1.00mm
	NA926R-20	NA927R-20	NA927R-20	NA929R-20	-----	2.00mm



STANDARD BLUE FORCEPS WITH DETACHABLE CABLE




Available Tip Size in mm




Single Use Standard Bipolar Forceps DETACHABLE CABLE
Straight Cushing Pott Smith Bipolar Forceps Straight Tips

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	NA931-05	NA932-05	NA933-05	NA934-05	NA935-05	0.50mm
	NA931-10	NA932-10	NA933-10	NA934-10	NA935-10	1.00mm
	NA931-20	NA932-20	NA933-20	NA934-20	NA935-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NA931A-05	NA932A-05	NA933A-05	NA934A-05	NA935A-05	0.50mm
	NA931A-10	NA932A-10	NA933A-10	NA934A-10	NA935A-10	1.00mm
	NA931A-20	NA932A-20	NA933A-20	NA934A-20	NA935A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NA931B-05	NA932B-05	NA933B-05	NA934B-05	NA935B-05	0.50mm
	NA931B-10	NA932B-10	NA933B-10	NA934B-10	NA935B-10	1.00mm
	NA931B-20	NA932B-20	NA933B-20	NA934B-20	NA935B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NA931C-05	NA932C-05	NA933C-05	NA934C-05	NA935C-05	0.50mm
	NA931C-10	NA932C-10	NA933C-10	NA934C-10	NA935C-10	1.00mm
	NA931C-20	NA932C-20	NA933C-20	NA934C-20	NA935C-20	2.00mm
Valleylab, Autobipolar models only	NA931D-05	NA932D-05	NA933D-05	NA934D-05	NA935D-05	0.50mm
	NA931D-10	NA932D-10	NA933D-10	NA934D-10	NA935D-10	1.00mm
	NA931D-20	NA932D-20	NA933D-20	NA934D-20	NA935D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NA931R-05	NA932R-05	NA933R-05	NA934R-05	NA935R-05	0.50mm
	NA931R-10	NA932R-10	NA933R-10	NA934R-10	NA935R-10	1.00mm
	NA931R-20	NA932R-20	NA933R-20	NA934R-20	NA935R-20	2.00mm


















STANDARD BLUE FORCEPS WITH DETACHABLE CABLE



Available Tip Size in mm




Single Use Standard Bipolar Forceps DETACHABLE CABLE
Straight Cushing Pott Smith Bipolar Forceps Angled Tips


	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	NA936-05 NA936-10 NA936-20	NA937-05 NA937-10 NA937-20	NA938-05 NA938-10 NA938-20	NA939-05 NA939-10 NA939-20	NA940-05 NA940-10 NA940-20	 0.50mm  1.00mm  2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NA936A-05 NA936A-10 NA936A-20	NA937A-05 NA937A-10 NA937A-20	NA938A-05 NA938A-10 NA938A-20	NA939A-05 NA939A-10 NA939A-20	NA940A-05 NA940A-10 NA940A-20	 0.50mm  1.00mm  2.00mm
 ERBE 4mm, Siemens Shutter BM50	NA936B-05 NA936B-10 NA936B-20	NA937B-05 NA937B-10 NA937B-20	NA938B-05 NA938B-10 NA938B-20	NA939B-05 NA939B-10 NA939B-20	NA940B-05 NA940B-10 NA940B-20	 0.50mm  1.00mm  2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NA936C-05 NA936C-10 NA936C-20	NA937C-05 NA937C-10 NA937C-20	NA938C-05 NA938C-10 NA938C-20	NA939C-05 NA939C-10 NA939C-20	NA940C-05 NA940C-10 NA940C-20	 0.50mm  1.00mm  2.00mm
 Valleylab, Autobipolar models only	NA936D-05 NA936D-10 NA936D-20	NA937D-05 NA937D-10 NA937D-20	NA938D-05 NA938D-10 NA938D-20	NA939D-05 NA939D-10 NA939D-20	NA940D-05 NA940D-10 NA940D-20	 0.50mm  1.00mm  2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NA936R-05 NA936R-10 NA936R-20	NA937R-05 NA937R-10 NA937R-20	NA938R-05 NA938R-10 NA938R-20	NA939R-05 NA939R-10 NA939R-20	NA940R-05 NA940R-10 NA940R-20	 0.50mm  1.00mm  2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
BIPOLAR FORCEPS
WITH DETACHABLE CABLE**









STANDARD BLUE FORCEPS WITH DETACHABLE CABLE



Available Tip Size in mm




**Single Use Standard
Bayonet Jensen Bipolar Forceps Straight Tips**


	155MM	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	NA941-05 NA941-10 NA941-20	NA942-05 NA942-10 NA942-20	NA943-05 NA943-10 NA943-20	NA944-05 NA944-10 NA944-20	NA945-05 NA945-10 NA945-20	  
 BOWA, Limidey, EMC, Valleylab, Evthicon	NA941A-05 NA941A-10 NA941A-20	NA942A-05 NA942A-10 NA942A-20	NA943A-05 NA943A-10 NA943A-20	NA944A-05 NA944A-10 NA944A-20	NA945A-05 NA945A-10 NA945A-20	  
 ERBE 4mm, Siemens Shutter BM50	NA941B-05 NA941B-10 NA941B-20	NA942B-05 NA942B-10 NA942B-20	NA943B-05 NA943B-10 NA943B-20	NA944B-05 NA944B-10 NA944B-20	NA945B-05 NA945B-10 NA945B-20	  
 Aesculap, Berchtold, Wolf, Mvartin	NA941C-05 NA941C-10 NA941C-20	NA942C-05 NA942C-10 NA942C-20	NA943C-05 NA943C-10 NA943C-20	NA944C-05 NA944C-10 NA944C-20	NA945C-05 NA945C-10 NA945C-20	  
 Valleylab, Autobipolar models only	NA941D-05 NA941D-10 NA941D-20	NA942D-05 NA942D-10 NA942D-20	NA943D-05 NA943D-10 NA943D-20	NA944D-05 NA944D-10 NA944D-20	NA945D-05 NA945D-10 NA945D-20	  
 Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NA941R-05 NA941R-10 NA941R-20	NA942R-05 NA942R-10 NA942R-20	NA943R-05 NA943R-10 NA943R-20	NA944R-05 NA944R-10 NA944R-20	NA945R-05 NA945R-10 NA945R-20	  

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
BIPOLAR FORCEPS
WITH DETACHABLE CABLE**



STANDARD BLUE FORCEPS WITH DETACHABLE CABLE



Available Tip Size in mm




**Single Use Standard
Bayonet Jensen Bipolar Forceps Angled Tips**


	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	NA946-05	NA947-05	NA948-05	NA949-05	NA950-05	0.50mm
	NA946-10	NA947-10	NA948-10	NA949-10	NA950-10	1.00mm
	NA946-20	NA947-20	NA948-20	NA949-20	NA950-20	2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NA946A-05	NA947A-05	NA948A-05	NA949A-05	NA950A-05	0.50mm
	NA946A-10	NA947A-10	NA948A-10	NA949A-10	NA950A-10	1.00mm
	NA946A-20	NA947A-20	NA948A-20	NA949A-20	NA950A-20	2.00mm
 ERBE 4mm, Siemens Shutter BM50	NA946B-05	NA947B-05	NA948B-05	NA949B-05	NA950B-05	0.50mm
	NA946B-10	NA947B-10	NA948B-10	NA949B-10	NA950B-10	1.00mm
	NA946B-20	NA947B-20	NA948B-20	NA949B-20	NA950B-20	2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NA946C-05	NA947C-05	NA948C-05	NA949C-05	NA950C-05	0.50mm
	NA946C-10	NA947C-10	NA948C-10	NA949C-10	NA950C-10	1.00mm
	NA946C-20	NA947C-20	NA948C-20	NA949C-20	NA950C-20	2.00mm
 Valleylab, Autobipolar models only	NA946D-05	NA947D-05	NA948D-05	NA949D-05	NA950D-05	0.50mm
	NA946D-10	NA947D-10	NA948D-10	NA949D-10	NA950D-10	1.00mm
	NA946D-20	NA947D-20	NA948D-20	NA949D-20	NA950D-20	2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NA946R-05	NA947R-05	NA948R-05	NA949R-05	NA950R-05	0.50mm
	NA946R-10	NA947R-10	NA948R-10	NA949R-10	NA950R-10	1.00mm
	NA946R-20	NA947R-20	NA948R-20	NA949R-20	NA950R-20	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**NON-STICK
BIPOLAR FORCEPS
WITH DETACHABLE CABLE**



NON-STICK ORANGE FORCEPS WITH DETACHABLE CABLE




Available Tip Size in mm





**Non-Stick Single Use
McPherson Iris Bipolar Forceps Straight Tips**

	90mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	NS901-05	NS902-05	NS903-05	NS904-05	NS905-05	0.50mm
	NS901-10	NS902-10	NS903-10	NS904-10	NS905-10	1.00mm
	NS901-20	NS902-20	NS903-20	NS904-20	NS905-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NS901A-05	NS902A-05	NS903A-05	NS904A-05	NS905A-05	0.50mm
	NS901A-10	NS902A-10	NS903A-10	NS904A-10	NS905A-10	1.00mm
	NS901A-20	NS902A-20	NS903A-20	NS904A-20	NS905A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NS901B-05	NS902B-05	NS903B-05	NS904B-05	NS905B-05	0.50mm
	NS901B-10	NS902B-10	NS903B-10	NS904B-10	NS905B-10	1.00mm
	NS901B-20	NS902B-20	NS903B-20	NS904B-20	NS905B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NS901C-05	NS902C-05	NS903C-05	NS904C-05	NS905C-05	0.50mm
	NS901C-10	NS902C-10	NS903C-10	NS904C-10	NS905C-10	1.00mm
	NS901C-20	NS902C-20	NS903C-20	NS904C-20	NS905C-20	2.00mm
Valleylab, Autobipolar models only	NS901D-05	NS902D-05	NS903D-05	NS904D-05	NS905D-05	0.50mm
	NS901D-10	NS902D-10	NS903D-10	NS904D-10	NS905D-10	1.00mm
	NS901D-20	NS902D-20	NS903D-20	NS904D-20	NS905D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NS901R-05	NS902R-05	NS903R-05	NS904R-05	NS905R-05	0.50mm
	NS901R-10	NS902R-10	NS903R-10	NS904R-10	NS905R-10	1.00mm
	NS901R-20	NS902R-20	NS903R-20	NS904R-20	NS905R-20	2.00mm




NON-STICK ORANGE FORCEPS WITH DETACHABLE CABLE




Non-Stick Single Use McPherson Iris Bipolar Forceps Angled Tips

	90mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	NS906-05	NS907-05	NS908-05	NS909-05	NS910-05	0.50mm
	NS906-10	NS907-10	NS908-10	NS909-10	NS910-10	1.00mm
	NS906-20	NS907-20	NS908-20	NS909-20	NS910-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NS906A-05	NS907A-05	NS908A-05	NS909A-05	NS910A-05	0.50mm
	NS906A-10	NS907A-10	NS908A-10	NS909A-10	NS910A-10	1.00mm
	NS906A-20	NS907A-20	NS908A-20	NS909A-20	NS910A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	NS906B-05	NS907B-05	NS908B-05	NS909B-05	NS910B-05	0.50mm
	NS906B-10	NS907B-10	NS908B-10	NS909B-10	NS910B-10	1.00mm
	NS906B-20	NS907B-20	NS908B-20	NS909B-20	NS910B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NS906C-05	NS907C-05	NS908C-05	NS909C-05	NS910C-05	0.50mm
	NS906C-10	NS907C-10	NS908C-10	NS909C-10	NS910C-10	1.00mm
	NS906C-20	NS907C-20	NS908C-20	NS909C-20	NS910C-20	2.00mm
Valleylab, Autobipolar models only	NS906D-05	NS907D-05	NS908D-05	NS909D-05	NS910D-05	0.50mm
	NS906D-10	NS907D-10	NS908D-10	NS909D-10	NS910D-10	1.00mm
	NS906D-20	NS907D-20	NS908D-20	NS909D-20	NS910D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NS906R-05	NS907R-05	NS908R-05	NS909R-05	NS910R-05	0.50mm
	NS906R-10	NS907R-10	NS908R-10	NS909R-10	NS910R-10	1.00mm
	NS906R-20	NS907R-20	NS908R-20	NS909R-20	NS910R-20	2.00mm



NON-STICK ORANGE FORCEPS WITH DETACHABLE CABLE




Available Tip Size in mm





Non-Stick Single Use Bipolar Forceps DETACHABLE CABLE
Jeweller Bipolar Forceps Straight Tips

	95mm	102mm	108mm	115mm	125mm	TIP SIZE
 International 4mm Banana Plug Fitting	NS911-05	NS912-05	NS913-05	NS914-05	NS915-05	 0.50mm  1.00mm  2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NS911A-05	NS912A-05	NS913A-05	NS914A-05	NS915A-05	 0.50mm  1.00mm  2.00mm
 ERBE 4mm, Siemens Shutter BM50	NS911B-05	NS912B-05	NS913B-05	NS914B-05	NS915B-05	 0.50mm  1.00mm  2.00mm
 Aesculap, Bercetold, Wolf, Mvartin	NS911C-05	NS912C-05	NS913C-05	NS914C-05	NS915C-05	 0.50mm  1.00mm  2.00mm
 Valleylab, Autobipolar models only	NS911D-05	NS912D-05	NS913D-05	NS914D-05	NS915D-05	 0.50mm  1.00mm  2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NS911R-05	NS912R-05	NS913R-05	NS914R-05	NS915R-05	 0.50mm  1.00mm  2.00mm




NON-STICK ORANGE FORCEPS WITH DETACHABLE CABLE





Non-Stick Single Use Bipolar Forceps DETACHABLE CABLE
Jeweller Bipolar Forceps Angled Tips



	95mm	102mm	108mm	115mm	125mm	TIP SIZE
 International 4mm Banana Plug Fitting	NS916-05 NS916-10 NS916-20	NS917-05 NS917-10 NS917-20	NS918-05 NS918-10 NS918-20	NS919-05 NS919-10 NS919-20	NS920-05 NS920-10 NS920-20	0.50mm 1.00mm 2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NS916A-05 NS916A-10 NS916A-20	NS917A-05 NS917A-10 NS917A-20	NS918A-05 NS918A-10 NS918A-20	NS919A-05 NS919A-10 NS919A-20	NS920A-05 NS920A-10 NS920A-20	0.50mm 1.00mm 2.00mm
 ERBE 4mm, Siemens Shutter BM50	NS916B-05 NS916B-10 NS916B-20	NS917B-05 NS917B-10 NS917B-20	NS918B-05 NS918B-10 NS918B-20	NS919B-05 NS919B-10 NS919B-20	NS920B-05 NS920B-10 NS920B-20	0.50mm 1.00mm 2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NS916C-05 NS916C-10 NS916C-20	NS917C-05 NS917C-10 NS917C-20	NS918C-05 NS918C-10 NS918C-20	NS919C-05 NS919C-10 NS919C-20	NS920C-05 NS920C-10 NS920C-20	0.50mm 1.00mm 2.00mm
 Valleylab, Autobipolar models only	NS916D-05 NS916D-10 NS916D-20	NS917D-05 NS917D-10 NS917D-20	NS918D-05 NS918D-10 NS918D-20	NS919D-05 NS919D-10 NS919D-20	NS920D-05 NS920D-10 NS920D-20	0.50mm 1.00mm 2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NS916R-05 NS916R-10 NS916R-20	NS917R-05 NS917R-10 NS917R-20	NS918R-05 NS918R-10 NS918R-20	NS919R-05 NS919R-10 NS919R-20	NS920R-05 NS920R-10 NS920R-20	0.50mm 1.00mm 2.00mm




NON-STICK ORANGE FORCEPS WITH DETACHABLE CABLE





Non-Stick Single Use Bipolar Forceps DETACHABLE CABLE
Adson Bipolar Forceps


	110mm	121mm	150mm	165mm	180mm	TIP SIZE
 International 4mm Banana Plug Fitting	NS921-05 NS921-10 NS921-20	NS922-05 NS922-10 NS922-20	NS923-05 NS923-10 NS923-20	NS924-05 NS924-10 NS924-20	NS925-05 NS925-10 NS925-20	 0.50mm  1.00mm  2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NS921A-05 NS921A-10 NS921A-20	NS922A-05 NS922A-10 NS922A-20	NS923A-05 NS923A-10 NS923A-20	NS924A-05 NS924A-10 NS924A-20	NS925A-05 NS925A-10 NS925A-20	 0.50mm  1.00mm  2.00mm
 ERBE 4mm, Siemens Shutter BM50	NS921B-05 NS921B-10 NS921B-20	NS922B-05 NS922B-10 NS922B-20	NS923B-05 NS923B-10 NS923B-20	NS924B-05 NS924B-10 NS924B-20	NS925B-05 NS925B-10 NS925B-20	 0.50mm  1.00mm  2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NS921C-05 NS921C-10 NS921C-20	NS922C-05 NS922C-10 NS922C-20	NS923C-05 NS923C-10 NS923C-20	NS924C-05 NS924C-10 NS924C-20	NS925C-05 NS925C-10 NS925C-20	 0.50mm  1.00mm  2.00mm
 Valleylab, Autobipolar models only	NS921D-05 NS921D-10 NS921D-20	NS922D-05 NS922D-10 NS922D-20	NS923D-05 NS923D-10 NS923D-20	NS924D-05 NS924D-10 NS924D-20	NS925D-05 NS925D-10 NS925D-20	 0.50mm  1.00mm  2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NS921R-05 NS921R-10 NS921R-20	NS922R-05 NS922R-10 NS922R-20	NS923R-05 NS923R-10 NS923R-20	NS924R-05 NS924R-10 NS924R-20	NS925R-05 NS925R-10 NS925R-20	 0.50mm  1.00mm  2.00mm




NON-STICK ORANGE FORCEPS WITH DETACHABLE CABLE





Non-Stick Single Use Bayonet Jensen Bipolar Forceps Straight Tips

	140mm	165mm	195mm	210mm	-----	TIP SIZE
 International 4mm Banana Plug Fitting	NS926-05	NS927-05	NS928-05	NS929-05	-----	0.50mm
	NS926-10	NS927-10	NS928-10	NS929-10	-----	1.00mm
	NS926-20	NS927-20	NS928-20	NS929-20	-----	2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NS926A-05	NS927A-05	NS928A-05	NS929A-05	-----	0.50mm
	NS926A-10	NS927A-10	NS928A-10	NS929A-10	-----	1.00mm
	NS926A-20	NS927A-20	NS928A-20	NS929A-20	-----	2.00mm
 ERBE 4mm, Siemens Shutter BM50	NS926B-05	NS927B-05	NS928B-05	NS929B-05	-----	0.50mm
	NS926B-10	NS927B-10	NS928B-10	NS929B-10	-----	1.00mm
	NS926B-20	NS927B-20	NS928B-20	NS929B-20	-----	2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NS926C-05	NS927C-05	NS928C-05	NS929C-05	-----	0.50mm
	NS926C-10	NS927C-10	NS928C-10	NS929C-10	-----	1.00mm
	NS926C-20	NS927C-20	NS928C-20	NS929C-20	-----	2.00mm
 Valleylab, Autobipolar models only	NS926D-05	NS927D-05	NS928D-05	NS929D-05	-----	0.50mm
	NS926D-10	NS927D-10	NS928D-10	NS929D-10	-----	1.00mm
	NS926D-20	NS927D-20	NS928D-20	NS929D-20	-----	2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NS926R-05	NS927R-05	NS928R-05	NS929R-05	-----	0.50mm
	NS926R-10	NS927R-10	NS928R-10	NS929R-10	-----	1.00mm
	NS926R-20	NS927R-20	NS928R-20	NS929R-20	-----	2.00mm




NON-STICK ORANGE FORCEPS WITH DETACHABLE CABLE





Non-Stick Single Use Bipolar Forceps DETACHABLE CABLE Straight Cushing Pott Smith Bipolar Forceps Straight Tips






	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	NS931-05 NS931-10 NS931-20	NS932-05 NS932-10 NS932-20	NS933-05 NS933-10 NS933-20	NS934-05 NS934-10 NS934-20	NS935-05 NS935-10 NS935-20	0.50mm 1.00mm 2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	NS931A-05 NS931A-10 NS931A-20	NS932A-05 NS932A-10 NS932A-20	NS933A-05 NS933A-10 NS933A-20	NS934A-05 NS934A-10 NS934A-20	NS935A-05 NS935A-10 NS935A-20	0.50mm 1.00mm 2.00mm
ERBE 4mm, Siemens Shutter BM50	NS931B-05 NS931B-10 NS931B-20	NS932B-05 NS932B-10 NS932B-20	NS933B-05 NS933B-10 NS933B-20	NS934B-05 NS934B-10 NS934B-20	NS935B-05 NS935B-10 NS935B-20	0.50mm 1.00mm 2.00mm
Aesculap, Berchtold, Wolf, Mvartin	NS931C-05 NS931C-10 NS931C-20	NS932C-05 NS932C-10 NS932C-20	NS933C-05 NS933C-10 NS933C-20	NS934C-05 NS934C-10 NS934C-20	NS935C-05 NS935C-10 NS935C-20	0.50mm 1.00mm 2.00mm
Valleylab, Autobipolar models only	NS931D-05 NS931D-10 NS931D-20	NS932D-05 NS932D-10 NS932D-20	NS933D-05 NS933D-10 NS933D-20	NS934D-05 NS934D-10 NS934D-20	NS935D-05 NS935D-10 NS935D-20	0.50mm 1.00mm 2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	NS931R-05 NS931R-10 NS931R-20	NS932R-05 NS932R-10 NS932R-20	NS933R-05 NS933R-10 NS933R-20	NS934R-05 NS934R-10 NS934R-20	NS935R-05 NS935R-10 NS935R-20	0.50mm 1.00mm 2.00mm




NON-STICK ORANGE FORCEPS WITH DETACHABLE CABLE




Non-Stick Single Use Bipolar Forceps DETACHABLE CABLE Straight Cushing Pott Smith Bipolar Forceps Angled Tips


	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	NS936-05 NS936-10 NS936-20	NS937-05 NS937-10 NS937-20	NS938-05 NS938-10 NS938-20	NS939-05 NS939-10 NS939-20	NS940-05 NS940-10 NS940-20	 0.50mm  1.00mm  2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NS936A-05 NS936A-10 NS936A-20	NS937A-05 NS937A-10 NS937A-20	NS938A-05 NS938A-10 NS938A-20	NS939A-05 NS939A-10 NS939A-20	NS940A-05 NS940A-10 NS940A-20	 0.50mm  1.00mm  2.00mm
 ERBE 4mm, Siemens Shutter BM50	NS936B-05 NS936B-10 NS936B-20	NS937B-05 NS937B-10 NS937B-20	NS938B-05 NS938B-10 NS938B-20	NS939B-05 NS939B-10 NS939B-20	NS940B-05 NS940B-10 NS940B-20	 0.50mm  1.00mm  2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NS936C-05 NS936C-10 NS936C-20	NS937C-05 NS937C-10 NS937C-20	NS938C-05 NS938C-10 NS938C-20	NS939C-05 NS939C-10 NS939C-20	NS940C-05 NS940C-10 NS940C-20	 0.50mm  1.00mm  2.00mm
 Valleylab, Autobipolar models only	NS936D-05 NS936D-10 NS936D-20	NS937D-05 NS937D-10 NS937D-20	NS938D-05 NS938D-10 NS938D-20	NS939D-05 NS939D-10 NS939D-20	NS940D-05 NS940D-10 NS940D-20	 0.50mm  1.00mm  2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NS936R-05 NS936R-10 NS936R-20	NS937R-05 NS937R-10 NS937R-20	NS938R-05 NS938R-10 NS938R-20	NS939R-05 NS939R-10 NS939R-20	NS940R-05 NS940R-10 NS940R-20	 0.50mm  1.00mm  2.00mm



NON-STICK ORANGE FORCEPS WITH DETACHABLE CABLE




Available Tip Size in mm





Non-Stick Single Use Bayonet Jensen Bipolar Forceps Angled Tips


	155MM	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	NS941-05	NS942-05	NS943-05	NS944-05	NS945-05	0.50mm
	NS941-10	NS942-10	NS943-10	NS944-10	NS945-10	1.00mm
	NS941-20	NS942-20	NS943-20	NS944-20	NS945-20	2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NS941A-05	NS942A-05	NS943A-05	NS944A-05	NS945A-05	0.50mm
	NS941A-10	NS942A-10	NS943A-10	NS944A-10	NS945A-10	1.00mm
	NS941A-20	NS942A-20	NS943A-20	NS944A-20	NS945A-20	2.00mm
 ERBE 4mm, Siemens Shutter BM50	NS941B-05	NS942B-05	NS943B-05	NS944B-05	NS945B-05	0.50mm
	NS941B-10	NS942B-10	NS943B-10	NS944B-10	NS945B-10	1.00mm
	NS941B-20	NS942B-20	NS943B-20	NS944B-20	NS945B-20	2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NS941C-05	NS942C-05	NS943C-05	NS944C-05	NS945C-05	0.50mm
	NS941C-10	NS942C-10	NS943C-10	NS944C-10	NS945C-10	1.00mm
	NS941C-20	NS942C-20	NS943C-20	NS944C-20	NS945C-20	2.00mm
 Valleylab, Autobipolar models only	NS941D-05	NS942D-05	NS943D-05	NS944D-05	NS945D-05	0.50mm
	NS941D-10	NS942D-10	NS943D-10	NS944D-10	NS945D-10	1.00mm
	NS941D-20	NS942D-20	NS943D-20	NS944D-20	NS945D-20	2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NS941R-05	NS942R-05	NS943R-05	NS944R-05	NS945R-05	0.50mm
	NS941R-10	NS942R-10	NS943R-10	NS944R-10	NS945R-10	1.00mm
	NS941R-20	NS942R-20	NS943R-20	NS944R-20	NS945R-20	2.00mm



NON-STICK ORANGE FORCEPS WITH DETACHABLE CABLE




Non-Stick Single Use Bayonet Jensen Bipolar Forceps Angled Tips



	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	NS946-05	NS947-05	NS948-05	NS949-05	NS950-05	 0.50mm
	NS946-10	NS947-10	NS948-10	NS949-10	NS950-10	 1.00mm
	NS946-20	NS947-20	NS948-20	NS949-20	NS950-20	 2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	NS946A-05	NS947A-05	NS948A-05	NS949A-05	NS950A-05	 0.50mm
	NS946A-10	NS947A-10	NS948A-10	NS949A-10	NS950A-10	 1.00mm
	NS946A-20	NS947A-20	NS948A-20	NS949A-20	NS950A-20	 2.00mm
 ERBE 4mm, Siemens Shutter BM50	NS946B-05	NS947B-05	NS948B-05	NS949B-05	NS950B-05	 0.50mm
	NS946B-10	NS947B-10	NS948B-10	NS949B-10	NS950B-10	 1.00mm
	NS946B-20	NS947B-20	NS948B-20	NS949B-20	NS950B-20	 2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	NS946C-05	NS947C-05	NS948C-05	NS949C-05	NS950C-05	 0.50mm
	NS946C-10	NS947C-10	NS948C-10	NS949C-10	NS950C-10	 1.00mm
	NS946C-20	NS947C-20	NS948C-20	NS949C-20	NS950C-20	 2.00mm
 Valleylab, Autobipolar models only	NS946D-05	NS947D-05	NS948D-05	NS949D-05	NS950D-05	 0.50mm
	NS946D-10	NS947D-10	NS948D-10	NS949D-10	NS950D-10	 1.00mm
	NS946D-20	NS947D-20	NS948D-20	NS949D-20	NS950D-20	 2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	NS946R-05	NS947R-05	NS948R-05	NS949R-05	NS950R-05	 0.50mm
	NS946R-10	NS947R-10	NS948R-10	NS949R-10	NS950R-10	 1.00mm
	NS946R-20	NS947R-20	NS948R-20	NS949R-20	NS950R-20	 2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
MONOPOLAR FORCEPS
WITH INTEGRATED CABLE**



**STANDARD
BLUE FORCEPS
WITH INTEGRATED CABLE**



**Standard Single Use Adson
Monopolar Forceps with Cable-3m**

	150mm	180mm	200mm	220mm	240mm	TIP SIZE
	NA401-SR	NA402-SR	NA403-SR	NA404-SR	NA405-SR	1.00mm
	NA401-12	NA402-12	NA403-12	NA404-12	NA405-12	1.00mm
	NA401B-SR	NA402B-SR	NA403B-SR	NA404B-SR	NA405B-SR	2.00mm
	NA401B-12	NA402B-12	NA403B-12	NA404B-12	NA405B-12	2.00mm
	NA401A-SR	NA402A-SR	NA403A-SR	NA404A-SR	NA405A-SR	1.00mm
	NA401A-12	NA402A-12	NA403A-12	NA404A-12	NA405A-12	1.00mm
	NA401C-SR	NA402C-SR	NA403C-SR	NA404C-SR	NA405C-SR	2.00mm
	NA401C-12	NA402C-12	NA403C-12	NA404C-12	NA405C-12	2.00mm

**Standard Single Use Gillies 2/1 Tip
Monopolar Forceps with Cable-3m**




	150mm	180mm	200mm	220mm	240mm	TIP SIZE
	NA416-SR	NA417-SR	NA418-SR	NA419-SR	NA420-SR	1.00mm
	NA416-12	NA417-12	NA418-12	NA419-12	NA420-12	1.00mm
	NA416B-SR	NA417B-SR	NA418B-SR	NA419B-SR	NA420B-SR	2.00mm
	NA416B-12	NA417B-12	NA418B-12	NA419B-12	NA420B-12	2.00mm
	NA416A-SR	NA417A-SR	NA418A-SR	NA419A-SR	NA420A-SR	1.00mm
	NA416A-12	NA417A-12	NA418A-12	NA419A-12	NA420A-12	1.00mm
	NA416C-SR	NA417C-SR	NA418C-SR	NA419C-SR	NA420C-SR	2.00mm
	NA416C-12	NA417C-12	NA418C-12	NA419C-12	NA420C-12	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
MONOPOLAR FORCEPS
WITH INTEGRATED CABLE**



**STANDARD
BLUE FORCEPS
WITH INTEGRATED CABLE**



Standard Single Use McIndoe
Monopolar Forceps with Cable-3m

	150mm	180mm	200mm	220mm	240mm	TIP SIZE
MARTIN: BERCHTOLD: ERBE T-SERIES, AESCULAP, SUTTER	NA411-SR	NA412-SR	NA413-SR	NA414-SR	NA415-SR	1.00mm
	NA411-12	NA412-12	NA413-12	NA414-12	NA415-12	1.00mm
	NA411B-SR	NA412B-SR	NA413B-SR	NA414B-SR	NA415B-SR	2.00mm
	NA411B-12	NA412B-12	NA413B-12	NA414B-12	NA415B-12	2.00mm
VALLEYLAB: CONMED: BOVIE 8MM PLUG, BOWA, BARD	NA411A-SR	NA412A-SR	NA413A-SR	NA414A-SR	NA415A-SR	1.00mm
	NA411A-12	NA412A-12	NA413A-12	NA414A-12	NA415A-12	1.00mm
	NA411C-SR	NA412C-SR	NA413C-SR	NA414C-SR	NA415C-SR	2.00mm
	NA411C-12	NA412C-12	NA413C-12	NA414C-12	NA415C-12	2.00mm



Standard Narrow serration
Dissecting Monopolar Forceps with Cable-3m


	150mm	180mm	200mm	220mm	240mm	TIP SIZE
MARTIN: BERCHTOLD: ERBE T-SERIES, AESCULAP, SUTTER	NA436-SR	NA432-SR	NA431-SR	NA433-SR	NA434-SR	1.00mm
	NA436-12	NA432-12	NA431-12	NA433-12	NA434-12	1.00mm
	NA436B-SR	NA432B-SR	NA431B-SR	NA433B-SR	NA434B-SR	2.00mm
	NA436B-12	NA432B-12	NA431B-12	NA433B-12	NA434B-12	2.00mm
VALLEYLAB: CONMED: BOVIE 8MM PLUG, BOWA, BARD	NA436A-SR	NA432A-SR	NA431A-SR	NA433A-SR	NA434A-SR	1.00mm
	NA436A-12	NA432A-12	NA431A-12	NA433A-12	NA434A-12	1.00mm
	NA436C-SR	NA432C-SR	NA431C-SR	NA433C-SR	NA434C-SR	2.00mm
	NA436C-12	NA432C-12	NA431C-12	NA433C-12	NA434C-12	2.00mm

**SINGLE USE
ELECTROSURGERY
FORCEPS**


**STANDARD
MONOPOLAR FORCEPS
WITH INTEGRATED CABLE**



**STANDARD
BLUE FORCEPS
WITH INTEGRATED CABLE**



Available Tip Size in mm



Standard Single Use Wide serration
Monopolar Forceps with Cable-3m



MARTIN: BERCHTOLD: ERBE
T-SERIES, AESCULAP, SUTTER

150mm	180mm	200mm	220mm	240mm
NA406-SR	NA407-SR	NA408-SR	NA409-SR	NA410-SR
NA406-12	NA407-12	NA408-12	NA409-12	NA410-12
NA406B-SR	NA407B-SR	NA408B-SR	NA409B-SR	NA410B-SR
NA406B-12	NA407B-12	NA408B-12	NA409B-12	NA410B-12



1.00mm
1.00mm
2.00mm
2.00mm



VALLEYLAB: CONMED: BOVIE
8MM PLUG, BOWA, BARD

150mm	180mm	200mm	220mm	240mm
NA406A-SR	NA407A-SR	NA408A-SR	NA409A-SR	NA410A-SR
NA406A-12	NA407A-12	NA408A-12	NA409A-12	NA410A-12
NA406C-SR	NA407C-SR	NA408C-SR	NA409C-SR	NA410C-SR
NA406C-12	NA407C-12	NA408C-12	NA409C-12	NA410C-12

1.00mm
1.00mm
2.00mm
2.00mm



Standard Single Use Bayonet
Monopolar Forceps with Cable-3m



MARTIN: BERCHTOLD: ERBE
T-SERIES, AESCULAP, SUTTER

150mm	180mm	200mm	220mm	240mm
NA421-SR	NA422-SR	NA423-SR	NA424-SR	NA425-SR
NA421-12	NA422-12	NA423-12	NA424-12	NA425-12
NA421B-SR	NA422B-SR	NA423B-SR	NA424B-SR	NA425B-SR
NA421B-12	NA422B-12	NA423B-12	NA424B-12	NA425B-12



1.00mm
1.00mm
2.00mm
2.00mm






VALLEYLAB: CONMED: BOVIE
8MM PLUG, BOWA, BARD

150mm	180mm	200mm	220mm	240mm
NA421A-SR	NA422A-SR	NA423A-SR	NA424A-SR	NA425A-SR
NA421A-12	NA422A-12	NA423A-12	NA424A-12	NA425A-12
NA421C-SR	NA422C-SR	NA423C-SR	NA424C-SR	NA425C-SR
NA421C-12	NA422C-12	NA423C-12	NA424C-12	NA425C-12

1.00mm
1.00mm
2.00mm
2.00mm


**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
MONOPOLAR FORCEPS
WITH INTEGRATED CABLE**



CABLES COMPATIBILITY GUIDANCE

**STANDARD
BLUE FORCEPS
WITH INTEGRATED CABLE**




Available Tip Size in mm




**Standard Single Use Straight
Monopolar Forceps with Cable-3m**



150mm	180mm	200mm	220mm	240mm
NA426-SR	NA427-SR	NA428-SR	NA429-SR	NA430-SR
NA426-12	NA427-12	NA428-12	NA429-12	NA430-12
NA426B-SR	NA427B-SR	NA428B-SR	NA429B-SR	NA430B-SR
NA426B-12	NA427B-12	NA428B-12	NA429B-12	NA430B-12




NA426A-SR	NA427A-SR	NA428A-SR	NA429A-SR	NA430A-SR
NA426A-12	NA427A-12	NA428A-12	NA429A-12	NA430A-12
NA426C-SR	NA427C-SR	NA428C-SR	NA429C-SR	NA430C-SR
NA426C-12	NA427C-12	NA428C-12	NA429C-12	NA430C-12




**Standard Single Use Bayonet
Monopolar Forceps Agled Down Tip with Cable-3m**



150mm	180mm	200mm	220mm	240mm
NA435-SR	NA437-SR	NA438-SR	NA439-SR	NA440-SR
NA435-12	NA437-12	NA438-12	NA439-12	NA440-12
NA435B-SR	NA437B-SR	NA438B-SR	NA439B-SR	NA440B-SR
NA435B-12	NA437B-12	NA438B-12	NA439B-12	NA440B-12






NA435A-SR	NA437A-SR	NA438A-SR	NA439A-SR	NA440A-SR
NA435A-12	NA437A-12	NA438A-12	NA439A-12	NA440A-12
NA435C-SR	NA437C-SR	NA438C-SR	NA439C-SR	NA440C-SR
NA435C-12	NA437C-12	NA438C-12	NA439C-12	NA440C-12




**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
MONOPOLAR FORCEPS
WITH INTEGRATED CABLE**



CABLES COMPATIBILITY GUIDANCE

**STANDARD
BLUE FORCEPS
WITH INTEGRATED CABLE**



Standard Single Use Bayonet
Monopolar Forceps Angled Up Tip with Cable-3m



MARTIN: BERCHTOLD: ERBE
T-SERIES, AESCULAP, SUTTER

150mm	180mm	200mm	220mm	240mm
NA441-SR	NA442-SR	NA443-SR	NA444-SR	NA445-SR
NA441-12	NA442-12	NA443-12	NA444-12	NA445-12
NA441B-SR	NA442B-SR	NA443B-SR	NA444B-SR	NA445B-SR
NA441B-12	NA442B-12	NA443B-12	NA444B-12	NA445B-12

TIP SIZE

1.00mm
1.00mm
2.00mm
2.00mm



VALLEYLAB: CONMED: BOVIE
8MM PLUG, BOWA, BARD

150mm	180mm	200mm	220mm	240mm
NA441A-SR	NA442A-SR	NA443A-SR	NA444A-SR	NA445A-SR
NA441A-12	NA442A-12	NA443A-12	NA444A-12	NA445A-12
NA441C-SR	NA442C-SR	NA443C-SR	NA444C-SR	NA445C-SR
NA441C-12	NA442C-12	NA443C-12	NA444C-12	NA445C-12

1.00mm
1.00mm
2.00mm
2.00mm



Standard Single Use
Monopolar Scissor with Cable-3m



MARTIN: BERCHTOLD: ERBE
T-SERIES, AESCULAP, SUTTER

150mm	180mm	200mm	220mm	240mm
NA155-ST	NA156-ST	NA157-ST	NA158-ST	NA159-ST
NA155-CR	NA156-CR	NA157-CR	NA158-CR	NA159-CR

TIP TYPE

Straight
Curved






VALLEYLAB: CONMED: BOVIE
8MM PLUG, BOWA, BARD

150mm	180mm	200mm	220mm	240mm
NA155A-ST	NA156A-ST	NA157A-ST	NA158A-ST	NA159A-ST
NA155A-CR	NA156A-CR	NA157A-CR	NA158A-CR	NA159A-CR

Straight
Curved


**SINGLE USE
ELECTROSURGERY
FORCEPS**

**STANDARD
MONOPOLAR FORCEPS
WITH INTEGRATED CABLE**



CABLES COMPATIBILITY GUIDANCE


**STANDARD
BLUE FORCEPS
WITH INTEGRATED CABLE**




Standard Single Use Straight
Monopolar Forceps with Cable-3m



150mm	180mm	200mm	220mm	240mm
NA446-SR	NA447-SR	NA448-SR	NA449-SR	NA450-SR
NA446-12	NA447-12	NA448-12	NA449-12	NA450-12
NA446B-SR	NA447B-SR	NA448B-SR	NA449B-SR	NA450B-SR
NA446B-12	NA447B-12	NA448B-12	NA449B-12	NA450B-12




NA446A-SR	NA447A-SR	NA448A-SR	NA449A-SR	NA450A-SR
NA446A-12	NA447A-12	NA448A-12	NA449A-12	NA450A-12
NA446C-SR	NA447C-SR	NA448C-SR	NA449C-SR	NA450C-SR
NA446C-12	NA447C-12	NA448C-12	NA449C-12	NA450C-12




Standard Single Use
Monopolar Artery Forceps with Cable-3m



150mm	180mm	200mm	220mm	240mm
NA160-ST	NA161-ST	NA162-ST	NA163-ST	NA164-ST
NA160-CR	NA161-CR	NA162-CR	NA163-CR	NA164-CR






NA160A-ST	NA161A-ST	NA162A-ST	NA163A-ST	NA164A-ST
NA160A-CR	NA161A-CR	NA162A-CR	NA163A-CR	NA164A-CR




**SINGLE USE
ELECTROSURGERY
FORCEPS**

**MONOPOLAR
RICHE FORCEPS
WITH INTEGRATED CABLE**



CABLES COMPATIBILITY GUIDANCE

**STANDARD
BLUE FORCEPS
WITH INTEGRATED CABLE**



Standard Single Use
Monopolar Scissor with Cable-3m



MARTIN: BERCHTOLD: ERBE
T-SERIES, AESCULAP, SUTTER

150mm	180mm	200mm	220mm	240mm	TIP SIZE
D526	D526A	D526B	D526E	D526C	1/16" Straight
D525	D525A	D525B	D525E	D525C	1/16" Curved



VALLEYLAB: CONMED: BOVIE
8MM PLUG, BOWA, BARD

D526D	D526DA	D526DB	D526DE	D526DC	1/16" Straight
D525D	D525DA	D525DB	D525DE	D525DC	1/16" Curved



Standard Single Use
Monopolar Artery Forceps with Cable-3m



MARTIN: BERCHTOLD: ERBE
T-SERIES, AESCULAP, SUTTER


150mm	180mm	200mm	220mm	240mm	TIP SIZE
D528	D528A	D528B	D528C	D528D	1/16" Straight
D527	D527A	D527B	D527C	D527D	1/16" Curved





VALLEYLAB: CONMED: BOVIE
8MM PLUG, BOWA, BARD

D528E	D528EA	D528EB	D528EC	D528ED	1/16" Straight
D527E	D527EA	D527EB	D527EC	D527ED	1/16" Curved

**SINGLE USE
ELECTROSURGERY
SEALAR**





**NON-STICK
BIPOLAR SEALER
WITH INTEGRATED CABLE**



CABLES COMPATIBILITY GUIDANCE

**NON-STICK
BLACK SEALER
WITH INTEGRATED CABLE**




Non-stick Single Use Bipolar Sealer



	165mm	190mm	215mm	240mm	----mm	TIP SIZE
 International 4mm Banana Plug Fitting	DNS802	DNS803	DNS804	DNS805	----	 CURVE
	DNS812	DNS813	DNS814	DNS815	----	 ANGLE
 BOWA, Limidey, EMC, Valleylab, Evthicon	DNS802A	DNS803A	DNS804A	DNS805A	----	 CURVE
	DNS812A	DNS813A	DNS814A	DNS815A	----	 ANGLE
 ERBE 4mm, Siemens Shutter BM50	DNS802B	DNS803B	DNS804B	DNS805B	----	 CURVE
	DNS812B	DNS813B	DNS814B	DNS815B	----	 ANGLE
 Aesculap, Berchtold, Wolf, Mvartin	DNS802C	DNS803C	DNS804C	DNS805C	----	 CURVE
	DNS812C	DNS813C	DNS814C	DNS815C	----	 ANGLE
 Valleylab, Autobipolar models only	DNS802D	DNS803D	DNS804D	DNS805D	----	 CURVE
	DNS812D	DNS813D	DNS814D	DNS815D	----	 ANGLE
 Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	DNS802R	DNS803R	DNS804R	DNS805R	----	 CURVE
	DNS812R	DNS813R	DNS814R	DNS815R	----	 ANGLE

**SINGLE USE
ELECTROSURGERY
SEALAR**

**STANDARD
BIPOLAR SEALER
WITH INTEGRATED CABLE**




**STANDARD
BLUE SEALER
WITH INTEGRATED CABLE**





Standard Single Use bipolar Sealer

	165mm	190mm	215mm	240mm	----mm	TIP SIZE
 International 4mm Banana Plug Fitting	DNA802	DNA803	DNA804	DNA805	----	 CURVE
	DNA807	DNA808	DNA809	DNA810	----	 ANGLE
 BOWA, Limidey, EMC, Valleylab, Evthicon	DNA802A	DNA803A	DNA804A	DNA805A	----	 CURVE
	DNA807A	DNA808A	DNA809A	DNA810A	----	 ANGLE
 ERBE 4mm, Siemens Shutter BM50	DNA802B	DNA803B	DNA804B	DNA805B	----	 CURVE
	DNA807B	DNA808B	DNA809B	DNA810B	----	 ANGLE
 Aesculap, Berchtold, Wolf, Mvartin	DNA802C	DNA803C	DNA804C	DNA805C	----	 CURVE
	DNA807C	DNA808C	DNA809C	DNA810C	----	 ANGLE
 Valleylab, Autobipolar models only	DNA802D	DNA803D	DNA804D	DNA805D	----	 CURVE
	DNA807D	DNA808D	DNA809D	DNA810D	----	 ANGLE
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	DNA802R	DNA803R	DNA804R	DNA805R	----	 CURVE
	DNA807R	DNA808R	DNA809R	DNA810R	----	 ANGLE

**SINGLE USE
ELECTROSURGERY
SEALAR**




**STANDARD
BIPOLAR SEALER
WITH INTEGRATED CABLE**



CABLES COMPATIBILITY GUIDANCE

**STANDARD BLUE
ARTERY SEALER
WITH INTEGRATED CABLE**




Non-stick Single Use Bipolar Sealer


	165mm	190mm	215mm	240mm	---mm	TIP SIZE
 International 4mm Banana Plug Fitting	D2341	D2343	D2345	D2347	----	1/2  Straight
	D2342	D2344	D2346	D2348	----	1/2  Curved
 BOWA, Limidey, EMC, Valleylab, Evthicon	D2341A	D2343A	D2345A	D2347A	----	1/2  Straight
	D2342A	D2344A	D2346A	D2348A	----	1/2  Curved
 ERBE 4mm, Siemens Shutter BM50	D2341B	D2343B	D2345B	D2347B	----	1/2  Straight
	D2342B	D2344B	D2346B	D2348B	----	1/2  Curved
 Aesculap, Berchtold, Wolf, Mvartin	D2341C	D2343C	D2345C	D2347C	----	1/2  Straight
	D2342C	D2344C	D2346C	D2348C	----	1/2  Curved
 Valleylab, Autobipolar models only	D2341D	D2343D	D2345D	D2347D	----	1/2  Straight
	D2342D	D2344D	D2346D	D2348D	----	1/2  Curved
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	D2341R	D2343R	D2345R	D2347R	----	1/2  Straight
	D2342R	D2344R	D2346R	D2348R	----	1/2  Curved

**SINGLE USE
ELECTROSURGERY
SEALAR**

**NON-STICK
BIPOLAR SEALER
WITH INTEGRATED CABLE**



NON-STICK BLACK ARTERY SEALER WITH INTEGRATED CABLE



Standard Single Use bipolar Sealer

	165mm	190mm	215mm	240mm	----mm	TIP SIZE
 International 4mm Banana Plug Fitting	D2351	D2353	D2355	D2357	----	1/16" Straight
	D2352	D2354	D2356	D2358	----	1/16" Curved
 BOWA, Limidey, EMC, Valleylab, Evthicon	D2351A	D2353A	D2355A	D2357A	----	1/16" Straight
	D2352A	D2354A	D2356A	D2358A	----	1/16" Curved
 ERBE 4mm, Siemens Shutter BM50	D2351B	D2353B	D2355B	D2357B	----	1/16" Straight
	D2352B	D2354B	D2356B	D2358B	----	1/16" Curved
 Aesculap, Berchtold, Wolf, Mvartin	D2351C	D2353C	D2355C	D2357C	----	1/16" Straight
	D2352C	D2354C	D2356C	D2358C	----	1/16" Curved
 Valleylab, Autobipolar models only	D2351D	D2353D	D2355D	D2357D	----	1/16" Straight
	D2352D	D2354D	D2356D	D2358D	----	1/16" Curved
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	D2351R	D2353R	D2355R	D2357R	----	1/16" Straight
	D2352R	D2354R	D2356R	D2358R	----	1/16" Curved

ELECTROSURGERY **LAPAROSCOPIC**



ELECTROSURGERY

LAPAROSCOPIC

ElectroRange laparoscopic surgery equipment includes specialized electrosurgical instruments designed for minimally invasive procedures performed through small incisions. In laparoscopic surgery, precise and controlled electrical currents are used to cut, coagulate, or ablate tissues, allowing surgeons to operate with minimal trauma to the patient.


ElectroRange laparoscopic instruments are designed with ergonomic handles that allow for easy, comfortable maneuverability.



These tools are typically long and slender to navigate small incisions and access deep-seated tissues in the abdominal cavity. This design allows for precise manipulation without the need for open surgery.



These instruments are compatible with electrosurgical generators that precisely control the electrical current, ensuring optimal energy delivery for effective coagulation and cutting, with minimal thermal spread.



ElectroRange laparoscopic instruments are key to modern minimally invasive surgery, providing precision and efficiency in procedures ranging from gallbladder removal to complex abdominal surgeries.

**SINGLE USE
ELECTROSURGERY
LAPAROSCOPIC**

**MONOPOLAR
LAPAROSCOPIC
L-HOOK & BALL ELECTRODE**



COMPATIBILITY GUIDANCE

SINGLE USE MONOPOLAR LAPAROSCOPIC WITH DETACHABLE CABLE



L Hook Electrode With Monopolar Cable

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE11	DNSLE11
360mm	DLE11A	DNSLE11A
450mm	DLE11B	DNSLE11B
ON DEMAND	DLE11F	DNSLE11F

L Hook Electrode With Monopolar Cable

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE12	DNSLE12
360mm	DLE12A	DNSLE12A
450mm	DLE12B	DNSLE12B
ON DEMAND	DLE12F	DNSLE12F



Ball Electrode With Monopolar Cable

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE13	DNSLE13
360mm	DLE13A	DNSLE13A
450mm	DLE13B	DNSLE13B
ON DEMAND	DLE13F	DNSLE13F

Ball Electrode With Monopolar Cable

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE14	DNSLE14
360mm	DLE14A	DNSLE14A
450mm	DLE14B	DNSLE14B
ON DEMAND	DLE14F	DNSLE14F

**SINGLE USE
ELECTROSURGERY**
LAPAROSCOPIC

**MONOPOLAR
LAPAROSCOPIC**
L-HOOK & BALL ELECTRODE



COMPATIBILITY GUIDANCE

SINGLE USE MONOPOLAR LAPAROSCOPIC WITH DETACHABLE CABLE



Specula Electrode With Monopolar Cable

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE15	DNSLE15
360mm	DLE15A	DNSLE15A
450mm	DLE15B	DNSLE15B
ON DEMAND	DLE15F	DNSLE15F

Specula Electrode With Monopolar Cable

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE64	DNSLE64
360mm	DLE64A	DNSLE64A
450mm	DLE64B	DNSLE64B
ON DEMAND	DLE64F	DNSLE64F



Curved Specula Electrode With Monopolar Cable

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE60	DNSLE60
360mm	DLE60A	DNSLE60A
450mm	DLE60B	DNSLE60B
ON DEMAND	DLE60F	DNSLE60F

Curved Specula Electrode With Monopolar Cable

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE61	DNSLE61
360mm	DLE61A	DNSLE61A
450mm	DLE61B	DNSLE61B
ON DEMAND	DLE61F	DNSLE61F

**SINGLE USE
ELECTROSURGERY**
LAPAROSCOPIC

**MONOPOLAR
LAPAROSCOPIC**
L-HOOK & BALL ELECTRODE



COMPATIBILITY GUIDANCE

SINGLE USE MONOPOLAR LAPAROSCOPIC WITH DETACHABLE CABLE



Needle Electrode With Monopolar Cable

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE16	DNSLE16
360mm	DLE16A	DNSLE16A
450mm	DLE16B	DNSLE16B
ON DEMAND	DLE16F	DNSLE16F

Needle Electrode With Monopolar Cable

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE17	DNSLE17
360mm	DLE17A	DNSLE17A
450mm	DLE17B	DNSLE17B
ON DEMAND	DLE17F	DNSLE17F



J Hook Electrode With Monopolar Cable

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE18	DNSLE18
360mm	DLE18A	DNSLE18A
450mm	DLE18B	DNSLE18B
ON DEMAND	DLE18F	DNSLE18F

J Hook Electrode With Monopolar Cable

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE19	DNSLE19
360mm	DLE19A	DNSLE19A
450mm	DLE19B	DNSLE19B
ON DEMAND	DLE19F	DNSLE19F

**SINGLE USE
ELECTROSURGERY
LAPAROSCOPIC**



**MONOPOLAR
LAPAROSCOPIC
L-HOOK & BALL ELECTRODE**



COMPATIBILITY GUIDANCE

SINGLE USE MONOPOLAR LAPAROSCOPIC



L Hook Electrode without Suction

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE2	DNSLE2
360mm	DLE2A	DNSLE2A
450mm	DLE2B	DNSLE2B
ON DEMAND	DLE2F	DNSLE2F



L Hook Electrode with Suction

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE7	DNSLE7
360mm	DLE7A	DNSLE7A
450mm	DLE7B	DNSLE7B
ON DEMAND	DLE7F	DNSLE7F



Ball Electrode without Suction

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE5	DNSLE5
360mm	DLE5A	DNSLE5A
450mm	DLE5B	DNSLE5B
ON DEMAND	DLE5F	DNSLE5F



Ball Electrode with Suction

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE10	DNSLE10
360mm	DLE10A	DNSLE10A
450mm	DLE10B	DNSLE10B
ON DEMAND	DLE10F	DNSLE10F

**SINGLE USE
ELECTROSURGERY
LAPAROSCOPIC**

**MONOPOLAR
LAPAROSCOPIC
L-HOOK & BALL ELECTRODE**



COMPATIBILITY GUIDANCE

SINGLE USE MONOPOLAR LAPAROSCOPIC



Specula Electrode without Suction

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE3	DNSLE3
360mm	DLE3A	DNSLE3A
450mm	DLE3B	DNSLE3B
ON DEMAND	DLE3F	DNSLE3F



Specula Electrode with Suction

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE65	DNSLE65
360mm	DLE65A	DNSLE65A
450mm	DLE65B	DNSLE65B
ON DEMAND	DLE65F	DNSLE65F



Curved Specula Electrode without Suction

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE62	DNSLE62
360mm	DLE62A	DNSLE62A
450mm	DLE62B	DNSLE62B
ON DEMAND	DLE62F	DNSLE62F



Curved Specula Electrode with Suction

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE63	DNSLE63
360mm	DLE63A	DNSLE63A
450mm	DLE63B	DNSLE63B
ON DEMAND	DLE63F	DNSLE63F

**SINGLE USE
ELECTROSURGERY**
LAPAROSCOPIC

**MONOPOLAR
LAPAROSCOPIC**
L-HOOK & BALL ELECTRODE



COMPATIBILITY GUIDANCE

SINGLE USE MONOPOLAR LAPAROSCOPIC



Needle Electrode without Suction

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE4	DNSLE4
360mm	DLE4A	DNSLE4A
450mm	DLE4B	DNSLE4B
ON DEMAND	DLE4F	DNSLE4F



Needle Electrode
with Suction

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE9	DNSLE9
360mm	DLE9A	DNSLE9A
450mm	DLE9B	DNSLE9B
ON DEMAND	DLE9F	DNSLE9F



J Hook Electrode without Suction

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE1	DNSLE1
360mm	DLE1A	DNSLE1A
450mm	DLE1B	DNSLE1B
ON DEMAND	DLE1F	DNSLE1F



J Hook Electrode
with Suction

SHAFT LENGTH	STANDARD	NONSTICK
330mm	DLE6	DNSLE6
360mm	DLE6A	DNSLE6A
450mm	DLE6B	DNSLE6B
ON DEMAND	DLE6F	DNSLE6F

ELECTROSURGERY

Single use

PREMIUM ELITE

FORCEPS



SU ELECTROSURGERY

PREMIUM ELITE FORCEPS


Premium Elite Electrosurgery Forceps: Our newly launched Bipolar Forceps feature an innovative design with improved purple polyamide insulation, offering enhanced durability and a longer lifecycle. The epoxy-free connector integration ensures compatibility with all international flat plug and two-pin fittings. The tips of our Elite Class Premium Forceps are coated with a thick layer of 24K gold plating, which significantly improves conductivity and performance during surgeries. Additionally, the double stopper guide provides extra alignment stability, ensuring the forceps maintain precision even after multiple uses.



The middle area of non-stick forceps often features a textured or grooved surface to provide a secure and controlled grip for the user. This section is usually reinforced for added stability and balance, allowing for precise manipulation even during delicate procedures.



The tips of non-stick forceps are finely crafted for precision and coated with a non-stick material, such as Teflon, to prevent adhesion and ensure smooth handling. These tips are typically narrow and tapered, allowing for delicate manipulation of tissues or materials without sticking or tearing.



The Nonstick Forceps Plugin is an essential accessory for medical and laboratory equipment, designed to enhance the functionality of standard forceps by adding non-stick capabilities.




**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS


**PREMIUM NON-STICK
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK PURPLE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Premium Non-Stick Single Use Mcpherson
Bipolar Forceps with Cable-3m**

	90mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	PNS132-05	PNS131-05	PNS133-05	PNS138-05	PNS135-05	0.50mm
	PNS132-10	PNS131-10	PNS133-10	PNS138-10	PNS135-10	1.00mm
	PNS132-20	PNS131-20	PNS133-20	PNS138-20	PNS135-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNS132A-05	PNS131A-05	PNS133A-05	PNS138A-05	PNS135A-05	0.50mm
	PNS132A-10	PNS131A-10	PNS133A-10	PNS138A-10	PNS135A-10	1.00mm
	PNS132A-20	PNS131A-20	PNS133A-20	PNS138A-20	PNS135A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	PNS132B-05	PNS131B-05	PNS133B-05	PNS138B-05	PNS135B-05	0.50mm
	PNS132B-10	PNS131B-10	PNS133B-10	PNS138B-10	PNS135B-10	1.00mm
	PNS132B-20	PNS131B-20	PNS133B-20	PNS138B-20	PNS135B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNS132C-05	PNS131C-05	PNS133C-05	PNS138C-05	PNS135C-05	0.50mm
	PNS132C-10	PNS131C-10	PNS133C-10	PNS138C-10	PNS135C-10	1.00mm
	PNS132C-20	PNS131C-20	PNS133C-20	PNS138C-20	PNS135C-20	2.00mm
Valleylab, Autobipolar models only	PNS132D-05	PNS131D-05	PNS133D-05	PNS138D-05	PNS135D-05	0.50mm
	PNS132D-10	PNS131D-10	PNS133D-10	PNS138D-10	PNS135D-10	1.00mm
	PNS132D-20	PNS131D-20	PNS133D-20	PNS138D-20	PNS135D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	PNS132R-05	PNS131R-05	PNS133R-05	PNS138R-05	PNS135R-05	0.50mm
	PNS132R-10	PNS131R-10	PNS133R-10	PNS138R-10	PNS135R-10	1.00mm
	PNS132R-20	PNS131R-20	PNS133R-20	PNS138R-20	PNS135R-20	2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS

**PREMIUM STANDARD
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE




Available Tip Size in mm



**Premium Standard Single Use Mcpherson
Bipolar Forceps with Cable-3m**

	90mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	PNA132-05	PNA131-05	PNA133-05	PNA138-05	PNA135-05	0.50mm
	PNA132-10	PNA131-10	PNA133-10	PNA138-10	PNA135-10	1.00mm
	PNA132-20	PNA131-20	PNA133-20	PNA138-20	PNA135-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNA132A-05	PNA131A-10	PNA133A-05	PNA138A-05	PNA135A-05	0.50mm
	PNA132A-10	PNA131A-10	PNA133A-10	PNA138A-10	PNA135A-10	1.00mm
	PNA132A-20	PNA131A-20	PNA133A-20	PNA138A-20	PNA135A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	PNA132B-05	PNA131B-05	PNA133B-05	PNA138B-05	PNA135B-05	0.50mm
	PNA132B-10	PNA131B-10	PNA133B-10	PNA138B-10	PNA135B-10	1.00mm
	PNA132B-20	PNA131B-20	PNA133B-20	PNA138B-20	PNA135B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNA132C-05	PNA131C-05	PNA133C-05	PNA138C-05	PNA135C-05	0.50mm
	PNA132C-10	PNA131C-10	PNA133C-10	PNA138C-10	PNA135C-10	1.00mm
	PNA132C-20	PNA131C-20	PNA133C-20	PNA138C-20	PNA135C-20	2.00mm
Valleylab, Autobipolar models only	PNA132D-05	PNA131D-05	PNA133D-05	PNA138D-05	PNA135D-05	0.50mm
	PNA132D-10	PNA131D-10	PNA133D-10	PNA138D-10	PNA135D-10	1.00mm
	PNA132D-20	PNA131D-20	PNA133D-20	PNA138D-20	PNA135D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	PNA132R-05	PNA131R-05	PNA133R-05	PNA138R-05	PNA135R-05	0.50mm
	PNA132R-10	PNA131R-10	PNA133R-10	PNA138R-10	PNA135R-10	1.00mm
	PNA132R-20	PNA131R-20	PNA133R-20	PNA138R-20	PNA135R-20	2.00mm



PAGE 40

CABLES COMPATIBILITY GUIDANCE

TIP SIZE

Micro

0.50mm

0.70mm

1.00mm

1.20mm

1.50mm

1.70mm

2.00mm

ON DEMAND

Available tip size in mm

Tip Size (mm)	Label
0.3	03
0.5	05
0.7	07
1.0	10
1.2	12
1.5	15
1.7	17
2.0	20

CODING GUIDANCE



www.medroseinstruments.com

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS

**PREMIUM STANDARD
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Premium Standard Single Use Mcpherson
Bipolar Forcep Angled tip with Cable-3m**


	90mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	PNA136-05	PNA137-05	PNA134-05	PNA139-05	PNA140-05	0.50mm
	PNA136-10	PNA137-10	PNA134-10	PNA139-10	PNA140-10	1.00mm
	PNA136-20	PNA137-20	PNA134-20	PNA139-20	PNA140-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNA136A-05	PNA137A-10	PNA134A-05	PNA139A-05	PNA140A-05	0.50mm
	PNA136A-10	PNA137A-10	PNA134A-10	PNA139A-10	PNA140A-10	1.00mm
	PNA136A-20	PNA137A-20	PNA134A-20	PNA139A-20	PNA140A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	PNA136B-05	PNA137B-05	PNA134B-05	PNA139B-05	PNA140B-05	0.50mm
	PNA136B-10	PNA137B-10	PNA134B-10	PNA139B-10	PNA140B-10	1.00mm
	PNA136B-20	PNA137B-20	PNA134B-20	PNA139B-20	PNA140B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNA136C-05	PNA137C-05	PNA134C-05	PNA139C-05	PNA140C-05	0.50mm
	PNA136C-10	PNA137C-10	PNA134C-10	PNA139C-10	PNA140C-10	1.00mm
	PNA136C-20	PNA137C-20	PNA134C-20	PNA139C-20	PNA140C-20	2.00mm
Valleylab, Autobipolar models only	PNA136D-05	PNA137D-05	PNA134D-05	PNA139D-05	PNA140D-05	0.50mm
	PNA136D-10	PNA137D-10	PNA134D-10	PNA139D-10	PNA140D-10	1.00mm
	PNA136D-20	PNA137D-20	PNA134D-20	PNA139D-20	PNA140D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	PNA136R-05	PNA137R-05	PNA134R-05	PNA139R-05	PNA140R-05	0.50mm
	PNA136R-10	PNA137R-10	PNA134R-10	PNA139R-10	PNA140R-10	1.00mm
	PNA136R-20	PNA137R-20	PNA134R-20	PNA139R-20	PNA140R-20	2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS


**PREMIUM NON-STICK
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK PURPLE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Premium Non-Stick Single Use Jeweler
Bipolar Forcep Straight tip with Cable-3m**


	95mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	PNS125-05	PNS126-05	PNS127-05	PNS101-05	PNS128-05	0.50mm
	PNS125-10	PNS126-10	PNS127-10	PNS101-10	PNS128-10	1.00mm
	PNS125-20	PNS126-20	PNS127-20	PNS101-20	PNS128-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNS125A-05	PNS126A-05	PNS127A-05	PNS101A-05	PNS128A-05	0.50mm
	PNS125A-10	PNS126A-10	PNS127A-10	PNS101A-10	PNS128A-10	1.00mm
	PNS125A-20	PNS126A-20	PNS127A-20	PNS101A-20	PNS128A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	PNS125B-05	PNS126B-05	PNS127B-05	PNS101B-05	PNS128B-05	0.50mm
	PNS125B-10	PNS126B-10	PNS127B-10	PNS101B-10	PNS128B-10	1.00mm
	PNS125B-20	PNS126B-20	PNS127B-20	PNS101B-20	PNS128B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNS125C-05	PNS126C-05	PNS127C-05	PNS101C-05	PNS128C-05	0.50mm
	PNS125C-10	PNS126C-10	PNS127C-10	PNS101C-10	PNS128C-10	1.00mm
	PNS125C-20	PNS126C-20	PNS127C-20	PNS101C-20	PNS128C-20	2.00mm
Valleylab, Autobipolar models only	PNS125D-05	PNS126D-05	PNS127D-05	PNS101D-05	PNS128D-05	0.50mm
	PNS125D-10	PNS126D-10	PNS127D-10	PNS101D-10	PNS128D-10	1.00mm
	PNS125D-20	PNS126D-20	PNS127D-20	PNS101D-20	PNS128D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	PNS125R-05	PNS126R-05	PNS127R-05	PNS101R-05	PNS128R-05	0.50mm
	PNS125R-10	PNS126R-10	PNS127R-10	PNS101R-10	PNS128R-10	1.00mm
	PNS125R-20	PNS126R-20	PNS127R-20	PNS101R-20	PNS128R-20	2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS

**PREMIUM STANDARD
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Premium Standard Single Use Jeweler
Bipolar Forcep Straight tip with Cable-3m**


	95mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	PNA125-05	PNA126-05	PNA127-05	PNA101-05	PNA128-05	0.50mm
	PNA125-10	PNA126-10	PNA127-10	PNA101-10	PNA128-10	1.00mm
	PNA125-20	PNA126-20	PNA127-20	PNA101-20	PNA128-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNA125A-05	PNA126A-10	PNA127A-05	PNA101A-05	PNA128A-05	0.50mm
	PNA125A-10	PNA126A-10	PNA127A-10	PNA101A-10	PNA128A-10	1.00mm
	PNA125A-20	PNA126A-20	PNA127A-20	PNA101A-20	PNA128A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	PNA125B-05	PNA126B-05	PNA127B-05	PNA101B-05	PNA128B-05	0.50mm
	PNA125B-10	PNA126B-10	PNA127B-10	PNA101B-10	PNA128B-10	1.00mm
	PNA125B-20	PNA126B-20	PNA127B-20	PNA101B-20	PNA128B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNA125C-05	PNA126C-05	PNA127C-05	PNA101C-05	PNA128C-05	0.50mm
	PNA125C-10	PNA126C-10	PNA127C-10	PNA101C-10	PNA128C-10	1.00mm
	PNA125C-20	PNA126C-20	PNA127C-20	PNA101C-20	PNA128C-20	2.00mm
Valleylab, Autobipolar models only	PNA125D-05	PNA126D-05	PNA127D-05	PNA101D-05	PNA128D-05	0.50mm
	PNA125D-10	PNA126D-10	PNA127D-10	PNA101D-10	PNA128D-10	1.00mm
	PNA125D-20	PNA126D-20	PNA127D-20	PNA101D-20	PNA128D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	PNA125R-05	PNA126R-05	PNA127R-05	PNA101R-05	PNA128R-05	0.50mm
	PNA125R-10	PNA126R-10	PNA127R-10	PNA101R-10	PNA128R-10	1.00mm
	PNA125R-20	PNA126R-20	PNA127R-20	PNA101R-20	PNA128R-20	2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS


**PREMIUM NON-STICK
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK PURPLE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Premium Non-Stick Single Use Jeweler
Bipolar Forcep Angled tip with Cable-3m**


	95mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	PNS129-05	PNS130-05	PNS141-05	PNS109-05	PNS142-05	0.50mm
	PNS129-10	PNS130-10	PNS141-10	PNS109-10	PNS142-10	1.00mm
	PNS129-20	PNS130-20	PNS141-20	PNS109-20	PNS142-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNS129A-05	PNS130A-05	PNS141A-05	PNS109A-05	PNS142A-05	0.50mm
	PNS129A-10	PNS130A-10	PNS141A-10	PNS109A-10	PNS142A-10	1.00mm
	PNS129A-20	PNS130A-20	PNS141A-20	PNS109A-20	PNS142A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	PNS129B-05	PNS130B-05	PNS141B-05	PNS109B-05	PNS142B-05	0.50mm
	PNS129B-10	PNS130B-10	PNS141B-10	PNS109B-10	PNS142B-10	1.00mm
	PNS129B-20	PNS130B-20	PNS141B-20	PNS109B-20	PNS142B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNS129C-05	PNS130C-05	PNS141C-05	PNS109C-05	PNS142C-05	0.50mm
	PNS129C-10	PNS130C-10	PNS141C-10	PNS109C-10	PNS142C-10	1.00mm
	PNS129C-20	PNS130C-20	PNS141C-20	PNS109C-20	PNS142C-20	2.00mm
Valleylab, Autobipolar models only	PNS129D-05	PNS130D-05	PNS141D-05	PNS109D-05	PNS142D-05	0.50mm
	PNS129D-10	PNS130D-10	PNS141D-10	PNS109D-10	PNS142D-10	1.00mm
	PNS129D-20	PNS130D-20	PNS141D-20	PNS109D-20	PNS142D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	PNS129R-05	PNS130R-05	PNS141R-05	PNS109R-05	PNS142R-05	0.50mm
	PNS129R-10	PNS130R-10	PNS141R-10	PNS109R-10	PNS142R-10	1.00mm
	PNS129R-20	PNS130R-20	PNS141R-20	PNS109R-20	PNS142R-20	2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS

**PREMIUM STANDARD
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Premium Standard Single Use Jeweler
Bipolar Forcep Angled tip with Cable-3m**

	95mm	102mm	108mm	115mm	125mm	TIP SIZE
International 4mm Banana Plug Fitting	PNA129-05	PNA130-05	PNA141-05	PNA109-05	PNA142-05	0.50mm
	PNA129-10	PNA130-10	PNA141-10	PNA109-10	PNA142-10	1.00mm
	PNA129-20	PNA130-20	PNA141-20	PNA109-20	PNA142-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNA129A-05	PNA130A-10	PNA141A-05	PNA109A-05	PNA142A-05	0.50mm
	PNA129A-10	PNA130A-10	PNA141A-10	PNA109A-10	PNA142A-10	1.00mm
	PNA129A-20	PNA130A-20	PNA141A-20	PNA109A-20	PNA142A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	PNA129B-05	PNA130B-05	PNA141B-05	PNA109B-05	PNA142B-05	0.50mm
	PNA129B-10	PNA130B-10	PNA141B-10	PNA109B-10	PNA142B-10	1.00mm
	PNA129B-20	PNA130B-20	PNA141B-20	PNA109B-20	PNA142B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNA129C-05	PNA130C-05	PNA141C-05	PNA109C-05	PNA142C-05	0.50mm
	PNA129C-10	PNA130C-10	PNA141C-10	PNA109C-10	PNA142C-10	1.00mm
	PNA129C-20	PNA130C-20	PNA141C-20	PNA109C-20	PNA142C-20	2.00mm
Valleylab, Autobipolar models only	PNA129D-05	PNA130D-05	PNA141D-05	PNA109D-05	PNA142D-05	0.50mm
	PNA129D-10	PNA130D-10	PNA141D-10	PNA109D-10	PNA142D-10	1.00mm
	PNA129D-20	PNA130D-20	PNA141D-20	PNA109D-20	PNA142D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	PNA129R-05	PNA130R-05	PNA141R-05	PNA109R-05	PNA142R-05	0.50mm
	PNA129R-10	PNA130R-10	PNA141R-10	PNA109R-10	PNA142R-10	1.00mm
	PNA129R-20	PNA130R-20	PNA141R-20	PNA109R-20	PNA142R-20	2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS

**PREMIUM NON-STICK
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK PURPLE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Premium Non-Stick Single Use Adson
Bipolar Forceps with Cable-3m**


	110mm	121mm	150mm	165mm	180mm	TIP SIZE
International 4mm Banana Plug Fitting	PNS143-05	PNS102-05	PNS144-05	PNS145-05	PNS146-05	0.50mm
	PNS143-10	PNS102-10	PNS144-10	PNS145-10	PNS146-10	1.00mm
	PNS143-20	PNS102-20	PNS144-20	PNS145-20	PNS146-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNS143A-05	PNS102A-05	PNS144A-05	PNS145A-05	PNS146A-05	0.50mm
	PNS143A-10	PNS102A-10	PNS144A-10	PNS145A-10	PNS146A-10	1.00mm
	PNS143A-20	PNS102A-20	PNS144A-20	PNS145A-20	PNS146A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	PNS143B-05	PNS102B-05	PNS144B-05	PNS145B-05	PNS146B-05	0.50mm
	PNS143B-10	PNS102B-10	PNS144B-10	PNS145B-10	PNS146B-10	1.00mm
	PNS143B-20	PNS102B-20	PNS144B-20	PNS145B-20	PNS146B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNS143C-05	PNS102C-05	PNS144C-05	PNS145C-05	PNS146C-05	0.50mm
	PNS143C-10	PNS102C-10	PNS144C-10	PNS145C-10	PNS146C-10	1.00mm
	PNS143C-20	PNS102C-20	PNS144C-20	PNS145C-20	PNS146C-20	2.00mm
Valleylab, Autobipolar models only	PNS143D-05	PNS102D-05	PNS144D-05	PNS145D-05	PNS146D-05	0.50mm
	PNS143D-10	PNS102D-10	PNS144D-10	PNS145D-10	PNS146D-10	1.00mm
	PNS143D-20	PNS102D-20	PNS144D-20	PNS145D-20	PNS146D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	PNS143R-05	PNS102R-05	PNS144R-05	PNS145R-05	PNS146R-05	0.50mm
	PNS143R-10	PNS102R-10	PNS144R-10	PNS145R-10	PNS146R-10	1.00mm
	PNS143R-20	PNS102R-20	PNS144R-20	PNS145R-20	PNS146R-20	2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS

**PREMIUM STANDARD
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Premium Standard Single Use Straight
Bipolar Forceps Angled with Cable-3m**

	110mm	121mm	150mm	165mm	180mm	TIP SIZE
International 4mm Banana Plug Fitting	PNA143-05	PNA102-05	PNA144-05	PNA145-05	PNA146-05	0.50mm
	PNA143-10	PNA102-10	PNA144-10	PNA145-10	PNA146-10	1.00mm
	PNA143-20	PNA102-20	PNA144-20	PNA145-20	PNA146-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNA143A-05	PNA102A-10	PNA144A-05	PNA145A-05	PNA146A-05	0.50mm
	PNA143A-10	PNA102A-10	PNA144A-10	PNA145A-10	PNA146A-10	1.00mm
	PNA143A-20	PNA102A-20	PNA144A-20	PNA145A-20	PNA146A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	PNA143B-05	PNA102B-05	PNA144B-05	PNA145B-05	PNA146B-05	0.50mm
	PNA143B-10	PNA102B-10	PNA144B-10	PNA145B-10	PNA146B-10	1.00mm
	PNA143B-20	PNA102B-20	PNA144B-20	PNA145B-20	PNA146B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNA143C-05	PNA102C-05	PNA144C-05	PNA145C-05	PNA146C-05	0.50mm
	PNA143C-10	PNA102C-10	PNA144C-10	PNA145C-10	PNA146C-10	1.00mm
	PNA143C-20	PNA102C-20	PNA144C-20	PNA145C-20	PNA146C-20	2.00mm
Valleylab, Autobipolar models only	PNA143D-05	PNA102D-05	PNA144D-05	PNA145D-05	PNA146D-05	0.50mm
	PNA143D-10	PNA102D-10	PNA144D-10	PNA145D-10	PNA146D-10	1.00mm
	PNA143D-20	PNA102D-20	PNA144D-20	PNA145D-20	PNA146D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	PNA143R-05	PNA102R-05	PNA144R-05	PNA145R-05	PNA146R-05	0.50mm
	PNA143R-10	PNA102R-10	PNA144R-10	PNA145R-10	PNA146R-10	1.00mm
	PNA143R-20	PNA102R-20	PNA144R-20	PNA145R-20	PNA146R-20	2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS

**PREMIUM NON-STICK
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK PURPLE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm




**Premium Non-Stick Single Use Straight
Bipolar Forcep Straight tip with Cable-3m**

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	PNS104-05	PNS106-05	PNS103-05	PNS111-05	PNS112-05	0.50mm
	PNS104-10	PNS106-10	PNS103-10	PNS111-10	PNS112-10	1.00mm
	PNS104-20	PNS106-20	PNS103-20	PNS111-20	PNS112-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNS104A-05	PNS106A-05	PNS103A-05	PNS111A-05	PNS112A-05	0.50mm
	PNS104A-10	PNS106A-10	PNS103A-10	PNS111A-10	PNS112A-10	1.00mm
	PNS104A-20	PNS106A-20	PNS103A-20	PNS111A-20	PNS112A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	PNS104B-05	PNS106B-05	PNS103B-05	PNS111B-05	PNS112B-05	0.50mm
	PNS104B-10	PNS106B-10	PNS103B-10	PNS111B-10	PNS112B-10	1.00mm
	PNS104B-20	PNS106B-20	PNS103B-20	PNS111B-20	PNS112B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNS104C-05	PNS106C-05	PNS103C-05	PNS111C-05	PNS112C-05	0.50mm
	PNS104C-10	PNS106C-10	PNS103C-10	PNS111C-10	PNS112C-10	1.00mm
	PNS104C-20	PNS106C-20	PNS103C-20	PNS111C-20	PNS112C-20	2.00mm
Valleylab, Autobipolar models only	PNS104D-05	PNS106D-05	PNS103D-05	PNS111D-05	PNS112D-05	0.50mm
	PNS104D-10	PNS106D-10	PNS103D-10	PNS111D-10	PNS112D-10	1.00mm
	PNS104D-20	PNS106D-20	PNS103D-20	PNS111D-20	PNS112D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	PNS104R-05	PNS106R-05	PNS103R-05	PNS111R-05	PNS112R-05	0.50mm
	PNS104R-10	PNS106R-10	PNS103R-10	PNS111R-10	PNS112R-10	1.00mm
	PNS104R-20	PNS106R-20	PNS103R-20	PNS111R-20	PNS112R-20	2.00mm




CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



Premium Standard Single Use Straight
Bipolar Forcep Straight tip with Cable-3m


	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	PNA104-05	PNA106-05	PNA103-05	PNA111-05	PNA112-05	0.50mm
	PNA104-10	PNA106-10	PNA103-10	PNA111-10	PNA112-10	1.00mm
	PNA104-20	PNA106-20	PNA103-20	PNA111-20	PNA112-20	2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	PNA104A-05	PNA106A-10	PNA103A-05	PNA111A-05	PNA112A-05	0.50mm
	PNA104A-10	PNA106A-10	PNA103A-10	PNA111A-10	PNA112A-10	1.00mm
	PNA104A-20	PNA106A-20	PNA103A-20	PNA111A-20	PNA112A-20	2.00mm
 ERBE 4mm, Siemens Shutter BM50	PNA104B-05	PNA106B-05	PNA103B-05	PNA111B-05	PNA112B-05	0.50mm
	PNA104B-10	PNA106B-10	PNA103B-10	PNA111B-10	PNA112B-10	1.00mm
	PNA104B-20	PNA106B-20	PNA103B-20	PNA111B-20	PNA112B-20	2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	PNA104C-05	PNA106C-05	PNA103C-05	PNA111C-05	PNA112C-05	0.50mm
	PNA104C-10	PNA106C-10	PNA103C-10	PNA111C-10	PNA112C-10	1.00mm
	PNA104C-20	PNA106C-20	PNA103C-20	PNA111C-20	PNA112C-20	2.00mm
 Valleylab, Autobipolar models only	PNA104D-05	PNA106D-05	PNA103D-05	PNA111D-05	PNA112D-05	0.50mm
	PNA104D-10	PNA106D-10	PNA103D-10	PNA111D-10	PNA112D-10	1.00mm
	PNA104D-20	PNA106D-20	PNA103D-20	PNA111D-20	PNA112D-20	2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	PNA104R-05	PNA106R-05	PNA103R-05	PNA111R-05	PNA112R-05	0.50mm
	PNA104R-10	PNA106R-10	PNA103R-10	PNA111R-10	PNA112R-10	1.00mm
	PNA104R-20	PNA106R-20	PNA103R-20	PNA111R-20	PNA112R-20	2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS


**PREMIUM NON-STICK
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK PURPLE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Premium Non-Stick Single Use Straight
Bipolar Forcep Angled tip with Cable-3m**


	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	PNS113-05	PNS114-05	PNS115-05	PNS116-05	PNS117-05	0.50mm
	PNS113-10	PNS114-10	PNS115-10	PNS116-10	PNS117-10	1.00mm
	PNS113-20	PNS114-20	PNS115-20	PNS116-20	PNS117-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNS113A-05	PNS114A-05	PNS115A-05	PNS116A-05	PNS117A-05	0.50mm
	PNS113A-10	PNS114A-10	PNS115A-10	PNS116A-10	PNS117A-10	1.00mm
	PNS113A-20	PNS114A-20	PNS115A-20	PNS116A-20	PNS117A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	PNS113B-05	PNS114B-05	PNS115B-05	PNS116B-05	PNS117B-05	0.50mm
	PNS113B-10	PNS114B-10	PNS115B-10	PNS116B-10	PNS117B-10	1.00mm
	PNS113B-20	PNS114B-20	PNS115B-20	PNS116B-20	PNS117B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNS113C-05	PNS114C-05	PNS115C-05	PNS116C-05	PNS117C-05	0.50mm
	PNS113C-10	PNS114C-10	PNS115C-10	PNS116C-10	PNS117C-10	1.00mm
	PNS113C-20	PNS114C-20	PNS115C-20	PNS116C-20	PNS117C-20	2.00mm
Valleylab, Autobipolar models only	PNS113D-05	PNS114D-05	PNS115D-05	PNS116D-05	PNS117D-05	0.50mm
	PNS113D-10	PNS114D-10	PNS115D-10	PNS116D-10	PNS117D-10	1.00mm
	PNS113D-20	PNS114D-20	PNS115D-20	PNS116D-20	PNS117D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	PNS113R-05	PNS114R-05	PNS115R-05	PNS116R-05	PNS117R-05	0.50mm
	PNS113R-10	PNS114R-10	PNS115R-10	PNS116R-10	PNS117R-10	1.00mm
	PNS113R-20	PNS114R-20	PNS115R-20	PNS116R-20	PNS117R-20	2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS

**PREMIUM STANDARD
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38



PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



**Premium Standard Single Use Straight
Bipolar Forcep Angled tip with Cable-3m**


	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	PNA113-05	PNA114-05	PNA115-05	PNA116-05	PNA117-05	0.50mm
	PNA113-10	PNA114-10	PNA115-10	PNA116-10	PNA117-10	1.00mm
	PNA113-20	PNA114-20	PNA115-20	PNA116-20	PNA117-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNA113A-05	PNA114A-10	PNA115A-05	PNA116A-05	PNA117A-05	0.50mm
	PNA113A-10	PNA114A-10	PNA115A-10	PNA116A-10	PNA117A-10	1.00mm
	PNA113A-20	PNA114A-20	PNA115A-20	PNA116A-20	PNA117A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	PNA113B-05	PNA114B-05	PNA115B-05	PNA116B-05	PNA117B-05	0.50mm
	PNA113B-10	PNA114B-10	PNA115B-10	PNA116B-10	PNA117B-10	1.00mm
	PNA113B-20	PNA114B-20	PNA115B-20	PNA116B-20	PNA117B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNA113C-05	PNA114C-05	PNA115C-05	PNA116C-05	PNA117C-05	0.50mm
	PNA113C-10	PNA114C-10	PNA115C-10	PNA116C-10	PNA117C-10	1.00mm
	PNA113C-20	PNA114C-20	PNA115C-20	PNA116C-20	PNA117C-20	2.00mm
Valleylab, Autobipolar models only	PNA113D-05	PNA114D-05	PNA115D-05	PNA116D-05	PNA117D-05	0.50mm
	PNA113D-10	PNA114D-10	PNA115D-10	PNA116D-10	PNA117D-10	1.00mm
	PNA113D-20	PNA114D-20	PNA115D-20	PNA116D-20	PNA117D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	PNA113R-05	PNA114R-05	PNA115R-05	PNA116R-05	PNA117R-05	0.50mm
	PNA113R-10	PNA114R-10	PNA115R-10	PNA116R-10	PNA117R-10	1.00mm
	PNA113R-20	PNA114R-20	PNA115R-20	PNA116R-20	PNA117R-20	2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS


**PREMIUM NON-STICK
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE


NON-STICK PURPLE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



Premium Non-Stick Single Use Bayonet
Bipolar Forceps Straight Tip with Cable-3m

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	PNS107-05	PNS105-05	PNS108-05	PNS118-05	PNS119-05	 0.50mm
	PNS107-10	PNS105-10	PNS108-10	PNS118-10	PNS119-10	 1.00mm
	PNS107-20	PNS105-20	PNS108-20	PNS118-20	PNS119-20	 2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	PNS107A-05	PNS105A-05	PNS108A-05	PNS118A-05	PNS119A-05	 0.50mm
	PNS107A-10	PNS105A-10	PNS108A-10	PNS118A-10	PNS119A-10	 1.00mm
	PNS107A-20	PNS105A-20	PNS108A-20	PNS118A-20	PNS119A-20	 2.00mm
 ERBE 4mm, Siemens Shutter BM50	PNS107B-05	PNS105B-05	PNS108B-05	PNS118B-05	PNS119B-05	 0.50mm
	PNS107B-10	PNS105B-10	PNS108B-10	PNS118B-10	PNS119B-10	 1.00mm
	PNS107B-20	PNS105B-20	PNS108B-20	PNS118B-20	PNS119B-20	 2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	PNS107C-05	PNS105C-05	PNS108C-05	PNS118C-05	PNS119C-05	 0.50mm
	PNS107C-10	PNS105C-10	PNS108C-10	PNS118C-10	PNS119C-10	 1.00mm
	PNS107C-20	PNS105C-20	PNS108C-20	PNS118C-20	PNS119C-20	 2.00mm
 Valleylab, Autobipolar models only	PNS107D-05	PNS105D-05	PNS108D-05	PNS118D-05	PNS119D-05	 0.50mm
	PNS107D-10	PNS105D-10	PNS108D-10	PNS118D-10	PNS119D-10	 1.00mm
	PNS107D-20	PNS105D-20	PNS108D-20	PNS118D-20	PNS119D-20	 2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	PNS107R-05	PNS105R-05	PNS108R-05	PNS118R-05	PNS119R-05	 0.50mm
	PNS107R-10	PNS105R-10	PNS108R-10	PNS118R-10	PNS119R-10	 1.00mm
	PNS107R-20	PNS105R-20	PNS108R-20	PNS118R-20	PNS119R-20	 2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS

**PREMIUM STANDARD
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



Premium Standard Single Use Bayonet
Bipolar Forceps Straight Tip with Cable-3m

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	PNA107-05	PNA105-05	PNA108-05	PNA118-05	PNA119-05	0.50mm
	PNA107-10	PNA105-10	PNA108-10	PNA118-10	PNA119-10	1.00mm
	PNA107-20	PNA105-20	PNA108-20	PNA118-20	PNA119-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNA107A-05	PNA105A-10	PNA108A-05	PNA118A-05	PNA119A-05	0.50mm
	PNA107A-10	PNA105A-10	PNA108A-10	PNA118A-10	PNA119A-10	1.00mm
	PNA107A-20	PNA105A-20	PNA108A-20	PNA118A-20	PNA119A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	PNA107B-05	PNA105B-05	PNA108B-05	PNA118B-05	PNA119B-05	0.50mm
	PNA107B-10	PNA105B-10	PNA108B-10	PNA118B-10	PNA119B-10	1.00mm
	PNA107B-20	PNA105B-20	PNA108B-20	PNA118B-20	PNA119B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNA107C-05	PNA105C-05	PNA108C-05	PNA118C-05	PNA119C-05	0.50mm
	PNA107C-10	PNA105C-10	PNA108C-10	PNA118C-10	PNA119C-10	1.00mm
	PNA107C-20	PNA105C-20	PNA108C-20	PNA118C-20	PNA119C-20	2.00mm
Valleylab, Autobipolar models only	PNA107D-05	PNA105D-05	PNA108D-05	PNA118D-05	PNA119D-05	0.50mm
	PNA107D-10	PNA105D-10	PNA108D-10	PNA118D-10	PNA119D-10	1.00mm
	PNA107D-20	PNA105D-20	PNA108D-20	PNA118D-20	PNA119D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	PNA107R-05	PNA105R-05	PNA108R-05	PNA118R-05	PNA119R-05	0.50mm
	PNA107R-10	PNA105R-10	PNA108R-10	PNA118R-10	PNA119R-10	1.00mm
	PNA107R-20	PNA105R-20	PNA108R-20	PNA118R-20	PNA119R-20	2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS

**PREMIUM NON-STICK
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE






NON-STICK PURPLE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



Premium Non-Stick Single Use Bayonet
Bipolar Forceps Angle Down Tip with Cable-3m

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
 International 4mm Banana Plug Fitting	PNS120-05	PNS121-05	PNS122-05	PNS123-05	PNS124-05	 0.50mm
	PNS120-10	PNS121-10	PNS122-10	PNS123-10	PNS124-10	 1.00mm
	PNS120-20	PNS121-20	PNS122-20	PNS123-20	PNS124-20	 2.00mm
 BOWA, Limidey, EMC, Valleylab, Evthicon	PNS120A-05	PNS121A-05	PNS122A-05	PNS123A-05	PNS124A-05	 0.50mm
	PNS120A-10	PNS121A-10	PNS122A-10	PNS123A-10	PNS124A-10	 1.00mm
	PNS120A-20	PNS121A-20	PNS122A-20	PNS123A-20	PNS124A-20	 2.00mm
 ERBE 4mm, Siemens Shutter BM50	PNS120B-05	PNS121B-05	PNS122B-05	PNS123B-05	PNS124B-05	 0.50mm
	PNS120B-10	PNS121B-10	PNS122B-10	PNS123B-10	PNS124B-10	 1.00mm
	PNS120B-20	PNS121B-20	PNS122B-20	PNS123B-20	PNS124B-20	 2.00mm
 Aesculap, Berchtold, Wolf, Mvartin	PNS120C-05	PNS121C-05	PNS122C-05	PNS123C-05	PNS124C-05	 0.50mm
	PNS120C-10	PNS121C-10	PNS122C-10	PNS123C-10	PNS124C-10	 1.00mm
	PNS120C-20	PNS121C-20	PNS122C-20	PNS123C-20	PNS124C-20	 2.00mm
 Valleylab, Autobipolar models only	PNS120D-05	PNS121D-05	PNS122D-05	PNS123D-05	PNS124D-05	 0.50mm
	PNS120D-10	PNS121D-10	PNS122D-10	PNS123D-10	PNS124D-10	 1.00mm
	PNS120D-20	PNS121D-20	PNS122D-20	PNS123D-20	PNS124D-20	 2.00mm
 Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	PNS120R-05	PNS121R-05	PNS122R-05	PNS123R-05	PNS124R-05	 0.50mm
	PNS120R-10	PNS121R-10	PNS122R-10	PNS123R-10	PNS124R-10	 1.00mm
	PNS120R-20	PNS121R-20	PNS122R-20	PNS123R-20	PNS124R-20	 2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS

**PREMIUM STANDARD
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



Premium Standard Single Use Bayonet
Bipolar Forceps Angle Down Tip with Cable-3m

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	PNA120-05	PNA121-05	PNA122-05	PNA123-05	PNA124-05	1/4 0.50mm
	PNA120-10	PNA121-10	PNA122-10	PNA123-10	PNA124-10	1/4 1.00mm
	PNA120-20	PNA121-20	PNA122-20	PNA123-20	PNA124-20	1/4 2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNA120A-05	PNA121A-10	PNA122A-05	PNA123A-05	PNA124A-05	1/4 0.50mm
	PNA120A-10	PNA121A-10	PNA122A-10	PNA123A-10	PNA124A-10	1/4 1.00mm
	PNA120A-20	PNA121A-20	PNA122A-20	PNA123A-20	PNA124A-20	1/4 2.00mm
ERBE 4mm, Siemens Shutter BM50	PNA120B-05	PNA121B-05	PNA122B-05	PNA123B-05	PNA124B-05	1/4 0.50mm
	PNA120B-10	PNA121B-10	PNA122B-10	PNA123B-10	PNA124B-10	1/4 1.00mm
	PNA120B-20	PNA121B-20	PNA122B-20	PNA123B-20	PNA124B-20	1/4 2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNA120C-05	PNA121C-05	PNA122C-05	PNA123C-05	PNA124C-05	1/4 0.50mm
	PNA120C-10	PNA121C-10	PNA122C-10	PNA123C-10	PNA124C-10	1/4 1.00mm
	PNA120C-20	PNA121C-20	PNA122C-20	PNA123C-20	PNA124C-20	1/4 2.00mm
Valleylab, Autobipolar models only	PNA120D-05	PNA121D-05	PNA122D-05	PNA123D-05	PNA124D-05	1/4 0.50mm
	PNA120D-10	PNA121D-10	PNA122D-10	PNA123D-10	PNA124D-10	1/4 1.00mm
	PNA120D-20	PNA121D-20	PNA122D-20	PNA123D-20	PNA124D-20	1/4 2.00mm
Rotating Eschmann 18mm, Elliman 22mm, Valleylabv 28mm, Conmed 30mm	PNA120R-05	PNA121R-05	PNA122R-05	PNA123R-05	PNA124R-05	1/4 0.50mm
	PNA120R-10	PNA121R-10	PNA122R-10	PNA123R-10	PNA124R-10	1/4 1.00mm
	PNA120R-20	PNA121R-20	PNA122R-20	PNA123R-20	PNA124R-20	1/4 2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS

**PREMIUM NON-STICK
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE

NON-STICK PURPLE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



Premium Non-Stick Single Use Bayonet
Bipolar Forceps Angle Up Tip with Cable-3m

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	PNS151-05	PNS152-05	PNS153-05	PNS154-05	PNS155-05	0.50mm
	PNS151-10	PNS152-10	PNS153-10	PNS154-10	PNS155-10	1.00mm
	PNS151-20	PNS152-20	PNS153-20	PNS154-20	PNS155-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNS151A-05	PNS152A-05	PNS153A-05	PNS154A-05	PNS155A-05	0.50mm
	PNS151A-10	PNS152A-10	PNS153A-10	PNS154A-10	PNS155A-10	1.00mm
	PNS151A-20	PNS152A-20	PNS153A-20	PNS154A-20	PNS155A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	PNS151B-05	PNS152B-05	PNS153B-05	PNS154B-05	PNS155B-05	0.50mm
	PNS151B-10	PNS152B-10	PNS153B-10	PNS154B-10	PNS155B-10	1.00mm
	PNS151B-20	PNS152B-20	PNS153B-20	PNS154B-20	PNS155B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNS151C-05	PNS152C-05	PNS153C-05	PNS154C-05	PNS155C-05	0.50mm
	PNS151C-10	PNS152C-10	PNS153C-10	PNS154C-10	PNS155C-10	1.00mm
	PNS151C-20	PNS152C-20	PNS153C-20	PNS154C-20	PNS155C-20	2.00mm
Valleylab, Autobipolar models only	PNS151D-05	PNS152D-05	PNS153D-05	PNS154D-05	PNS155D-05	0.50mm
	PNS151D-10	PNS152D-10	PNS153D-10	PNS154D-10	PNS155D-10	1.00mm
	PNS151D-20	PNS152D-20	PNS153D-20	PNS154D-20	PNS155D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylabv 28mm, Conmed 30mm	PNS151R-05	PNS152R-05	PNS153R-05	PNS154R-05	PNS155R-05	0.50mm
	PNS151R-10	PNS152R-10	PNS153R-10	PNS154R-10	PNS155R-10	1.00mm
	PNS151R-20	PNS152R-20	PNS153R-20	PNS154R-20	PNS155R-20	2.00mm

**SINGLE USE
ELECTROSURGERY**
PREMIUM ELITE FORCEPS

**PREMIUM STANDARD
BIPOLAR FORCEPS**
WITH INTEGRATED CABLE



PAGE 37




PAGE 38




PAGE 40

CABLES COMPATIBILITY GUIDANCE

STANDARD BLUE FORCEPS WITH INTEGRATED CABLE



Available Tip Size in mm



Premium Standard Single Use Bayonet
Bipolar Forceps Angle Up Tip with Cable-3m

	155mm	180mm	200mm	220mm	240mm	TIP SIZE
International 4mm Banana Plug Fitting	PNA151-05	PNA152-05	PNA153-05	PNA154-05	PNA155-05	0.50mm
	PNA151-10	PNA152-10	PNA153-10	PNA154-10	PNA155-10	1.00mm
	PNA151-20	PNA152-20	PNA153-20	PNA154-20	PNA155-20	2.00mm
BOWA, Limidey, EMC, Valleylab, Evthicon	PNA151A-05	PNA152A-10	PNA153A-05	PNA154A-05	PNA155A-05	0.50mm
	PNA151A-10	PNA152A-10	PNA153A-10	PNA154A-10	PNA155A-10	1.00mm
	PNA151A-20	PNA152A-20	PNA153A-20	PNA154A-20	PNA155A-20	2.00mm
ERBE 4mm, Siemens Shutter BM50	PNA151B-05	PNA152B-05	PNA153B-05	PNA154B-05	PNA155B-05	0.50mm
	PNA151B-10	PNA152B-10	PNA153B-10	PNA154B-10	PNA155B-10	1.00mm
	PNA151B-20	PNA152B-20	PNA153B-20	PNA154B-20	PNA155B-20	2.00mm
Aesculap, Berchtold, Wolf, Mvartin	PNA151C-05	PNA152C-05	PNA153C-05	PNA154C-05	PNA155C-05	0.50mm
	PNA151C-10	PNA152C-10	PNA153C-10	PNA154C-10	PNA155C-10	1.00mm
	PNA151C-20	PNA152C-20	PNA153C-20	PNA154C-20	PNA155C-20	2.00mm
Valleylab, Autobipolar models only	PNA151D-05	PNA152D-05	PNA153D-05	PNA154D-05	PNA155D-05	0.50mm
	PNA151D-10	PNA152D-10	PNA153D-10	PNA154D-10	PNA155D-10	1.00mm
	PNA151D-20	PNA152D-20	PNA153D-20	PNA154D-20	PNA155D-20	2.00mm
Rotating Eschmann 18mm, Ellman 22mm, Valleylab 28mm, Conmed 30mm	PNA151R-05	PNA152R-05	PNA153R-05	PNA154R-05	PNA155R-05	0.50mm
	PNA151R-10	PNA152R-10	PNA153R-10	PNA154R-10	PNA155R-10	1.00mm
	PNA151R-20	PNA152R-20	PNA153R-20	PNA154R-20	PNA155R-20	2.00mm

Single Use ELECTROSURGICAL

GYNAECOLOGY INSTRUMENTS



SU ELECTROSURGICAL **GYNAECOLOGY INSTRUMENTS**

Insulated Gynecology Instruments: Our premium quality of instruments, including speculums, retractors, and hooks, are designed to enhance safety and precision in gynecology procedures. With advanced insulation technology, these instruments minimize the risk of electrical burns by preventing unintended electrical contact with surrounding tissues. The ergonomic design ensures ease of handling, while the insulated tips offer reliable performance for delicate procedures, providing optimal control and minimizing patient discomfort.


The screw enables slight adjustments, ensuring the speculum remains securely in position.



The locking mechanism holds the blades open at the desired angle, allowing hands-free operation during examination.




Often curved or ergonomically shaped for comfortable grip and control.



**SINGLE USE
ELECTROSURGICAL**
GYNAECOLOGY INSTRUMENTS

**GYNAECOLOGY
SPECULUM**
WITH SMOKE EVACUATION TUBE



GYNAECOLOGY SPECULUM



Pederson Vaginal Speculum
with Smoke Evacuation Tube

SIZE	CODE
S 95mm 27mm	D403
M 95mm 30mm	D403A
L 110mm 35mm	D403B
ON DEMAND	D403F



Pederson Vaginal Speculum
with Smoke Evacuation Tube

SIZE	CODE
S 95mm 27mm	D412
M 95mm 30mm	D412A
L 110mm 35mm	D412B
ON DEMAND	D412F



Graves Vaginal Speculum
with Smoke Evacuation Tube

SIZE	CODE
S 95mm 27mm	D402
M 95mm 30mm	D402A
L 110mm 35mm	D402B
ON DEMAND	D402F



Lletz Four-Way Lateral
with Smoke Evacuation Tube

SIZE	CODE
S 95mm 27mm	D413
M 95mm 30mm	D413A
L 110mm 35mm	D413B
ON DEMAND	D413F



Cusco Speculum
with Smoke Evacuation Tube

SIZE	CODE
S 95mm 27mm	D411
M 95mm 30mm	D411A
L 110mm 35mm	D411B
ON DEMAND	D411F




Collin Speculum
with Smoke Evacuation Tube

SIZE	CODE
S 95mm 27mm	D401
M 95mm 30mm	D401A
L 110mm 35mm	D401B
ON DEMAND	D401F

**SINGLE USE
ELECTROSURGICAL**
GYNAECOLOGY INSTRUMENTS

**GYNAECOLOGY
SPECULUM**
WITH SMOKE EVACUATION TUBE



GYNAECOLOGY SPECULUM



Chinese Pattern Speculum
With Smoke Tube

SIZE	CODE
S 95mm 27mm	D417
M 95mm 30mm	D417A
L 110mm 35mm	D417B
ON DEMAND	D417F



Winterton Speculum
With Smoke Tube

SIZE	CODE
S 95mm 27mm	D418
M 95mm 30mm	D418A
L 110mm 35mm	D418B
ON DEMAND	D418F



Cusco Rocket Speculum
With Smoke Tube

SIZE	CODE
S 95mm 27mm	D419
M 95mm 30mm	D419A
L 110mm 35mm	D419B
ON DEMAND	D419F



Weisman Speculum 90
(Left Open) With Smoke Tupe

SIZE	CODE
S 95mm 27mm	D420
M 95mm 30mm	D420A
L 110mm 35mm	D420B
ON DEMAND	D420F



Pederson Speculum
With Fixed or Disposable Smoke Tube

SIZE	CODE
S 95mm 27mm	D421
M 95mm 30mm	D421A
L 110mm 35mm	D421B
ON DEMAND	D421F



VU-Max Pederson Speculum
With Fixed or Disposable Smoke Tube

SIZE	CODE
S 95mm 27mm	D422
M 95mm 30mm	D422A
L 110mm 35mm	D422B
ON DEMAND	D422F



GYNAECOLOGY FORCEPS



Champion Forceps
Mat Finishing

SIZE	CODE
SMALL	D414
MEDIUM	D414A
LARGE	D414B
ON DEMAND	D414F



Ring Forceps
Mat Finishing

SIZE	CODE
SMALL	D407
MEDIUM	D407A
LARGE	D407B
ON DEMAND	D407F



Tooth Forceps 1/1
Mat Finishing

SIZE	CODE
SMALL	D408
MEDIUM	D408A
LARGE	D408B
ON DEMAND	D408F




Gelpi Retractors
Smooth Ratchet Integrated

SIZE	CODE
SMALL	D410
MEDIUM	D410A
LARGE	D410B
ON DEMAND	D410F



GYNAECOLOGY SPECULUM & RETRACTORS



Lateral Vaginal Retractor

SIZE	CODE
SMALL	D404
MEDIUM	D404A
LARGE	D404B
ON DEMAND	D404F




Kogan Endocervical

SIZE	CODE
SMALL	D409
MEDIUM	D409A
LARGE	D409B
ON DEMAND	D409F




Rigby Speculum

SIZE	CODE
SMALL	D405
MEDIUM	D405A
LARGE	D405B
ON DEMAND	D405F



Lateral Retractor

SIZE	CODE
SMALL	D406
MEDIUM	D406A
LARGE	D406B
ON DEMAND	D406F



GYNAECOLOGY SPECULUM & RETRACTORS



Auvar Weighted Speculum

SIZE	CODE
S 95mm 27mm	D423
M 95mm 30mm	D423A
L 110mm 35mm	D423B
ON DEMAND	D423F



US Army Retractor

SIZE	CODE
S 95mm 27mm	D424
M 95mm 30mm	D424A
L 110mm 35mm	D424B
ON DEMAND	D424F



Farabeuf Retractor

SIZE	CODE
S 95mm 27mm	D425
M 95mm 30mm	D425A
L 110mm 35mm	D425B
ON DEMAND	D425F




Sims Speculum

SIZE	CODE
S 95mm 27mm	D426
M 95mm 30mm	D426A
L 110mm 35mm	D426B
ON DEMAND	D426F



Jager Lid Plate

SIZE	CODE
S 95mm 27mm	D427
M 95mm 30mm	D427A
L 110mm 35mm	D427B
ON DEMAND	D427F



GYNAECOLOGY RETRACTOR & SKIN HOOKS



Size
155mm Length
180mm Length
200mm Length
220mm Length
240mm Length
260mm Length
300mm Length
ON DEMAND

RetractorTip	RetractorTip	Double Hook	Double Eye	Prong Hook
D428	D429	D430	D431	D432
D428A	D429A	D430A	D431A	D432A
D428B	D429B	D430B	D431B	D432B
D428C	D429C	D430C	D431C	D432C
D428D	D429D	D430D	D431D	D432D
D428E	D429E	D430E	D431E	D432E
D428G	D429G	D430G	D431G	D432G
D428F	D429F	D430F	D431F	D432F



ESSENTIALS FORCEPS & HOOKS



Size
155mm Length
180mm Length
200mm Length
220mm Length
240mm Length
260mm Length
300mm Length
ON DEMAND

RetractorTip	RetractorTip	Double Hook	Double Eye	Prong Hook
D415	D416	D705	D703	D701
D415A	D416A	D705A	D703A	D701A
D415B	D416B	D705B	D703B	D701B
D415C	D416C	D705C	D703C	D701C
D415D	D416D	D705D	D703D	D701D
D415E	D416E	D705E	D703E	D701E
D415G	D416G	D705G	D703G	D701G
D415F	D416F	D705F	D703F	D701F



Quiver with Holding Ring

Julian Taylor Quiver with Holding Ring

Ø 40mm x 250mm Long

CODE : D433



Quiver Telescopic with Holding Ring

Ø 58mm Extends to 390mm

CODE : D434



Quiver

with Removable Screw Bottom

CODE : D436



Julian Taylor Quiver with Holding Ring

Ø 40mm x 250mm Long

CODE : D433



A blue plastic box containing various medical equipment components. Inside the box, there is a white rectangular device with a grey screen, a coiled blue cable, a white probe with a blue cable, a blue cable with a black connector, and two orange and blue cables. The box is set against a dark red background.

SU ELECTROSURGERY

PROCEDURE PACK

Introducing the PROMO BOX: Your All-in-One Solution for Electrosurgery

The PROMO BOX is a comprehensive procedure pack designed to streamline your electrosurgical needs. Combining essential instruments like forceps, electrodes, diathermy pencils, and cables into one convenient package, the PROMO BOX is tailored for versatility, efficiency, and reliability across general electrosurgery applications. Simplify your surgical setups with this innovative all-in-one solution.




PROCEDURE PACK



Package Details:

SR. NO.	CODE	DISCRIPTION	QTY
1	D807B	Single-use Straight Bipolar Forceps 20cm, tip 1mm	1
2	DNA203BB	Single-use Nonstick Bayonet Bipolar Forceps 20cm, tip 1mm	1
3	D1418	Single-use Bipolar Flat Plug Fitting Classic Cable	1
4	D600PLUS	Single-use Electrode set Short Shaft 2.4mm	5
5	PC203	Single-Use Pad	1
6	301	Single-Use Pencil Shaft 2.4mm	1


PROCEDURE PACK



Package Details:

SR. NO.	CODE	DISCRIPTION	QTY
1	NA132A-05	Single use Standard Bipolar McPherson Forceps with Cable 9.0cm, 0.5 Tip	1
2	NS125A-05	Single use Non-Stick Bipolar Jeweller Forceps with Cable 9.5cm, 0.5 Tip	1
3	317	Diathermy Cautery Universal Pencil Shaft 1.6 & 2.4mm	1
4	DNA700PLUS	Single use Electrode Set Short Shaft 1.6mm	5
5	PC203	Single use Pad	1

PROCEDURE PACK



Package Details:

SR. NO.	CODE	DISCRIPTION	QTY
1	PNA103A-10	Premium Elite Standard Bipolar Straight Forceps 20cm, 1mm Tip	1
2	PNS108A-10	Premium Elite Non-Stick Bipolar Bayonet Forceps 20cm, 1mm Tip	1
3	NA101-05	Single-use Jeweller Bipolar Forceps 11.5cm, tip 0.5mm	1
4	NS301	Single use Pencil 2.4mm shaft	1
5	D600PLUS	Single use Electrode set Short Shaft 2.4mm	5


PROCEDURE PACK



Package Details:

SR. NO.	CODE	DISCRIPTION	QTY
1	DNA1035-10	Straight Bi-Turbinate Probe 14cm, tip 10mm	1
2	DNA1045-10	Angle Bi-Turbinate Probe with Straight Tip 14cm, tip 10mm	1
3	DNA1013-20	Single use Bi-Turbinate Probe 20cm, tip 20mm	1
4	302A	Single use Pencil Shaft 2.4mm	1
5	DNE200PLUS	Single use Electrode set Short Shaft 2.4mm	5
6	D836	Single use Standard McPherson 10.2cm, Angle tip 0.5mm	1
7	D835	Single use Standard Jeweller #7, 11.5cm, Angle tip 0.5mm	1
8	D1418	Single-use Bipolar Flat Plug Fitting Classic Cable	1
9	PC203	Single use Pad	1

PROCEDURE PACK



RF KIT FOR BRAIN SURGERIES SINGLE USE 1

Package Details:

SR. NO.	CODE	DISCRIPTION	QTY
1	PC203	Electrosurgical Plate	1
2	NS301	Electrosurgical Pencil with Non Sticky Blade 70mm	1
3	DNE70	Rounded Loop 12mm	1
4	NS111A-10	Sterile Single use Bipolar Forceps Non-Stick 210mm, Tip 1.0mm	1

PROCEDURE PACK




RF KIT FOR BRAIN SURGERIES SINGLE USE 2

Package Details:

SR. NO.	CODE	DISCRIPTION	QTY
1	PC203	Electrosurgical Plate	1
2	NS301	Electrosurgical Pencil with Non Sticky Blade 70mm	1
3	DNE70	Rounded Loop 12mm	1
4	NS111A-05	Sterile Single use Bipolar Forceps Non-Stick 210mm, Tip 0.5mm	1

PROCEDURE PACK




RF KIT FOR SPINE SURGERIES SINGLE USE 1

Package Details:

SR. NO.	CODE	DISCRIPTION	QTY
1	PC203	Electrosurgical Plate	1
2	NS301	Electrosurgical Pencil with Non Sticky Blade 70mm	1
3	DNE7	Disposable Electrode Blade 100mm	1
4	NS111A-10	Sterile Single use Bipolar Forceps Non-Stick 210mm, Tip 1.0mm	1

PROCEDURE PACK



RF KIT FOR SPINE SURGERIES SINGLE USE 2

Package Details:

SR. NO.	CODE	DISCRIPTION	QTY
1	PC203	Electrosurgical Plate	1
2	NS301	Electrosurgical Pencil with Non Sticky Blade 70mm	1
3	DNE7	Disposable Electrode Blade 100mm	1
4	NS111A-05	Sterile Single use Bipolar Forceps Non-Stick 210mm, Tip 0.5mm	1

PROCEDURE PACK



RF KIT SINGLE USE 5

Package Details:

SR. NO.	CODE		QTY
1	PC203	Electrosurgical Plate	1
2	NS301	Electrosurgical Pencil with Non Sticky Blade 70mm	1
3	DNE7	Disposable Electrode Blade 100mm	1

RF KIT FOR BRAIN SURGERIES SINGLE USE 6

SR. NO.	CODE		QTY
1	PC203	Electrosurgical Plate	1
2	NS301	Electrosurgical Pencil with Non Sticky Blade 70mm	1
3	DNE70	Rounded Loop 12mm	1

PROCEDURE PACK



RF KIT FOR BRAIN SURGERIES SINGLE USE 7

Package Details:

SR. NO.	CODE	DISCRIPTION	QTY
1	PC203	Electrosurgical Plate	1
2	NS301	Electrosurgical Pencil with Non Sticky Blade 70mm	1
3	DNE7	Disposable Electrode Blade 100mm	1

RF KIT FOR SPINE SURGERIES SINGLE USE 11

Package Details:

SR. NO.	CODE	DISCRIPTION	QTY
1	PC203	Electrosurgical Plate	1
2	NS301	Electrosurgical Pencil with Non Sticky Blade 70mm	1
3	D600PLUS	Disposable Short Shaft Electrode Set	1

PROCEDURE PACK



RF KIT FOR SPINE SURGERIES SINGLE USE 12

Package Details:


SR. NO.	CODE	DISCRIPTION	QTY
1	PC203	Electrosurgical Plate	1
2	NS301	Electrosurgical Pencil with Non Sticky Blade 70mm	1
3	DNEPLUS	Disposable Long Shaft Electrode Set	1

RF KIT FOR BRAIN SURGERIES SINGLE USE 13

Package Details:

SR. NO.	CODE	DISCRIPTION	QTY
1	PC203	Electrosurgical Plate	1
2	NS301	Electrosurgical Pencil with Non Sticky Blade 70mm	1
3	DNE7	Disposable Electrode Blade 100mm	1

PROCEDURE PACK




RF KIT FOR RF SURGERIES SINGLE USE 9

Package Details:

SR. NO.	CODE	DISCRIPTION	QTY
1	PC203	Electrosurgical Plate	1
2	NS301	Electrosurgical Pencil with Non Sticky Blade 70mm	1
3	DNE238	Microdissection Needle Electrode 100mm	1

Single Use ELECTROSURGICAL


ACTIVE HANDPIECE



ELECTROSURGERY

ACTIVE HANDPIECE



The electrosurgical active handpiece delivers high-frequency energy for cutting and coagulating tissue. Ergonomically designed, it supports various electrodes and offers finger or foot control. Available in single-use and reusable options, it ensures precision and efficiency in surgeries.



**SINGLE USE
ELECTRODURGERY**
ACTIVE HANDPIECE


**DIATHERMY CAUTERY
PENCILS**
HAND CONTROL

SHAFT: 2.4MM



COMPATIBILITY GUIDANCE

HAND CONTROL SHAFT 2.4 MM



4mm Erbe T-Series

WIRE LENGTH	STANDARD	NONSTICK
3 METER	303-HOL	NS303-HOL
5 METER	303C-HOL	NS303C-HOL
ON DEMAND	D303F-HOL	DNS303F-HOL



**Martin, Erbe T-Series,
Integra, Berchtold, Aesculap**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	314-HOL	NS314-HOL
5 METER	314C-HOL	NS314C-HOL
ON DEMAND	D314F-HOL	DNS314F-HOL



**Valleylab, Bowa, Erbe icc
Erbe vio, eschmann, conmed**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	301-HOL	NS301-HOL
5 METER	301C-HOL	NS301C-HOL
ON DEMAND	D301F-HOL	DNS301F-HOL





**5mm Erbe acc series standard
ICC Series vio, Karl Storz**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	313-HOL	NS313-HOL
5 METER	313C-HOL	NS313C-HOL
ON DEMAND	D313F-HOL	DNS313F-HOL

**SINGLE USE
ELECTRODURGERY**
ACTIVE HANDPIECE


**DIATHERMY CAUTERY
PENCILS**
HAND CONTROL

SHAFT: 2.4MM



COMPATIBILITY GUIDANCE

HANDCONTROL SHAFT 2.4MM



4mm Erbe T-Series

WIRE LENGTH	STANDARD	NONSTICK
3 METER	303-TC	NS303-TC
5 METER	303C-TC	NS303C-TC
ON DEMAND	D303F-TC	DNS303F-TC



**Martin, Erbe T-Series,
Integra, Berchtold, Aesculap**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	314-TC	NS314-TC
5 METER	314C-TC	NS314C-TC
ON DEMAND	D314F-TC	DNS314F-TC



**Valleylab, Bowa, Erbe icc
Erbe vio, eschmann, conmed**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	301-TC	NS301-TC
5 METER	301C-TC	NS301C-TC
ON DEMAND	D301F-TC	DNS301F-TC





**5mm Erbe acc series standard
ICC Series vio, Karl Storz**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	313-TC	NS313-TC
5 METER	313C-TC	NS313C-TC
ON DEMAND	D313F-TC	DNS313F-TC

**SINGLE USE
ELECTRODURGERY**
ACTIVE HANDPIECE



**DIATHERMY CAUTERY
PENCILS**
HAND CONTROL

SHAFT: 2.4MM



COMPATIBILITY GUIDANCE

HAND CONTROL SHAFT 2.4 MM



4mm Erbe T-Series

WIRE LENGTH	STANDARD	NONSTICK
3 METER	303-HOLTC	NS303-HOLTC
5 METER	303C-HOLTC	NS303C-HOLTC
ON DEMAND	D303F-HOLTC	DNS303F-HOLTC



**Martin, Erbe T-Series,
Integra, Berchtold, Aesculap**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	314-HOLTC	NS314-HOLTC
5 METER	314C-HOLTC	NS314C-HOLTC
ON DEMAND	D314F-HOLTC	DN314F-HOLTC



**Valleylab, Bowa, Erbe icc
Erbe vio, eschmann, conmed**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	301-HOLTC	NS301-HOLTC
5 METER	301C-HOLTC	NS301C-HOLTC
ON DEMAND	D301F-HOLTC	DNS301F-HOLTC





**5mm Erbe acc series standard
ICC Series vio, Karl Storz**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	313-HOLTC	NS313-HOLTC
5 METER	313C-HOLTC	NS313C-HOLTC
ON DEMAND	D313F-HOLTC	DNS313F-HOLTC

**SINGLE USE
ELECTRODURGERY**
ACTIVE HANDPIECE


**DIATHERMY CAUTERY
PENCILS**
HAND CONTROL

SHAFT: 2.4MM



COMPATIBILITY GUIDANCE

HANDCONTROL SHAFT 2.4MM



4mm Erbe T-Series

WIRE LENGTH	STANDARD	NONSTICK
3 METER	303	NS303
5 METER	303C	NS303C
ON DEMAND	D303F	DNS303F



**Martin, Erbe T-Series,
Integra, Berchtold, Aesculap**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	314	NS314
5 METER	314C	NS314C
ON DEMAND	D314F	DNS314F



**Valleylab, Bowa, Erbe icc
Erbe vio, eschmann, conmed**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	301	NS301
5 METER	301C	NS301C
ON DEMAND	D301F	DNS301F




**5mm Erbe acc series standard
ICC Series vio, Karl Storz**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	313	NS313
5 METER	313C	NS313C
ON DEMAND	D313F	DNS313F

**SINGLE USE
ELECTRODURGERY**
ACTIVE HANDPIECE


**DIATHERMY CAUTERY
PENCILS**
HAND CONTROL

SHAFT: 4.0MM



COMPATIBILITY GUIDANCE

HAND CONTROL SHAFT 4.0MM



4mm Erbe T-Series

WIRE LENGTH	STANDARD	NONSTICK
3 METER	325-HOL	NS325-HOL
5 METER	325C-HOL	NS325C-HOL
ON DEMAND	D325F-HOL	DNS325F-HOL



**Martin, Erbe T-Series,
Integra, Berchtold, Aesculap**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	326-HOL	NS326-HOL
5 METER	326C-HOL	NS326C-HOL
ON DEMAND	326F-HOL	DNS326F-HOL



**Valleylab, Bowa, Erbe icc
Erbe vio, eschmann, conmed**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	327-HOL	NS327-HOL
5 METER	327C-HOL	NS327C-HOL
ON DEMAND	D327F-HOL	DNS327F-HOL





**5mm Erbe acc series standard
ICC Series vio, Karl Storz**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	328-HOL	NS328-HOL
5 METER	328C-HOL	NS328C-HOL
ON DEMAND	D328F-HOL	NS328F-HOL

**SINGLE USE
ELECTRODURGERY**
ACTIVE HANDPIECE


**DIATHERMY CAUTERY
PENCILS**
HAND CONTROL

SHAFT: 4.0MM



COMPATIBILITY GUIDANCE

HANDCONTROL SHAFT 4.0MM



4mm Erbe T-Series

WIRE LENGTH	STANDARD	NONSTICK
3 METER	325-TC	NS325-TC
5 METER	325C-TC	NS325C-TC
ON DEMAND	D325F-TC	DNS325F-TC



**Martin, Erbe T-Series,
Integra, Berchtold, Aesculap**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	326-TC	NS326-TC
5 METER	326C-TC	NS326C-TC
ON DEMAND	D326F-TC	DNS326F-TC



**Valleylab, Bowa, Erbe icc
Erbe vio, eschmann, conmed**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	327-TC	NS327-TC
5 METER	327C-TC	NS327C-TC
ON DEMAND	D327F-TC	DNS327F-TC





**5mm Erbe acc series standard
ICC Series vio, Karl Storz**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	328-TC	NS328-TC
5 METER	328C-TC	NS328C-TC
ON DEMAND	D328F-TC	DNS328F-TC

**SINGLE USE
ELECTRODURGERY**
ACTIVE HANDPIECE

**DIATHERMY CAUTERY
PENCILS**
HAND CONTROL

SHAFT: 4.0MM



COMPATIBILITY GUIDANCE

HAND CONTROL SHAFT 4.0 MM



4mm Erbe T-Series

WIRE LENGTH	STANDARD	NONSTICK
3 METER	325-HOLTC	NS325-HOLTC
5 METER	325C-HOLTC	NS325C-HOLTC
ON DEMAND	D325F-HOLTC	DNS325F-HOLTC



**Martin, Erbe T-Series,
Integra, Berchtold, Aesculap**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	326-HOLTC	NS326-HOLTC
5 METER	326C-HOLTC	NS326C-HOLTC
ON DEMAND	D326F-HOLTC	DNS326F-HOLTC



**Valleylab, Bowa, Erbe icc
Erbe vio, eschmann, conmed**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	327-HOLTC	NS327-HOLTC
5 METER	327C-HOLTC	NS327C-HOLTC
ON DEMAND	D327F-HOLTC	DNS327F-HOLTC




**5mm Erbe acc series standard
ICC Series vio, Karl Storz**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	328-HOLTC	NS328-HOLTC
5 METER	328C-HOLTC	NS328C-HOLTC
ON DEMAND	D328F-HOLTC	DNS328F-HOLTC

**SINGLE USE
ELECTRODURGERY**
ACTIVE HANDPIECE


**DIATHERMY CAUTERY
PENCILS**
HAND CONTROL

SHAFT: 4.0MM



COMPATIBILITY GUIDANCE

HANDCONTROL SHAFT 4.0MM



4mm Erbe T-Series

WIRE LENGTH	STANDARD	NONSTICK
3 METER	325	NS325
5 METER	325C	NS325C
ON DEMAND	D325F	DNS325F



**Martin, Erbe T-Series,
Integra, Berchtold, Aesculap**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	326	NS326
5 METER	326C	NS326C
ON DEMAND	D326F	DNS326F



**Valleylab, Bowa, Erbe icc
Erbe vio, eschmann, conmed**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	327	NS327
5 METER	327C	NS327C
ON DEMAND	D327F	DNS327F



**5mm Erbe acc series standard
ICC Series vio, Karl Storz**

WIRE LENGTH	STANDARD	NONSTICK
3 METER	328	NS328
5 METER	328C	NS328C
ON DEMAND	D328F	DNS328F

Single Use ELECTROSURGICAL

ACTIVE ELECTRODES



ELECTROSURGERY

ACTIVE ELECTRODES


Electrosurgical active electrodes are specialized instruments used in medical procedures to deliver high-frequency electrical energy for cutting, coagulating, or ablating tissue. These devices are typically made from durable materials like stainless steel or tungsten and are often coated with non-conductive insulation such as Teflon or silicone to ensure safety and precision.



The surface layer is typically made of a soft, conductive material, like medical-grade silicone or gel, that comfortably adheres to the skin and efficiently transmits electrical signals or heat.



The conductive mesh layer is usually made of silver, carbon, or a highly conductive foil that distributes electrical current uniformly across the surface.



This layer is made from specialized conductive fabric or foam that helps dissipate the current across the pad.



ACTIVE ELECTRODES SHORT SHAFT 4.0 MM



Ball Electrode

TIP SIZE	LENGTH	STANDARD	NONSTICK
4mm	55mm	DE101	DNSE101
5mm	55mm	DE101A	DNSE101A
ON DEMAND		DE101F	DNSE101F



Ball Electrode Angled

TIP SIZE	LENGTH	STANDARD	NONSTICK
2mm	55mm	DE138	DNSE138
3mm	55mm	DE138A	DNSE138A
ON DEMAND		DE138F	DNSE138F



Wire Loop Electrode

TIP SIZE	LENGTH	STANDARD	NONSTICK
5mm	55mm	DE114	DNSE114
8mm	55mm	DE114A	DNSE114A
ON DEMAND		DE114F	DNSE114F



Wire Loop Electrode

TIP SIZE	LENGTH	STANDARD	NONSTICK
10mm	55mm	DE116	DNSE116
15mm	55mm	DE116A	DNSE116A
ON DEMAND		DE116F	DNSE116F



Knife Electrode

TIP SIZE	LENGTH	STANDARD	NONSTICK
3.30x25mm	55mm	DE106	DNSE106
3.00x25mm	55mm	DE106A	DNSE106A
ON DEMAND		DE106F	DNSE106F



Knife Electrode

TIP SIZE	LENGTH	STANDARD	NONSTICK
3.0x20mm	55mm	DE182	DNSE182
3.30x20mm	55mm	DE182A	DNSE182A
ON DEMAND		DE182F	DNSE182F



Knife Electrodes Classic

TIP SIZE	LENGTH	STANDARD	NONSTICK
3.30x24mm	55mm	DE132	DNSE132
3.80x24mm	55mm	DE132A	DNSE132A
ON DEMAND		DE132F	DNSE132F



**Knife Electrodes
Angular**

TIP SIZE	LENGTH	STANDARD	NONSTICK
3.0x24mm	55mm	DE103	DNSE103
3.5x25mm	55mm	DE103A	DNSE103A
ON DEMAND		DE103F	DNSE103F



ACTIVE ELECTRODES SHORT SHAFT 4.0MM



SPATULA Electrode

TIP SIZE	LENGTH	STANDARD	NONSTICK
2.0x8mm	55mm	DE181	DNSE181
2.4x10mm	55mm	DE181A	DNSE181A
ON DEMAND		DE181F	DNSE181F



Needle Electrode

TIP SIZE	LENGTH	STANDARD	NONSTICK
0.8x20mm	55mm	DE133	DNSE133
1.0x20mm	55mm	DE133A	DNSE133A
ON DEMAND		DE133F	DNSE133F



Needle Electrodes

TIP SIZE	LENGTH	STANDARD	NONSTICK
0.25mm	55mm	DE185	DNSE185
0.35mm	55mm	DE185A	DNSE185A
ON DEMAND		DE185F	DNSE185F



Needle Electrodes

TIP SIZE	LENGTH	STANDARD	NONSTICK
0.5x5mm	50mm	DE142	DNSE142
0.8x5mm	50mm	DE142A	DNSE142A
ON DEMAND		DE142F	DNSE142F



Needle Electrode (Angled)

TIP SIZE	LENGTH	STANDARD	NONSTICK
0.5x5mm	50mm	DE143	DNSE143
0.8x5mm	50mm	DE143A	DNSE143A
ON DEMAND		DE143F	DNSE143F



Needle Electrodes

TIP SIZE	LENGTH	STANDARD	NONSTICK
0.8x10mm	55mm	DE134	DNSE134
1.0x10mm	55mm	DE134A	DNSE134A
ON DEMAND		DE134F	DNSE134F



Needle Electrodes

TIP SIZE	LENGTH	STANDARD	NONSTICK
0.50x20mm	55mm	DE184	DNSE184
0.80x20mm	55mm	DE184A	DNSE184A
ON DEMAND		DE184F	DNSE184F



ACTIVE ELECTRODES LONG SHAFT 4.0MM

Ball Electrode



TIP SIZE	LENGTH	STANDARD	NONSTICK
6mm	140mm	DE152	DNSE152
10mm	140mm	DE153	DNSE153
ON DEMAND		DE152F	DNSE152F

Knife Electrodes



TIP SIZE	LENGTH	STANDARD	NONSTICK
3.3x25mm	140mm	DE147	DNSE147
3.0x20mm	140mm	DE147A	DNSE147A
ON DEMAND		DE147F	DNSE147F

Spatula Electrodes



TIP SIZE	LENGTH	STANDARD	NONSTICK
2.4x20mm	140mm	DE118	DNSE118
2.4x12mm	140mm	DE118A	DNSE118A
ON DEMAND		DE118F	DNSE118F

Knife Electrodes



TIP SIZE	LENGTH	STANDARD	NONSTICK
2.4x10mm	140mm	DE146	DNSE146
2.5x12mm	140mm	DE146A	DNSE146A
ON DEMAND	140mm	DE146F	DNSE146F

Spatula Electride



TIP SIZE	LENGTH	STANDARD	NONSTICK
2.0x16mm	80mm	DE144	DNSE144
2.4x20mm	80mm	DE144A	DNSE144A
ON DEMAND		DE144F	DNSE144F



ACTIVE ELECTRODES LONG SHAFT 4.0MM

Wire Loop Electrode



TIP SIZE	LENGTH	STANDARD	NONSTICK
4mm	140mm	DE121	DNSE121
5mm	140mm	DE121	DNSE121
ON DEMAND		DE121F	DNSE121F

Wire Loop Electrode



TIP SIZE	LENGTH	STANDARD	NONSTICK
6mm	140mm	DE122	DNSE122
8mm	140mm	DE122	DNSE122
ON DEMAND		DE122F	DNSE122F

Needle Electrode



TIP SIZE	LENGTH	STANDARD	NONSTICK
0.8x12mm	140mm	DE119	DNSE119
0.5x12mm	140mm	DE119A	DNSE119A
ON DEMAND		DE119F	DNSE119F

Needle Electrodes



TIP SIZE	LENGTH	STANDARD	NONSTICK
1.0x10mm	140mm	DE203	DNSE203
0.8x10mm	140mm	DE203A	DNSE203A
ON DEMAND		DE203F	DNSE203F



ACTIVE ELECTRODES LONG SHAFT 4.0MM

Microdissection Needle Electrodes, Flexible, 45°, Tungsten



TIP SIZE	LENGTH	STANDARD	NONSTICK
0.20x4mm	110mm	DE229	DNSE229
0.15x4mm	110mm	DE229A	DNSE229A
ON DEMAND		DE229F	DNSE229F

Microdissection Needle Electrodes, Needle Flexible, Tungsten



TIP SIZE	LENGTH	STANDARD	NONSTICK
0.20x4mm	75mm	DE230	DNSE230
0.15x4mm	75mm	DE230A	DNSE230A
ON DEMAND		DE230F	DNSE230F

Microdissection Needle Electrodes, Flexible, 45°, Tungsten



TIP SIZE	LENGTH	STANDARD	NONSTICK
0.20x4mm	75mm	DE231	DNSE231
0.15x4mm	75mm	DE231A	DNSE231A
ON DEMAND		DE231F	DNSE231F

Microdissection Needle Electrodes, Flexible, Tungsten



TIP SIZE	LENGTH	STANDARD	NONSTICK
0.20x4mm	50mm	DE232	DNSE232
0.15x4mm	50mm	DE232A	DNSE232A
ON DEMAND		DE232F	DNSE232F

Microdissection Needle Electrodes, Flexible, 45°, Tungsten



TIP SIZE	LENGTH	STANDARD	NONSTICK
0.20x4mm	50mm	DE233	DNSE233
0.15x4mm	50mm	DE233A	DNSE233A
ON DEMAND		DE233F	DNSE233F



ACTIVE ELECTRODES LONG SHAFT 4.0MM

Microdissection Needle Electrodes, Flexible, Tungsten



TIP SIZE	LENGTH	STANDARD	NONSTICK
0.20x4mm	140mm	DE226	DNSE226
0.15x4mm	140mm	DE226A	DNSE226A
ON DEMAND		DE226F	DNSE226F

Microdissection Needle Electrodes, Flexible, 45°, Tungsten



TIP SIZE	LENGTH	STANDARD	NONSTICK
0.20x4mm	140mm	DE227	DNSE227
0.15x4mm	140mm	DE227A	DNSE227A
ON DEMAND		DE227F	DNSE227F

Microdissection Needle Electrode, Flexible, Tungsten



TIP SIZE	LENGTH	STANDARD	NONSTICK
0.20x4mm	140mm	DE228	DNSE228
0.15x4mm	140mm	DE228A	DNSE228A
ON DEMAND		DE228F	DNSE228F

Tungsten Needle Electrodes, with Ceramic Angular



TIP SIZE	LENGTH	STANDARD	NONSTICK
0.20x4mm	140mm	DE242	DNSE242
0.15x4mm	140mm	DE242A	DNSE242A
ON DEMAND		DE242F	DNSE242F

Tungsten Needle Electrodes, with ceramic



TIP SIZE	LENGTH	STANDARD	NONSTICK
0.20x4mm	140mm	DE243	DNSE243
0.15x4mm	140mm	DE243A	DNSE243A
ON DEMAND		DE243F	DNSE243F



ACTIVE ELECTRODES LONG SHAFT 4.0MM

Loop Electrodes



TIP SIZE	LENGTH	STANDARD	NONSTICK
10x10mm	140mm	DE156	DNSE156
10x15mm	140mm	DE156A	DNSE156A
ON DEMAND		DE156F	DNSE156F

Loop Electrodes



TIP SIZE	LENGTH	STANDARD	NONSTICK
15x15mm	140mm	DE157	DNSE157
15x10mm	140mm	DE157A	DNSE157A
ON DEMAND		DE157F	DNSE157F

Loop Electrodes



TIP SIZE	LENGTH	STANDARD	NONSTICK
15x20mm	140mm	DE158	DNSE158
15x25mm	140mm	DE158A	DNSE158A
ON DEMAND		DE158F	DNSE158F

Loop Electrodes



TIP SIZE	LENGTH	STANDARD	NONSTICK
20x20mm	140mm	DE159	DNSE159
20x10mm	140mm	DE159A	DNSE159A
ON DEMAND		DE159F	DNSE159F

Loop Electrodes



TIP SIZE	LENGTH	STANDARD	NONSTICK
20x25mm	140mm	DE160	DNSE160
20x30mm	140mm	DE160A	DNSE160A
ON DEMAND		DE160F	DNSE160F



ACTIVE ELECTRODES LONG SHAFT 4.0MM

Loop Electrodes



TIP SIZE	LENGTH	STANDARD	NONSTICK
10mm	140mm	DE161	DNSE161
8mm	140mm	DE161A	DNSE161A
ON DEMAND		DE161F	DNSE161F

Loop Electrodes



TIP SIZE	LENGTH	STANDARD	NONSTICK
15mm	140mm	DE162	DNSE162
12mm	140mm	DE162A	DNSE162A
ON DEMAND		DE162F	DNSE162F

Loop Electrodes



TIP SIZE	LENGTH	STANDARD	NONSTICK
20mm	140mm	DE163	DNSE163
28mm	140mm	DE163A	DNSE163A
ON DEMAND		DE163F	DNSE163F

Loop Electrodes



TIP SIZE	LENGTH	STANDARD	NONSTICK
25mm	140mm	DE164	DNSE164
22mm	140mm	DE164A	DNSE164A
ON DEMAND		DE164F	DNSE164F

Loop Electrodes



TIP SIZE	LENGTH	STANDARD	NONSTICK
30mm	140mm	DE165	DNSE165
28mm	140mm	DE165A	DNSE165A
ON DEMAND		DE165F	DNSE165F



Ball Electrode

TIP SIZE	LENGTH	STANDARD	NONSTICK
4.0mm	60mm	D613	DNS613
5.0mm	60mm	D613A	DNS613A
ON DEMAND		D613F	DNS613F



Wire Loop Electrode

TIP SIZE	LENGTH	STANDARD	NONSTICK
5.0mm	60mm	D616	DNS616
7.0mm	60mm	D616A	DNS616A
ON DEMAND		D616F	DNS616F



Wire Loop Electrode

TIP SIZE	LENGTH	STANDARD	NONSTICK
14mm	60mm	D641	DNS641
16mm	60mm	D641A	DNS641A
ON DEMAND		D641F	DNS641F



Micro dissection Needle Electrodes

TIP SIZE	LENGTH	STANDARD	NONSTICK
0.20X4mm	70mm	DNE215	DNS215
0.15X4mm	70mm	DNE215A	DNS215A
ON DEMAND		DNE215F	DNS215F



ACTIVE ELECTRODES SHORT SHAFT 2.4 MM



Microdissection Needle Electrodes

TIP SIZE	LENGTH	STANDARD	NONSTICK
0.20X4mm	70mm	DNE241	DNSNE241
0.15X4mm	70mm	DNE241	DNSNE241A
ON DEMAND		DNE241F	DNSNE241F



Monopolar Needle Electrode
0.5mm x 20mm

TIP SIZE	LENGTH	STANDARD	NONSTICK
0.5x20mm	70mm	D604	DNS604
0.5x10mm	70mm	D604A	DNS604A
ON DEMAND		D604F	DNS604F



Monopolar Needle Electrode

TIP SIZE	LENGTH	STANDARD	NONSTICK
0.8X20mm	70mm	D603	DNSE603
0.8X10mm	70mm	D603A	DNSE603A
ON DEMAND		D603F	DNSE603F



Standard Knife
2.5X20mm

TIP SIZE	LENGTH	STANDARD	NONSTICK
2.5x20mm	70mm	D635	DNS635
2.0X25mm	70mm	D635A	DNS635A
ON DEMAND		D635F	DNS635F



Blade Electrode
2.5mm x 20mm

TIP SIZE	LENGTH	STANDARD	NONSTICK
2.5X20mm	70mm	D601	DNS601
2.0X25mm	70mm	D601A	DNS601A
ON DEMAND		D601F	DNS601F



Spatula Electrode
2.5mm x 20mm

TIP SIZE	LENGTH	STANDARD	NONSTICK
2.5x20mm	70mm	D650	DNS650
2.0X25mm	70mm	D650	DNS650A
ON DEMAND		D650F	DNS650F



ACTIVE ELECTRODES LONG SHAFT 2.4MM

Ball Electrode Ø 4.0mm



TIP SIZE	LENGTH	STANDARD	NONSTICK
2mm	140mm	DNE26	DNSNE26
4mm	140mm	DNE21	DNSNE21
ON DEMAND		DNE21F	DNSNE21F

Ball Electrode Ø 6.0mm



TIP SIZE	LENGTH	STANDARD	NONSTICK
6mm	140mm	DNE27	DNSNE27
8mm	140mm	DNE28	DNSNE28
ON DEMAND		DNE28F	DNSNE28F

Knife Electrode 2.4mm



TIP SIZE	LENGTH	STANDARD	NONSTICK
2.4x10mm	140mm	DNE7	DNSNE7
3.3x25mm	140mm	DNE15	DNSNE15
ON DEMAND		DNE15F	DNSNE15F

Knife Electrode 3.3mm



TIP SIZE	LENGTH	STANDARD	NONSTICK
3.3x12mm	140mm	DNE31	DNSNE31
3.3x20mm	140mm	DNE33	DNSNE33
ON DEMAND		DNE33F	DNSNE33F

Spatula Electrode 2mm x 16mm & 2.4X 20mm



TIP SIZE	LENGTH	STANDARD	NONSTICK
2x16mm	140mm	DNE4	DNSNE4
2.4x20mm	140mm	DNE22	DNSNE22
ON DEMAND		DNE22F	DNSNE22F



ACTIVE ELECTRODES LONG SHAFT 2.4MM

Needle Electrode 20x0.5mm



TIP SIZE	LENGTH	STANDARD	NONSTICK
0.5x12mm	140mm	DE151	DNSE151
0.8x20mm	140mm	DE151A	DNSE151A
ON DEMAND		DE151F	DNSE151F

Needle Electrode 0.8x12mm



TIP SIZE	LENGTH	STANDARD	NONSTICK
0.8x12mm	140mm	DNE32	DNSNE32
0.5x20mm	140mm	DNE23	DNSNE23
ON DEMAND		DNE23F	DNSNE23F

Microdissection Needle Electrodes 0.25x4mm



TIP SIZE	LENGTH	STANDARD	NONSTICK
0.20x4mm	110mm	DNE238	DNSNE238
0.15x4mm	110mm	DNE238A	DNSNE238A
ON DEMAND		DNE238F	DNSNE238F

Microdissection Needle Electrodes Angled 0.25x4mm



TIP SIZE	LENGTH	STANDARD	NONSTICK
0.20x4mm	110mm	DNE239	DNSNE239
0.15x4mm	110mm	DNE239A	DNSNE239A
ON DEMAND		DNE239F	DNSNE239F



ACTIVE ELECTRODES LONG SHAFT 2.4MM

Loop Electrode



TIP SIZE	LENGTH	STANDARD	NONSTICK
10X10mm	140mm	DNE72	DNSNE72
10X5.0mm	140mm	DNE72A	DNSNE72A
ON DEMAND		DNE72F	DNSNE72F

Loop Electrode



TIP SIZE	LENGTH	STANDARD	NONSTICK
15X15mm	140mm	DNE73	DNSNE73
15X10mm	140mm	DNE73A	DNSNE73A
ON DEMAND		DNE73F	DNSNE73F

Loop Electrode



TIP SIZE	LENGTH	STANDARD	NONSTICK
15X20mm	140mm	DNE74	DNSNE74
15X25mm	140mm	DNE74A	DNSNE74A
ON DEMAND		DNE74F	DNSNE74F

Loop Electrode



TIP SIZE	LENGTH	STANDARD	NONSTICK
20X20mm	140mm	DNE75	DNSNE75
20X23mm	140mm	DNE75A	DNSNE75A
ON DEMAND		DNE75F	DNSNE75F

Loop Electrode



TIP SIZE	LENGTH	STANDARD	NONSTICK
4mm	140mm	DNE68	DNSNE68
6mm	140mm	DNE69	DNSNE69
ON DEMAND		DNE68F	DNSNE68F



ACTIVE ELECTRODES LONG SHAFT 2.4MM

Loop Electrode




TIP SIZE	LENGTH	STANDARD	NONSTICK
10mm	140mm	DNE77	DNSNE77
12mm	140mm	DNE77A	DNSNE77A
ON DEMAND		DNE77F	DNSNE77F

Loop Electrode



TIP SIZE	LENGTH	STANDARD	NONSTICK
15mm	140mm	DNE78	DNSNE78
18mm	140mm	DNE78A	DNSNE78A
ON DEMAND	140mm	DNE78F	DNSNE78F

Loop Electrode 20mm



TIP SIZE	LENGTH	STANDARD	NONSTICK
20mm	140mm	DNE79	DNSNE79
23mm	140mm	DNE79A	DNSNE79A
ON DEMAND		DNE79A	DNSNE79F

Loop Electrode



TIP SIZE	LENGTH	STANDARD	NONSTICK
25mm	140mm	DNE80	DNSNE80
30mm	140mm	DNE80A	DNSNE80A
ON DEMAND		DNE80F	DNSNE80F

Loop Electrode



TIP SIZE	LENGTH	STANDARD	NONSTICK
10mm	140mm	DNE70	DNSNE70
15mm	140mm	DNE71	DNSNE71
ON DEMAND		DNE70F	DNSNE70F


**SINGLE USE
ELECTROSUREGY**
ACTIVE ELECTRODES

**ACTIVE MONOPOLAR
ELECTRODES**
SHORT SHAFT: 2.4 MM



Electrodes Set
SHORT SHAFT 1.6MM

DNA700PLUS




Electrodes Set
SHORT SHAFT 2.4MM

DNE200PLUS




Electrodes Set
SHORT SHAFT 2.4MM

D600PLUS



Electrodes Set
SHORT SHAFT 4.0MM

DE200PLUS



Electrodes Set
SHORT SHAFT 4.0MM

DE100PLUS



**SINGLE USE
ELECTROSUREGY**
ACTIVE ELECTRODES

**ACTIVE MONOPOLAR
ELECTRODES**
SHORT SHAFT: 2.4 MM



Elevodes Set
LONG SHAFT 2.4MM

DNEPLUS




Electrodes Set
LONG SHAFT 4.0MM

DEPLUS



**SINGLE USE
ELECTROSURGERY
ACTIVE ELECTRODES**

**ARTHROSCOPIC
ELECTRODES
WITH BANANA PLUG**



SINGLE USE BLUE ARTHROSCOPIC ELECTRODES

These forceps stand out for their reduced tissue adhesion. The Rose Gold plated tips allow for a high heat conductivity and a high electrical conductivity. This combination enables quick heat dispersion over and away from the tips which makes a very good non-stick behavior possible.


Less tip cleaning
Less procedural interruptions

CUSTOMIZED SIZES

LENGTH	CODE
140mm / 5 1/2"	D6641MM
165mm / 6 1/2"	D6641ANN
190mm / 7 1/2"	D6641BOO
215mm / 8 1/2"	D6641CPP
265mm / 10 1/2"	D6641DQQ

TIP SIZE	
Straight	1/1
Curved	1/1
ON DEMAND	

155mm	180mm	200mm	240mm	240mm
D6641	D6641A	D6641B	D6641C	D6641D
D6642	D6642A	D6642B	D6642C	D6642D
D6641F	D6641AF	D6641BF	D6641CF	D6641DF




SINGLE USE BLUE ARTHROSCOPIC ELECTRODES

These forceps stand out for their reduced tissue adhesion. The Rose Gold plated tips allow for a high heat conductivity and a high electrical conductivity. This combination enables quick heat dispersion over and away from the tips which makes a very good non-stick behavior possible.

- Less tip cleaning
- Less procedural interruptions

CUSTOMIZED SIZES

LENGTH	CODE
140mm / 5 1/2"	D6646MM
165mm / 6 1/2"	D6646ANN
190mm / 7 1/2"	D6646BOO
215mm / 8 1/2"	D6646CPP
265mm / 10 1/2"	D6646DQQ



D6646	D6646A	D6646B	D6646C	D6646D
D6647	D6647A	D6647B	D6647C	D6647D
D6646F	D6646AF	D6646BF	D6646CF	D6646DF



SINGLE USE BLUE BIPOLAR ELECTRODES



Bipolar Eraser (Single use)

TIP SIZE	155mm	180mm	200mm	220mm	240mm
Flat Tip	DNA1001	DNA1002	DNA1003	DNA1004	DNA1005
Tapered Tip	DNA1001A	DNA1002A	DNA1003A	DNA1004A	DNA1005A
ON DEMAND	DNA1001F	DNA1002F	DNA1003F	DNA1004F	DNA1005F



Bi-Turbinate Probe (Single use)

TIP SIZE	155mm	180mm	200mm	220mm	240mm
30mm	DNA1006-30	DNA1007-30	DNA1008-30	DNA1009-30	DNA1010-30
20mm	DNA1006-20	DNA1007-20	DNA1008-20	DNA1009-20	DNA1010-20
10mm	DNA1006-10	DNA1007-10	DNA1008-10	DNA1009-10	DNA1010-10
ON DEMAND	DNA1006F	DNA1007F	DNA1008F	DNA1009F	DNA1010F



Bi-Turbinate Probe (Single use)

TIP SIZE	155mm	180mm	200mm	220mm	240mm
30mm	DNA1011-30	DNA1012-30	DNA1013-30	DNA1014-30	DNA1015-30
20mm	DNA1011-20	DNA1012-20	DNA1013-20	DNA1014-20	DNA1015-20
10mm	DNA1011-10	DNA1012-10	DNA1013-10	DNA1014-10	DNA1015-10
ON DEMAND	DNA1011F	DNA1012F	DNA1013F	DNA1014F	DNA1015F



SINGLE USE BLUE BIPOLAR ELECTRODES WITH INTEGRATED CABLE



Bipolar Eraser with integrated Cable

TIP SIZE
Flat Tip
Tapered Tip
ON DEMAND

155mm	180mm	200mm	220mm	240mm
DNA1016	DNA1017	DNA1018	DNA1019	DNA1020
DNA1016A	DNA1017A	DNA1018A	DNA1019A	DNA1020A
DNA1016F	DNA1017F	DNA1018F	DNA1019F	DNA1020F



Bi-Turbinate Probe with integrated Cable

TIP SIZE
30mm
20mm
10mm
ON DEMAND

155mm	180mm	200mm	220mm	240mm
DNA1021-30	DNA1022-30	DNA1023-30	DNA1024-30	DNA1025-30
DNA1021-20	DNA1022-20	DNA1023-20	DNA1024-20	DNA1025-20
DNA1021-10	DNA1022-10	DNA1023-10	DNA1024-10	DNA1025-10
DNA1021F	DNA1022F	DNA1023F	DNA1024F	DNA1025F



Bi-Turbinate Probe with integrated Cable

TIP SIZE
30mm
20mm
10mm
ON DEMAND

155mm	180mm	200mm	220mm	240mm
DNA1026-30	DNA1027-30	DNA1028-30	DNA1029-30	DNA1030-30
DNA1026-20	DNA1027-20	DNA1028-20	DNA1029-20	DNA1030-20
DNA1026-10	DNA1027-10	DNA1028-10	DNA1029-10	DNA1030-10
DNA1026F	DNA1027F	DNA1028F	DNA1029F	DNA1030F



SINGLE USE BLUE BIPOLAR ELECTRODES




Bi-Turbinate Probe (Single use)

TIP SIZE

30mm	
20mm	
10mm	
ON DEMAND	

155mm	180mm	200mm	220mm	240mm
DNA1031-30	DNA1032-30	DNA1033-30	DNA1034-30	DNA1035-30
DNA1031-20	DNA1032-20	DNA1033-20	DNA1034-20	DNA1035-20
DNA1031-10	DNA1032-10	DNA1033-10	DNA1034-10	DNA1035-10
DNA1031F	DNA1032F	DNA1033F	DNA1034F	DNA1035F



Bi-Turbinate Probe (Single use)

TIP SIZE

30mm	
20mm	
10mm	
ON DEMAND	

155mm	180mm	200mm	220mm	240mm
DNA1036-30	DNA1037-30	DNA1038-30	DNA1039-30	DNA1040-30
DNA1036-20	DNA1037-20	DNA1038-20	DNA1039-20	DNA1040-20
DNA1036-10	DNA1037-10	DNA1038-10	DNA1039-10	DNA1040-10
DNA1036F	DNA1037F	DNA1038F	DNA1039F	DNA1040F



Bi-Turbinate Probe (Single use)

TIP SIZE

30mm	
20mm	
10mm	
ON DEMAND	

155mm	180mm	200mm	220mm	240mm
DNA1041-30	DNA1042-30	DNA1043-30	DNA1044-30	DNA1045-30
DNA1041-20	DNA1042-20	DNA1043-20	DNA1044-20	DNA1045-20
DNA1041-10	DNA1042-10	DNA1043-10	DNA1044-10	DNA1045-10
DNA1041F	DNA1042F	DNA1043F	DNA1044F	DNA1045F



SINGLE USE BLUE BIPOLAR ELECTRODES WITH INTEGRATED CABLE



Bi-Turbinate Probe (Single use)

TIP SIZE	
30mm	
20mm	
10mm	
ON DEMAND	

155mm	180mm	200mm	220mm	240mm
DNA1046-30	DNA1047-30	DNA1048-30	DNA1049-30	DNA1050-30
DNA1046-20	DNA1047-20	DNA1048-20	DNA1049-20	DNA1050-20
DNA1046-10	DNA1047-10	DNA1048-10	DNA1049-10	DNA1050-10
DNA1046F	DNA1047F	DNA1048F	DNA1049F	DNA1050F



Bi-Turbinate Probe (Single use)

TIP SIZE	
30mm	
20mm	
10mm	
ON DEMAND	

155mm	180mm	200mm	220mm	240mm
DNA1051-30	DNA1052-30	DNA1053-30	DNA1054-30	DNA1055-30
DNA1051-20	DNA1052-20	DNA1053-20	DNA1054-20	DNA1055-20
DNA1051-10	DNA1052-10	DNA1053-10	DNA1054-10	DNA1055-10
DNA1051F	DNA1052F	DNA1053F	DNA1054F	DNA1055F



Bi-Turbinate Probe (Single use)

TIP SIZE	
30mm	
20mm	
10mm	
ON DEMAND	

155mm	180mm	200mm	220mm	240mm
DNA1056-30	DNA1057-30	DNA1058-30	DNA1059-30	DNA1060-30
DNA1056-20	DNA1057-20	DNA1058-20	DNA1059-20	DNA1060-20
DNA1056-10	DNA1057-10	DNA1058-10	DNA1059-10	DNA1060-10
DNA1056F	DNA1057F	DNA1058F	DNA1059F	DNA1060F

SINGLE USE DIATHERMY PADS
WITH CABLES



DIATHERMY ELECTRODES PADS

MRI: PC203

Disposable Monopolar Patient Return Plates - Adult
Martin, ERBE, Berchtold, Tekno Series Generators



MRI: PC203C

Disposable Monopolar Patient Return Plates - Child
Martin, ERBE, Berchtold, Tekno Series Generators



MRI: PC201

Disposable Monopolar Patient Return Plates - Adult
Valleylab, Conmed, BOWA Series Generators



MRI: PC201C

Disposable Monopolar Patient Return Plates - Child
Valleylab, Conmed, BOWA Series Generators




SINGLEUSE DIATHERMY PADS
WITH CABLES



DIATHERMY ELECTRODES PADS

MRI: PC202C

Disposable Bipolar Patient Return Plates - Child
Martin, ERBE, Berchtold, Tekno Series Generators




MRI: PC202

Disposable Bipolar Patient Return Plates - Adult
Martin, ERBE, Berchtold, Tekno Series Generators

MRI: PC204C

Disposable Bipolar Patient Return Plates - Child
Valleylab, Conmed, BOWA Series Generators



MRI: PC204

Disposable Bipolar Patient Return Plates - Adult
Valleylab, Conmed, BOWA Series Generators

SINGLE USE DIATHERMY PADS
WITH CABLES



DIATHERMY ELECTRODES PADS


MRI: PC102

Adult Size 145x245mm Plate for
Disposable Bipolar Patient Return Plates Adult



MRI: PC102C

Adult Size 145x245mm Plate for
Disposable Bipolar Patient Return Plates Child




MRI: PC101

Adult Size 145x245mm Plate for
Disposable Bipolar Patient Return Plates Adult



MRI: PC101C

Adult Size 145x245mm Plate for
Disposable Bipolar Patient Return Plates Child



SINGLE USE ACCESSORIES

CLASSIC



SINGLE USE ACCESSORIES

Quiver/Holster - Sterile

CODE : HOL101



Disposable Tip Cleaner Pad - Sterile

SIZES	CODE
50X50mm	TC101
48X48mm	TC102
45X45mm	TC103
ON DEMAND	TC101F

Double Pedal Diathermy

CODE : FP101D




Double Pedal Diathermy

CODE : FP102D



MODE OF MEASUREMENT



1. Bipolar Forceps

- Typically measured end-to-end or tip-to-handle.
- The measurement focuses on the total length, accounting for the tool's overall structure because both arms of the forceps are part of the current circuit.
- Often used in delicate procedures like neurosurgery, so precision in length ensures controlled handling.

2. Monopolar Forceps

- Monopolar Forceps are measured excluding the terminal top of actual forcep to end of tip
- Since the electrical current flows through only one arm, the focus is often on the active working area (tip) rather than the full length of the tool.
- Designed for broader applications, where the overall length may not impact the function as much as the active tip does.

SYMBOLS EXPLANATION



Single-use sterilized instruments are pre-packaged medical tools designed for one-time use, ensuring hygiene and preventing contamination. Examples include syringes, scalpels, and gloves.



Single-use medical instruments are pre-sterilized tools like syringes, scalpels, and gloves, designed for one-time use to ensure safety and prevent cross-contamination.



MOQ (Minimum Order Quantity) Pack of 10 Pieces means the minimum order is one pack containing 10 items, designed for bulk purchasing with consistent quality and specifications.



Latex-free products are designed for individuals with latex allergies. They are made from materials like nitrile, vinyl, or neoprene, offering similar functionality without triggering allergic reactions. Common in medical, lab, and food industries, these products prioritize safety and comfort while being hypoallergenic.



The rated accessory voltage capacity is the maximum voltage auxiliary components of an instrument can safely handle, ensuring compatibility and reliable operation, typically marked as 12V, 24V, 48V, etc., on its nameplate or datasheet.



Sterile EO (ethylene oxide) refers to a sterilization method using ethylene oxide gas to eliminate microorganisms. It is commonly used for heat- or moisture-sensitive medical devices, ensuring sterility without damaging the materials.

PRODUCT FEATURE



Feature Benefits	Standard Blue Bipolar Forceps with Cable	Non-Stick Orange Bipolar Forceps with Cable	Irrigation Purple Bipolar Forceps with Cable	Suction Tube Red Bipolar Forceps with Cable
Design and Pattern	Classic Pattern shape of Forceps since 2006	Classic Pattern shape of Forceps since 2006	Advance Pattern shape of Forceps since 2018, High Quality Grip with Precise Working Point	Advance Pattern shape of Forceps since 2018, High Quality Grip with Precise Working Point
Working Performance	400KVp 50-80Hz	400KVp 50-80Hz	400KVp 50-80Hz	400KVp 50-80Hz
Colour	Blue	Orange	Purple	Red
Stopper Guide	No	No	Yes	Yes
Reprocessing	None	None	None	None
Epoxy Resin	Latex Free Epoxy Integrated in pegs	Latex Free Epoxy Integrated in pegs	Latex Free Epoxy Free pegs	Latex Free Epoxy Free pegs
Classification and GMDN	Class IIb Rule 9 MDD/93/442 47848 - Open-surgery electrosurgical handpiece/electrode, bipolar, reusable MDR Compliance TBD*	Class IIb Rule 9 MDD/93/442 47848 - Open-surgery electrosurgical handpiece/electrode, bipolar, reusable MDR Compliance TBD*	Class IIb Rule 9 MDD/93/442 47848 - Open-surgery electrosurgical handpiece/electrode, bipolar, reusable MDR Compliance TBD*	Class IIb Rule 9 MDD/93/442 47848 - Open-surgery electrosurgical handpiece/electrode, bipolar, reusable MDR Compliance TBD*
Electrostatic Insulation	Thickness 600-800 m Heat Resistance upto 137 Centigrade Double Layer Coating	Thickness 600-800 m Heat Resistance upto 137 Centigrade Double Layer Coating	Thickness 600-800 m Heat Resistance upto 137 Centigrade Triple Layer Coating	Thickness 600-800 m Heat Resistance upto 137 Centigrade Triple Layer Coating
Autoclave Process				

PRODUCT FEATURE




Feature Benefits	Standard Blue Bipolar Forceps with Cable	Non- Stick Orange Bipolar Forceps with Cable	Premium Elite Standard Bipolar Forceps with Cable	Premium Elite Non-Stick Bipolar Forceps with Cable
Design and Pattern	Classic Pattern shape of Forceps since 2006	Classic Pattern shape of Forceps since 2006	Elite Modern Design Pattern shape of Forceps since 2025 Wide Surface of Grip for Precise performance and Grip while working in the OR	Elite Modern Design Pattern shape of Forceps since 2025 Wide Surface of Grip for Precise performance and Grip while working in the OR
Working Performance	400KVp 50-80Hz	400KVp 50-80Hz	400KVp 50-80Hz	400KVp 50-80Hz
Colour	Blue	Orange	Dark Blue	Purple
Stopper Guide	No	No	Yes	Yes
Reprocessing	None	None	None	None
Epoxy Resin	Latex Free Epoxy Integrated in pegs	Latex Free Epoxy Integrated in pegs	Latex Free Epoxy Free pegs	Latex Free Epoxy Free pegs
Classification and GMDN	Class IIb Rule 9 MDD/93/442 47848 - Open-surgery electrosurgical handpiece/electrode, bipolar, reusable MDR Compliance TBD*	Class IIb Rule 9 MDD/93/442 47848 - Open-surgery electrosurgical handpiece/electrode, bipolar, reusable MDR Compliance TBD*	Class IIb Rule 9 MDD/93/442 47848 - Open-surgery electrosurgical handpiece/electrode, bipolar, reusable MDR Compliance TBD*	Class IIb Rule 9 MDD/93/442 47848 - Open-surgery electrosurgical handpiece/electrode, bipolar, reusable MDR Compliance TBD*
Electrostatic Insulation	Thickness 600-800 m Heat Resistance upto 137 Centigrade Double Layer Coating	Thickness 600-800 m Heat Resistance upto 137 Centigrade Double Layer Coating	Thickness 600-800 m Heat Resistance upto 137 Centigrade Triple Layer Coating	Thickness 600-800 m Heat Resistance upto 137 Centigrade Triple Layer Coating
Autoclave Process				

PRODUCT FEATURE



Feature Benefits	Standard Blue Bipolar Forceps	Standard Blue Bipolar Forceps with Suction Tube	Non-Stick Orange Bipolar Forceps	Non-Stick Orange Bipolar Forceps with Suction Tube
Design and Pattern	Classic Pattern shape of Forceps since 2006	Classic Pattern shape of Forceps since 2006	Advance Pattern shape of Forceps since 2018, High Quality Grip with Presice Working Point	Advance Pattern shape of Forceps since 2018, High Quality Grip with Presice Working Point
Working Performance	400KVp 50-80Hz	400KVp 50-80Hz	400KVp 50-80Hz	400KVp 50-80Hz
Colour	Blue	Blue	Orange	Orange
Stopper Guide	No	No	Yes	Yes
Reprocessing	None	None	None	None
Epoxy Ressin	Latext Free Epoxy Integrated in pegs	Latext Free Epoxy Integrated in pegs	Latext Free Epoxy Free pegs	Latext Free Epoxy Free pegs
Classification and GMDN	Class IIb Rule 9 MDD/93/442 47848 - Open-surgery electrosurgical handpiece/electrode, bipolar, reusable MDR Compliance TBD*	Class IIb Rule 9 MDD/93/442 47848 - Open-surgery electrosurgical handpiece/electrode, bipolar, reusable MDR Compliance TBD*	Class IIb Rule 9 MDD/93/442 47848 - Open-surgery electrosurgical handpiece/electrode, bipolar, reusable MDR Compliance TBD*	Class IIb Rule 9 MDD/93/442 47848 - Open-surgery electrosurgical handpiece/electrode, bipolar, reusable MDR Compliance TBD*
Electrostatic Insulation	Thickness 600-800 m Heat Resistance upto 137 Centigrade Double Layer Coating	Thickness 600-800 m Heat Resistance upto 137 Centigrade Double Layer Coating	Thickness 600-800 m Heat Resistance upto 137 Centigrade Triple Layer Coating	Thickness 600-800 m Heat Resistance upto 137 Centigrade Triple Layer Coating
Autoclave Process				

WORLDWIDE DISTRIBUTION



Sr.No.	COUNTRY
1	Germany
2	Australia
3	Turkey
4	Japan
5	South Africa
6	Cyprus
7	Greece
8	United Kingdom
9	Algeria
10	Kosovo
more	World Wide

Worldwide distribution is the process of delivering products or services globally, ensuring they reach diverse markets through efficient logistics and tailored strategies. It involves international transportation, regulatory compliance, and adapting offerings to meet cultural and consumer needs. By utilizing channels like e-commerce and local distributors, it aims to expand market reach, create a global presence, and meet international demand.

OEM PRODUCTION

An important part of our day-to-day business presents the manufacturing of OEM products on behalf of some of the most well known international companies in the field of electrosurgery, ophthalmology, neuro- and microsurgery. Besides the known electrosurgical instruments, we have particularly specialised in most delicate forceps and scissors. Not only are we capable to manufacture according to your drawings or samples, but by means of our powerful 3D CAD system we are also able to work closely with our customers to realise new or improved products from concept to serial production - and if desired, we label and package the products exactly according to our customers specifications. It goes without saying that this includes our complete knowledge, long standing experience, comprehensive and modern machinery and an integrated Quality Management System.



Single-action, forceps jaws (horizontal)



Single-action, ducbill (vertical)



Repair Service

Being a specialist for instruments and accessories for electrosurgery we have the capability to also repair such devices - and not only those originally produced by ourselves, but also those of other well known manufacturers. For example we offer a repair service for bipolar forceps of nearly all makes and types. Whether it is only repolishing of the tips or applying a complete new insulation - our specialists take care that the repaired product is just as safe and fully functional as a new one.



Insulation Coating Service

In addition, we offer our Insulation Coating Service to our customers. Regardless if you have specula, spatula, forceps or handles - if a coating is required for electrical insulation, you should talk to us. Because we supply ready-to-use: no more cumbersome rework, no trimming of the coating edges and no repolishing of functional parts.



DISCLAIMER STATEMENTS

Terms & Conditions

By using Medrose's services and products, you agree to the following terms. Product availability and prices may change without notice, and final prices will be confirmed at the time of order. Payment is due at the time of purchase unless otherwise agreed. Shipping times are estimates, and Medrose is not responsible for delays caused by third-party couriers. Returns and exchanges are accepted within a specified period under certain conditions. Medrose is not liable for damages beyond the warranty period. Your personal information will be used solely for order processing and customer service. For inquiries, contact our support team.

Modification of Terms

Medrose reserves the right to modify, amend, or update the terms and conditions outlined in this document at any time, without prior notice. Any such modifications will be effective immediately upon posting the revised terms on our website, in our catalogue, or through other appropriate channels, as deemed necessary by the company. By continuing to use the Medrose. Any associated products or services, after the revised terms are made available, users agree to be bound by the updated terms and conditions. It is the responsibility of the user to review these terms periodically to stay informed of any changes. If any modification to the terms is unacceptable, the user's sole remedy is to cease using the associated services.

Eligibility

To be eligible for returns, items must be in their original condition, unused, and with all tags and packaging intact. Returns must be initiated within the specified return period from the date of purchase. Customized, personalized, or clearance items are not eligible for return unless they are defective or incorrect. Proof of purchase, such as a receipt or order confirmation, may be required to process a return.

Product Information

Medrose provides high-quality products designed to meet the demands of precision cleaning, maintenance, and performance enhancement for electrosurgical instruments and medical devices. Each product is crafted using advanced technologies and tested rigorously to ensure reliability, safety, and compliance with industry standards. Our range includes specialized cleaning solutions, ultrasonic washers, sterilizers, and related accessories, all tailored to deliver superior results in professional healthcare and laboratory environments. Detailed product specifications are available to help you choose the right solutions for your needs.

Pricing and Payments

At Medrose, we offer competitive pricing tailored to meet the needs of our clients. Our pricing structure is transparent, with no hidden fees, ensuring that you receive the best value for high-quality services and products. Payments can be made through various secure methods, including bank transfers, credit cards, and other convenient options. For bulk orders or long-term partnerships, customized pricing plans and payment terms may be available. Our customer service team is always ready to assist with any questions related to pricing or payment arrangements.

Shipping and Delivery

Medrose ensures reliable and efficient shipping and delivery services for all our products. Once your order is processed, we securely package your items to prevent damage during transit. We work with trusted courier services to offer timely and safe delivery to your location. Shipping times may vary depending on the destination, but we strive to ensure that all orders are delivered promptly. Tracking information will be provided for your convenience, allowing you to monitor your order every step of the way. For large or international orders, we offer flexible delivery options tailored to your needs.

Shipping and Delivery

We want you to be satisfied with your purchase. Items can be returned if they are in their original condition, with tags intact, within the specified return period. Customized or clearance items cannot be returned unless they are defective. Refunds will be issued to the original payment method within the processing timeframe. Return shipping costs are the responsibility of the customer unless the item is defective or incorrect. For assistance, please contact us.

Return Policy

We want you to be satisfied with your purchase. Items can be returned if they are in their original condition, with tags intact, within the specified return period. Customized or clearance items cannot be returned unless they are defective. Refunds will be issued to the original payment method within the processing timeframe. Return shipping costs are the responsibility of the customer unless the item is defective or incorrect. For assistance, please contact us.

Intellectual Property

All content included in this catalogue, including but not limited to text, images, designs, graphics, logos, and product descriptions, is the intellectual property of Medrose or its content suppliers. This material is protected by copyright, trademark, and other applicable intellectual property laws. Unauthorized use, reproduction, distribution, or modification of any content from this catalogue is strictly prohibited without prior written consent. For permission or inquiries related to intellectual property, please contact us.

Privacy Policy

At Medrose, we prioritize the privacy and security of your personal information. Our privacy policy outlines how we collect, use, and protect your data when you interact with our services or purchase our products. We collect only the necessary information to process orders, provide customer support, and improve our services. All data is stored securely and is never shared with third parties without your consent, except where required by law. By using our services, you agree to the terms outlined in our privacy policy. For more detailed information or any questions regarding your privacy, please feel free to contact us.

Contact Information

For any questions, concerns, or feedback, please contact us:
Email: info@medroseinstruments.com
Phone: 92-333-368-2200